

# KLUDI Fittings for the kitchen



● KLUDI ●



# KLUDI fittings – quality of life every day

Fittings accompany us throughout our daily routines. We come into contact with them all the time in the bathroom and kitchen. This gives rise to certain wishes and expectations for form and function. KLUDI understands these requirements – and implements them in products that are perfectly finished and that combine timeless design, innovative technology and superior-quality materials. This is how we create mixers and showers that are more than just regulated water conductors – they represent a certain quality of life.

We also set store by this closeness to people in our company. In numerous countries throughout the world, KLUDI's employees take personal care of requests from our customers and partners. They know: they can rely on KLUDI – and can expect a lot more in future.

As a manufacturer of fittings, we are conscious of our responsibility to be more economical in our use of water. Environmentally friendly production methods and smart use of resources are therefore a long-term obligation for us. With KLUDI Eco, we implement this promise with products that save water – for the future of our planet.

# CONTENT



## KITCHEN FITTINGS

KLUDI ADLON	14
JOOP!	16
KLUDI E-GO	18
KLUDI TANGENTA	22
KLUDI MX	26
KLUDI L-INE	30
KLUDI L-INE S	34
KLUDI BINGO STAR	38
KLUDI BOZZ	44
KLUDI ZENTA	46
KLUDI ZENTA BLACK & WHITE	48
KLUDI OBJEKTA	50
KLUDI KOMET	54
KLUDI TRENDO	56
KLUDI SCOPE	60
KLUDI LOGO NEO	62
KLUDI TERCIO	64







# KLUDI is the most innovative brand of 2015



Most innovative brand thanks to product excellence: The Most Innovative Brand Award is the most prestigious Plus X Award and recognises those brands with the largest number of seals of approval within a product group. The quality label “Best Design Brand 2015/2016” is a very special distinction. It is awarded across all product areas and only to those brands whose products have earned themselves the largest number of quality labels – in other words, exceptional product design guaranteed!

## KLUDI fittings are winners



### PLUS X AWARD

The Plus X Award is the world's most important innovation prize for technology, sport and lifestyle. Eligible for the award are newly developed, innovative technologies, exceptional designs and simple, intelligent operating concepts. Other criteria for an award-winning product are good ergonomic and ecological features, a comprehensive range of functions, and materials and workmanship of excellent quality.



### Interior Innovation Award

The Interior Innovation Award is one of the most respected design prizes in the international furnishing industry today. It is conferred by the prestigious German Design Council/Rat für Formgebung. The Interior Innovation Award stands for first-rate innovative achievements in all areas of the furnishing industry.



### German Design Award

The German Design Award is the international premium prize conferred by the German Design Council. It is awarded to first-rate product and communications designs, which are pioneering in the international design landscape.



KLUDI L-INE



KLUDI E-GO



KLUDI L-INE S



# The high art of the kitchen fittings

Kitchen mixers from KLUDI can do more and provide more – because KLUDI is an expert for kitchen fittings. It is the details that set these mixers apart – in terms of material, finish, functionality, design and innovation.



## Sensor mixers


How often don't you have free hands? How often is it necessary to wash dirty hands or sandy lettuce? It's hard enough to get the water running under these circumstances, without needing to carry out a thorough cleaning of the sink unit afterwards. KLUDI's sensor technology is the key to non-contact use of water at the sink. It is intelligent and avoids making mistakes. One movement in the detection field of the sensor eye is all it takes to start the water running. Power is supplied by a long-lasting, standard commercial battery or by the 230 V mains supply. That isn't just extremely convenient, avoiding constant polishing afterwards, but it will impress your guests when the host or amateur chef controls the high-tech watering point as if by magic.



## Bayonette fitting

Having the kitchen units face the window represents real quality of life – including a view while washing dishes or preparing food. However, the kitchen mixer has often been in the way when you want to open one side of the window or when you need to clean it. No problem thanks to the imaginative developers at KLUDI. They invented the bayonette fitting for the sink mixer: lift it out, turn it on its side – done. Then you can open the window without anything in the way.





### Retracting sprayer

When you want to wash up pots and pans, an adjustable rinser spray is a practical helper. There's usually a button for switching over: the intense mode is used for filling and soaking; the aerator spray mode for removing the remains of food and for rinsing off surfaces.



### Retracting spout

Flexibility is everything – for kitchen fittings too. A retractable spout increases the radius of the mixer, makes it easier to clean the sink unit and to fill containers that are not in the sink or that don't fit under the spout. Incidentally, only the very best quality from KLUDI's own production is used for the retractable KLUDI hoses. A well-balanced system of counterweights helps the hose slide back smoothly into position so that it is safely stored out of the way in the curve of the spout.



### KLUDI VersatilityPlus

Kitchen mixers with a high spout are very popular among professional cooks and aspiring amateur chefs. There are good reasons for this, as the mixers are given a lofty and elegant appearance by their generous size and enhance the looks of the sink unit. On top of that, they offer practical room to manoeuvre when working – since tall receptacles such as large saucepans, watering cans or vases can just be placed under the spout and filled conveniently. Especially practical: the spout on the KLUDI mixer can simply be swivelled to one side so there is nothing in the way when putting receptacles into the sink or taking them out.



### Manual and electronic operation

And another real innovation: KLUDI E-GO is the first kitchen fitting that can be operated manually and electronically. Contact-free operation by means of a sensor is a particular advantage when both hands are full. The fitting can also be controlled manually at any time as required. So it is no wonder that KLUDI E-GO was awarded the coveted Plus X Award for Design and Ease of Use.



### Multi-connector

Turned off the gas stove? Switched the iron off? With the multi-connector, KLUDI does its part in helping to take the weight off your mind when you go on holiday. The small valve at the base of the mixer turns the water off in the kitchen for the dishwasher or washing machine – signalling the end of rummaging around under the sink. Defining convenience is this easy and intelligent. One quick turn and the holiday or weekend trip can start and end without trouble, since the water is safely shut off.




### Fittings for boiler and electronical heater

KLUDI supplies so-called low-pressure versions for many kitchen fittings. In kitchens that are a long way from the central hot water supply, small boilers under the sink are often used. Where an unvented boiler is concerned, which can be operated with the normal 230 V mains supply, a special mixer is required – a low-pressure mixer. The advantage of the low-pressure version: hot water is provided on the spot through a short line as needed – the technical equipment is tried and tested and affordable.

NEW

### Quick connector

KLUDI has introduced its quick connector so that KLUDI kitchen mixer taps can be installed fast and safely. The hose end piece from the retractable spout or retractable sprayer slots onto the matching adapter on the mixer body with a single click. This saves time and expense in installation, as there is no longer any need for complicated checks for tightness since this system already guarantees the tightness of the connection in the factory.



chrome



stainless steel look



stainless steel brushed



white/chrome



mocha/chrome



black/chrome



chrome/  
matt white



chrome/  
matt black

### Material, finishes and colours

KLUDI fittings are made exclusively of brass, which complies with the most stringent standards in the German drinking water regulations. Drinking water from KLUDI fittings is thus totally safe for your health. As the expert for kitchen mixer, KLUDI moves with the times and offers various finishes that are in tune with current kitchen fashions. Apart from easy-care chrome, this also means brushed high-grade steel and high-grade steel finishes or lacquered versions in different colours such as white, black or mocha. Every KLUDI fitting finish is permanently hard-faced and thus well equipped for a long life in the kitchen.









# KLUDI ADLON

## The fascination of luxury

The superior details are what make KLUDI ADLON so prized. Richly ornamented and skilfully crafted, the splendid kitchen mixer retains turn-of-the-century charm. Nostalgic flair is combined with modern technology.




sink mixer DN 8  
516060520


## Craftsmanship skills

Classic, cross-head handles, porcelain inlays and a spout with elaborate, hexagonal faceting reflect supreme craftsmanship. KLUDI ADLON is well entitled to its prestigious name. Elegance that satisfies exacting standards, which can be shown to advantage as much in stylish art deco villas as in smart designer kitchens in a skilful mix of styles.



**sink mixer DN 8**  
swivelling spout (360°)  
H1 245, H2 180, A 250, Ø1 28, Ø2 52  
516060520 



**sink mixer DN 6**  
for use with displacement heaters  
swivelling spout (360°)  
H1 245, H2 180, A 250, Ø1 28, Ø2 52  
516000520 





# JOOP!

## Sheer opulence

Emotional. Opulent. JOOP! The elegant multifunction mixer adds a touch of glamour to the kitchen and looks sensational with its strong presence.

multifunction-fitting DN 10  
559040575



## Manufactured from one piece in a complex process

This exceptional kitchen mixer was created in collaboration with Joop!, the internationally renowned designer label. It combines everything that sets JOOP! apart: opulence, emotional appeal and an inimitable presence.

The multifunction mixer is convenient to use thanks to the spout with 360° swivel motion and a side operating lever. The spout is produced in a complex process, it is made entirely in one piece. The opulence of the JOOP! mixer is shown to particular advantage in large, open-plan kitchens.



**multifunction-fitting DN 10**  
swivelling spout (360°)  
H1 295, H2 270, A 236, Ø1 33,5, Ø2 60  
559040575 ■



# KLUDI E-GO

## Our most intelligent kitchen fitting

May we present: probably the most advanced kitchen mixer in the world, brought to you by KLUDI: E-GO. This sink mixer is a perfect symbiosis of functionality, high-tech and design. As a hybrid, it is just as easy to operate manually as in automatic mode. However, there's no need for users to concern themselves with all that, because KLUDI E-GO operates entirely intuitively and without operating instructions.

## Water – how and when it is used

KLUDI E-GO is the much sought-after ‘third hand’ that is needed so often in the kitchen. The solution: an intelligent infrared system causes the water to run when it’s needed – even if you don’t have a hand free, if your fingers are dirty or you need to wash sandy lettuce. And if greater individuality is called for: thanks to the side mixer lever, it can all be regulated by hand too, with precise flow and accurate temperatures.

### 3-phase automatic operation:

The 3-phase automatic function is achieved by using two infrared fields: the activation field and the operating field. The infrared sensor for both is fitted in the base of the mixer.

#### 1st phase: turning the water on

When the user moves their hands into the activation field – it is five centimetres in front of the infrared sensor – then the mixer turns the water flow on automatically. At the same time, the radius of the infrared sensor is extended to 20 centimetres; the operating field becomes active.

#### 2nd phase: using water

The water will run for as long as you’re washing and working. The presence of an object within the operating field ensures that the water isn’t turned off. However, if no hand or object is detected within the operating field, then the water will stop running and the mixer will switch back to the activation field. Moving your hand or a saucepan, for instance, within the activation field, immediately in front of the infrared sensor, will turn the water back on.

#### 3rd phase: working without water – shut-off

KLUDI E-GO is intelligent: if the sensor doesn’t detect hands or objects in the operating field for three seconds, the water is turned off. This can be used specifically when working without need for water, as hand movement or moving saucepans and sieves at the sink do not activate the flow of water. The water can only be turned on again via the activation field – five centimetres in front of the mixer.



### Conventional hand operation

The side controls work as usual: the flow of water and temperature can be adjusted precisely.

single lever sink mixer DN 15  
422050575





# Double-arch spout: KLUDI E-GO with expanded work radius



KLUDI has combined the E-GO kitchen mixer with the one-of-a-kind double-arch spout. This makes the intelligent E-GO functions even more versatile to use. Regardless of whether the hose spray has a fixed radius or is used by hand: simply take the sprayer out of the holder and move it in any direction – for example, to rinse crockery or to fill watering cans and buckets.

What is more, you can use the mixer, which has won several design prizes, with the same innovative functions as the classic KLUDI E-GO: automatic or manual operation is possible.



The flexible white hose spout is easy to remove using the plastic handle and provides a maximum reach of 360° for working.



**single lever sink mixer DN 15**  
with sensor technology  
mains-powered  
H1 375, H2 238, A 215, Ø1 34, Ø2 54  
422000575 ■



**single lever sink mixer DN 15**  
with sensor technology  
battery-powered  
H1 375, H2 238, A 215, Ø1 34, Ø2 54  
422100575 ■



**single lever sink mixer DN 15**  
with sensor technology  
mains-powered  
H1 472, H2 250, A 236, Ø1 34, Ø2 54  
422050575 ■



**single lever sink mixer DN 15**  
with sensor technology  
battery-powered  
H1 472, H2 250, A 236, Ø1 34, Ø2 54  
422150575 ■

# KLUDI TANGENTA

The sheer elegance  
of high-grade steel

Consummate quality is achieved when no compromises are made. KLUDI TANGENTA pursues this strategy. The single-lever sink mixer are made of 100% high-grade steel with an exceptional, finely brushed finish. Their solid composition makes them longlasting and hard wearing. The purist mixers prove themselves as highly practical tools for the kitchen while at the same time emanating an unsurpassed feeling of premium value. Only high-grade steel has this understated elegance, showing kitchens off in a whole new light.



single lever sink mixer DN 10  
44941F875

## Solid quality, an exquisite appearance

The superior high-grade steel and high-end workmanship form a perfect match for each other in KLUDI TANGENTA. The mixer body consists of one piece of solid high-grade steel; the components are incorporated seamlessly with the body. Then it is only to be expected that the single-lever mixer is mounted right on the sink unit. The entire mixer body can be swivelled through 360° using a built-in mechanism.

The slim spout and the delicate-seeming lever form one homogeneous unit with the slender body. The brushed steel surface lends the mixers an understated, matt appearance. Thanks to their very fine structure, the kitchen mixers are easy to clean and remain hygienic and spotless.

The single-lever sink mixers in the KLUDI TANGENTA line are available with either a swivelling spout, a retractable spout or an adaptable rinser spray.



Whether intense or spray mode, change the type of jet by simply pressing the button on the top of the rinser spray.



The retractable spout extends your range, which is very practical when working at twin sinks or large sink units.



**single lever sink mixer DN 10**  
 swivelling (110°) spout, pull-out hand  
 spray  
 H1 236, H2 178, A 206, Ø1 34, Ø2 52  
 44991F875 ■



**single lever sink mixer DN 10**  
 with pull-out hand spray with diverter  
 from shower to jet spray (110°)  
 H1 236, H2 172, A 213, Ø1 34, Ø2 52  
 44941F875 ■



**single lever sink mixer DN 10**  
 swivelling spout (360°)  
 H1 236, H2 181, A 213, Ø1 34, Ø2 52  
 44904F875 ■





single lever sink mixer DN 10  
44904F875

# KLUDI MX

## Tangible quality

You can feel its high quality. KLUDI MX has a solid, heavy mixer body, which is an indication of high quality and durability. In addition to the chrome mixers, the extended range also offers two choices of colours: high-end finished surfaces in white or mocha are combined with contemporary chrome highlights. The ideal solution for colour sink units in classic and contemporary kitchens.



single lever sink mixer DN 15  
399048262

## Convenient and practical

They really impress people at first glance: KLUDI's MX single-lever sink mixers in white or mocha, which are an addition to the chrome range. Their finish gives way to potential new colour schemes at sink units made of light-coloured or dark granite. The coloured mixers are very popular as replacement mixers.

The extensive KLUDI MX range includes single-lever sink mixers to meet the most diverse requirements. The swivelling spout allows you to extend your working radius. The retractable rinser spray has a convenient rocker switch so that you can change from normal volume to spray mode while the water is running.



The KLUDI MX rinser spray has a rocker switch, which allows you to change from intense mode to spray mode while the water is running.



Spray mode is ideal for cleaning pots, pans and plates. There is no need to turn off the water to change mode.



**single lever sink mixer bayonette DN 15**  
for installation beneath windows  
swivelling spout (360°)  
H1 220, H2 166, A 210, Ø1 34, Ø2 58  
399340562 ■



**multi single lever sink mixer DN 15**  
swivelling spout (110°)  
with pull-out hand spray with diverter  
from shower to jet spray  
connection for washing machine and  
dishwasher  
H1 220, H2 153, A 225, Ø1 34, Ø2 58  
399450562 ■  
399458262 ■  
399459262 □



**single lever sink mixer DN 15**  
swivelling spout (110°)  
with pull-out hand spray with diverter  
from shower to jet spray  
H1 220, H2 153, A 225, Ø1 34, Ø2 58  
399410562 ■  
399418262 ■  
399419262 □



**single lever sink mixer DN 15**  
swivelling spout (110°)  
with pull-out hand spray with diverter  
from shower to jet spray  
for use with displacement heaters  
H1 220, H2 153, A 225, Ø1 34, Ø2 58  
399420562 ■





single lever sink mixer DN 15  
399419262



**multi single lever sink mixer DN 15**  
swivelling spout (360°)  
connection for washing machine and  
dishwasher  
H1 220, H2 166, A 210, Ø1 34, Ø2 58  
399060562    
399068262    
399069262



**multi single lever sink mixer DN 15**  
swivelling spout (360°)  
connection for washing machine and  
dishwasher  
for use with displacement heaters  
H1 220, H2 166, A 210, Ø1 34, Ø2 58  
399070562



**single lever sink mixer DN 15**  
swivelling spout (360°)  
H1 220, H2 166, A 210, Ø1 34, Ø2 58  
399040562    
399048262    
399049262



**single lever sink mixer DN 15**  
swivelling spout (360°)  
for use with displacement heaters  
H1 220, H2 166, A 210, Ø1 34, Ø2 58  
399050562



# KLUDI L-INE

## Consistent linearity

The L for design line identifies the minimalist KLUDI L-INE. It matches the purist appearance of contemporary kitchens perfectly. The KLUDI L-INE single-lever sink mixer with telescopic extension won the Plus X Award in the three categories for high quality, design and functionality.

## KLUDI L-INE with telescopic extension



The KLUDI L-INE single-lever mixer with telescopic extension is ideal for flexible working at twin sinks or free-standing kitchen islands. The swivelling spout can be rotated by 220° and it can be pulled out steplessly by up to 70 mm using the telescopic extension and locked into position. The retractable, high-grade fibre hose can be extended beyond the locked position, giving a reach of 760 mm.

The contact surface has been thermally isolated so that it heats up only very slowly. Enough time to easily fill a larger saucepan with water for instance, which does not need to be put directly under the spout in the sink thanks to the reach of the telescopic extension.

The varied range includes single-lever sink mixers with a swivelling spout that can be rotated through 360°, a multi-connector or bayonette fitting.



The spout can be pulled out steplessly up to 70 mm and locked into position using the telescopic extension. The contact surface has been thermally isolated so that it heats up only very slowly.



The telescopic extension increases your radius, ideal when working at twin sinks or large-scale sink units.



In addition to the telescopic extension, the high-quality fibre hose is also retractable. This increases the reach by another 760 mm.



single lever sink mixer DN 10  
428540577



**single lever sink mixer DN 10**  
swivelling spout (220°),  
pull-out hand spray  
H1 305, H2 270, A 245-315, Ø1 34, Ø2 48  
428210577 ■



**single lever sink mixer bayonette DN 10**  
for installation beneath windows  
swivelling spout (360°)  
H1 305, H2 280, A 210, Ø1 35, Ø2 48  
428170577 ■



**multi single lever sink mixer DN 10**  
swivelling spout (360°)  
connection for washing machine and  
dishwasher  
H1 300, H2 275, A 210, Ø1 34, Ø2 48  
428160577 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 300, H2 275, A 210, Ø1 32, Ø2 48  
428140577 ■





single lever sink mixer DN 10  
428210577



**single lever sink mixer DN 10**  
swivelling spout (360°)  
for use with displacement heaters  
H1 300, H2 275, A 210, Ø1 32, Ø2 48  
428190577 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
two hole mounted  
H1 321, H2 280, A 210, Ø1 34, Ø2 48  
428540577 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
two hole mounted  
H1 328, H2 185, A 215, Ø1 34, Ø2 48  
428530577 ■

# KLUDI L-INE S

## Clean lines, strong contrasts

KLUDI L-INE S takes up its place on the sink in modern kitchens making an unmistakable design statement. The elegant, matt finish in black or white colour further enhances the appearance of gleaming metallic components. Strong contrasts as an imaginative continuation of the pure chrome mixers are achieved in the slim S-version of KLUDI L-INE – creativity in its finest form.



single lever sink mixer DN 15  
408510575

interior  
innovation  
award  
2015  
Winner



single lever sink mixer DN 15  
408519375



## Colour. Convenience. Variety.



chrome/matt white



chrome/matt black



chrome

Chrome/matt black, chrome/matt white – the elegant colouring appears wonderfully even and smooth in the matt finish since the light is not reflected as strongly. The two colour versions of range KLUDI L-INE S are supplemented by two classical chrome single lever mixers.

Characteristic of all four kitchen mixers is their slimline shape. The letter L is continued as design characteristic of the range in a filigree way.

KLUDI L-INE S is equipped with side control which increases KLUDI's VersatilityPlus advantage at the sink. The flow of water and temperature can be regulated accurately and conveniently as usual using the wide lever that is easy to grasp. The spout with a 360° radius provides even greater flexibility at the sink unit.

The side controls are integrated seamlessly into the body of the mixer. The single-piece body of the mixer proves itself as extremely solid and with the operating mechanism a homogeneous unit. The save shank fixing ensures the stable installation on any surface. Quality features that distinguish a premium range of mixer taps like KLUDI L-INE S.



single lever sink mixer DN 15  
408518775



The pull-out spout increases the operating radius, which is a great advantage at twin sinks or large sink units for example.





**single lever sink mixer DN 15**  
swivelling spout (360°),  
pull-out hand spray  
H1 295, H2 265, A 220, Ø2 38  
408519375 □



**single lever sink mixer DN 15**  
swivelling spout (360°),  
pull-out hand spray  
H1 295, H2 265, A 220, Ø2 38  
408518775 ■



**single lever sink mixer DN 15**  
swivelling spout (360°),  
pull-out hand spray  
H1 295, H2 265, A 220, Ø2 38  
408510575 ▣



**single lever sink mixer DN 15**  
swivelling spout (360°)  
H1 290, H2 265, A 210, Ø2 36  
408030575 ▣



# KLUDI BINGO STAR

## Plenty of freedom of movement

The tall, dynamic spout is the trademark of KLUDI BINGO STAR. It can always be swivelled and is even retractable in many of the models. This results in plenty of KLUDI VersatilityPlus for routine tasks handling food and kitchen utensils. Anyone who likes to cook, and does a lot of it, will really appreciate this advantage. In addition to the sweeping lines of the design, the great variety of the range is outstanding. KLUDI BINGO STAR offers the perfect solution to fit any installation conditions.

## One-of-a-kind double-arch design

There are mixers that offer more than functionality. They become objects of interior design – such as the KLUDI BINGO STAR sink mixer with its unique double arch.

The organic style is defined by the double arch with its chrome-plated guide arm and flexible, white hose spout – a creative symbol for the natural flow of water.

The distinctive style of this single lever sink mixer is an expression of a contemporary, casual lifestyle, which is also evident in the kitchen – strikingly different, strikingly individual.



The flexible, white hose spout is easy to remove using the plastic grip. The convenience of 360° swivelling is perfect for modern kitchen designs, like modular kitchen islands for instance.

single lever sink mixer DN 15  
428590578







single lever sink mixer DN 15  
428520578



## More room to manoeuvre at the sink when rinsing! The mixer with a greater reach

The retractable rinser spray makes KLUDI BINGO STAR even more versatile: you can pull the hose out up to 20 centimetres and use two different spray types as needed; the hose then retracts smoothly back into the spout of the single lever sink mixer. Once you've tried it, you'll never want to do without it again as it's ideal for cleaning the sink, filling containers and extending the reach for rinsing. To paraphrase: if you can't take a saucepan to the water, then the water will just come to the saucepan!



Pull it out when you need it: the rinser spray extends the rinsing radius for KLUDI BINGO STAR.



Soft and generous: in this position the rinser spray is fast to fill watering cans and saucepans.



Light and sparkling: time to rinse out the sink quickly? One press of the diverter knob is all it takes to activate the spray mode.

single lever sink mixer DN 10  
428550578





**single lever sink mixer DN 15**  
dual-bend spout can be swivelled through 360°  
removable mouthpiece  
H1 422, H2 208, A 231, Ø1 34, Ø2 48  
428590578 ■



**single lever sink mixer DN 10**  
with stainless-steel spring-action swivelling spout (220°),  
pull-out hand spray  
H1 375, H2 220, A 215, Ø1 34, Ø2 48  
428550578 ■



**single lever sink mixer bayonette DN 10**  
for installation beneath windows  
swivelling spout (360°)  
H1 375, H2 230, A 215, Ø1 35, Ø2 48  
428570578 ■  
428579678 ■



**single lever sink mixer DN 15**  
swivelling spout (230°)  
with pull-out hand spray with diverter from shower to jet spray  
H1 436, H2 224, A 219, Ø1 34, Ø2 48  
428520578 ■



**single lever sink mixer DN 10**  
swivelling spout (230°),  
pull-out hand spray  
H1 375, H2 226, A 215, Ø1 34, Ø2 48  
428510578 ■  
428519678 ■



**multi single lever sink mixer DN 10**  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 375, H2 226, A 215, Ø1 34, Ø2 48  
428360578 ■  
428369678 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 375, H2 230, A 215, Ø1 32, Ø2 48  
428030578 ■  
428039678 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
for use with displacement heaters  
H1 373, H2 232, A 217, Ø1 32, Ø2 48  
428090578 ■  
428099678 ■



**single lever sink mixer DN 10**  
428039678



single lever sink mixer DN 10  
428510576



# KLUDI BOZZ

A matter of pure form

KLUDI BOZZ celebrates the cylinder in its archetypal form. The mixers have been designed from cylindrical bodies, which are in perfect proportion to one another. Reduced to the pure form!



## Streamlined design, practical in function

Design and function are the decisive factors when choosing a mixer for the kitchen. KLUDI BOZZ is impressive where both aspects are concerned. The understated use of form blends in well with different styles of kitchen. The retractable spout has been integrated into the cylindrical form so that it extends your working radius at the sink – ideal for modern, modular kitchen islands.



The spout can be swivelled. The fibre hose can also be retracted almost silently.



**single lever sink mixer DN 10**  
swivelling spout (230°),  
pull-out hand spray  
H1 375, H2 226, A 215, Ø1 34, Ø2 48  
428510576 ■

**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 375, H2 230, A 215, Ø1 32, Ø2 48  
428030576 ■

single lever sink mixer DN 15  
389810575



# KLUDI ZENTA

Clear design line for the kitchen

The new sink mixers in the KLUDI ZENTA range celebrate “less is more” – in other words, the culture of minimalism. One new feature is an elegant operating element with a clearly defined, ultra-flat handle. This filigree, slightly raised lever is characteristic for the two premium KLUDI ZENTA products, which are available with or without a pull-out dish rinser.

single lever sink mixer DN 15  
389840575



Both models do entirely without optical interruptions and unnecessary projections. This makes the new models particularly easy to clean and at the same time lends them an air of perfect elegance and immaculate workmanship.

The KLUDI ZENTA premium models come with a fixed swivel spout and a pull-out dish rinser spray that is ideal for filling vases and useful for rinsing the sink. A high-quality fibre hose extends the radius of the spray and disappears silently into the fitting after use.




New

**single lever sink mixer DN 15**  
swivelling spout (360°)  
H1 250, H2 170, A 215, Ø1 34,  
Ø2 48,5  
389840575 ■



New

**single lever sink mixer DN 15**  
swivelling spout (360°),  
pull-out hand spray  
H1 250, H2 170, A 215, Ø1 34,  
Ø2 48,5  
389810575 ■



The pull-out spout increases the operating radius, which is a great advantage at twin sinks or large sink units for example.



**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 228, H2 155, A 195, Ø1 34, Ø2 45  
389730575 ■  
389739675 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
for use with displacement heaters  
H1 229, H2 154, A 195, Ø1 34, Ø2 45  
389790575 ■



**detergent dispenser**  
with screw-off pump  
filled from the top  
1216005-00 ■





single lever sink mixer DN 10  
389739175



# KLUDI ZENTA BLACK & WHITE

Elegant black and pure white – the interesting interplay of contrasts starts with the striking KLUDI ZENTA BLACK & WHITE mixers.



single lever sink mixer DN 10  
389738675



single lever sink mixer DN 10  
swivelling spout (360°)  
H1 228, H2 155, A 195, Ø1 34, Ø2 45  
389739175 □



single lever sink mixer DN 10  
swivelling spout (360°)  
H1 228, H2 155, A 195, Ø1 34, Ø2 45  
389738675 ■

# KLUDI OBJEKTA

## Classic and Contemporary

The design is contemporary, with soft shapes, the underlying characteristics remain of architectural clarity. So KLUDI OBJEKTA can be integrated harmoniously into various kitchen designs. Additional four single-lever mixers extend the range and convince with practical solutions. KLUDI OBJEKTA – classic and contemporary in shape and function.



single lever sink mixer DN 15  
325740575

## Extended range with practical solutions

KLUDI OBJEKTA follows the trend for softer design lines: the upper surfaces of the spout and lever are slightly curved. A touch of modernisation, perfectly matched with the straight lines of the body of the mixer.

The expanded range helps to solve various problems in the kitchen. The multiconnector is ideal for connecting dishwashers or washing machines. If the sink unit is right next to the window, the KLUDI OBJEKTA single-lever mixer with bayonette fitting can be removed from the base and laid on its side. Then it is easy to open and shut the window.

The 360° swivel spout increases the operating radius which is an extra advantage that is also provided by the retractable pull-out spout. A switch is integrated into the new, contemporary design. You can switch it from volume jet to spray mode – while water is still running.

Classic and contemporary, convenient and practical, reliable and durable – KLUDI OBJEKTA convinces in both, home and commercial properties.



The KLUDI OBJEKTA pull-out spout with switch which allows you to change from volume jet to spray mode while water is still running.



The spray mode is ideal for cleaning pots, pans and plates. There is no need to turn off the water to change mode.

single lever sink mixer bayonette DN 15  
325780575







**multi single lever sink mixer bayonette DN 15**  
for installation beneath windows  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 213, H2 172, A 203, Ø1 34, Ø2 52  
325790575 ■



**single lever sink mixer bayonette DN 15**  
for installation beneath windows  
swivelling spout (360°)  
H1 213, H2 172, A 203, Ø1 34, Ø2 52  
325780575 ■



**single lever sink mixer DN 15**  
with pull-out hand spray with diverter  
from shower to jet spray  
swivelling spout (110°)  
H1 204, H2 129, A 208, Ø1 34, Ø2 52  
325810575 ■



**multi single lever sink mixer DN 15**  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 210, H2 169, A 203, Ø2 52  
325760575 ■



**multi single lever sink mixer DN 15**  
swivelling spout (360°)  
connection for washing machine and dishwasher  
for use with displacement heaters  
H1 209, H2 167, A 204, Ø2 52  
325770575 ■



**single lever sink mixer DN 15**  
swivelling spout (360°)  
H1 210, H2 169, A 203, Ø2 52  
325740575 ■



**single lever sink mixer DN 15**  
swivelling spout (360°)  
for use with displacement heaters  
H1 210, H2 167, A 204, Ø2 52  
325750575 ■



**wall mounted single lever sink mixer DN 15**  
swivelling or lockable spout  
A 117  
328810575 ■



**wall mounted single lever sink mixer DN 15**  
swivelling or lockable spout  
A 182  
328820575 ■



single lever sink mixer DN 15  
325810575

# KLUDI KOMET

## Traditional and practical

A line in the style of traditional kitchen mixers, which remain very popular to this day. KLUDI KOMET combines a classic appearance with utilitarian functions, which prove their worth in the kitchen every day. These include a retractable spout, the multi-connector for dishwashers or washing machines and the bayonette fitting.



single lever sink mixer DN 10  
337940562



**multi single lever sink mixer bayonette DN 10**  
for installation beneath windows  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 185, H2 150, A 200, Ø1 35, Ø2 52  
337990562 ■



**single lever sink mixer bayonette DN 10**  
for installation beneath windows  
swivelling spout (360°)  
H1 185, H2 150, A 200, Ø1 35, Ø2 52  
337980562 ■



**single lever sink mixer bayonette DN 10**  
for installation beneath windows  
swivelling spout (360°)  
for use with displacement heaters  
H1 185, H2 150, A 200, Ø1 35, Ø2 52  
337930562 ■



**single lever sink mixer DN 8**  
swivelling (110°) spout,  
pull-out hand spray  
H1 170, H2 135, A 200, Ø1 34, Ø2 52  
337910562 ■



**single lever sink mixer DN 8**  
swivelling (110°) spout,  
pull-out hand spray  
for use with displacement heaters  
H1 170, H2 135, A 200, Ø1 34, Ø2 52  
337920562 ■



**multi single lever sink mixer DN 10**  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 180, H2 150, A 200, Ø2 52  
337960562 ■



**multi single lever sink mixer DN 10**  
swivelling spout (360°)  
connection for washing machine and dishwasher  
for use with displacement heaters  
H1 180, H2 150, A 200, Ø2 52  
337970562 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 160, H2 125, A 200, Ø2 52  
337940562 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
for use with displacement heaters  
H1 160, H2 125, A 200, Ø2 52  
337950562 ■



# KLUDI TREND0

## A facelift for an established classic

Classic design with modern flair – this is KLUDI TREND0. Soft lines and a smooth transition between the base and the spout create a harmonious look. The slim lever makes it easy to use the mixers and make precise adjustments.



single lever sink mixer DN 15  
335740575

## Retractable pull-out hand spray with two different types of jet

Pots, pans and plates are easiest to clean using a spray. It can be switched between shower and jet spray mode. The diverter is integrated in the spout. If you want to extend the radius for working, simply pull the spray head out.

The wide variety offered by the KLUDI TRENDO line also includes single-lever sink mixers with multi-connectors for dishwashers or washing machines and a bayonette fitting. There is also a choice of surface finishes: a stainless steel finish or gleaming chrome.



The spray mode is ideal for cleaning saucepans and plates.



You can switch from the spray from shower to jet mode using the diverter on the top of the spout.



The spray head is retractable – resulting in an extended radius for working at twin sinks or large sink units, for example.

single lever sink mixer DN 15  
335749675



**multi single lever sink mixer bayonette DN 15**  
for installation beneath windows  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 206, H2 154, A 217, Ø1 34, Ø2 52  
335790575 ■



**single lever sink mixer bayonette DN 15**  
for installation beneath windows  
swivelling spout (360°)  
H1 206, H2 154, A 217, Ø1 34, Ø2 52  
335780575 ■  
335789675 ■



**single lever sink mixer DN 15**  
with pull-out hand spray with diverter  
from shower to jet spray  
swivelling spout (110°)  
H1 213, H2 155, A 226, Ø1 34, Ø2 52  
335810575 ■  
335819675 ■



**multi single lever sink mixer DN 15**  
swivelling spout (360°)  
connection for washing machine and dishwasher  
H1 203, H2 150, A 217, Ø2 52  
335760575 ■  
335769675 ■





**multi single lever sink mixer DN 15**  
 swivelling spout (360°)  
 connection for washing machine and  
 dishwasher  
 for use with displacement heaters  
 H1 203, H2 150, A 217, Ø2 52  
 335770575 ■



**single lever sink mixer DN 15**  
 swivelling spout (360°)  
 H1 203, H2 151, A 217, Ø2 52  
 335740575 ■  
 335749675 ■



**single lever sink mixer DN 15**  
 swivelling spout (360°)  
 for use with displacement heaters  
 H1 203, H2 150, A 217, Ø2 52  
 335750575 ■  
 335759675 ■

# KLUDI SCOPE

## Small becomes big

It has risen above itself: KLUDI SCOPE uses the clearance space afforded by an additional base. This creates an XL model that is also suitable for large sinks. KLUDI SCOPE blends linear design with great functionality, as demonstrated by the mixers with spouts which have 360° swivel motion or a retractable extension. There is a choice of surfaces with chrome or stainless steel finish.


single lever sink mixer XL DN 10  
339300575



**single lever sink mixer XL DN 10**  
swivelling spout (360°)  
H1 192, H2 145, A 200, Ø1 32, Ø2 45  
339300575 ■  
339309675 ■




**single lever sink mixer bayonette DN 10**  
for installation beneath windows  
swivelling spout (360°)  
H1 172, H2 125, A 200, Ø1 35, Ø2 48  
339380575 ■  
339389675 ■



**single lever sink mixer DN 8**  
swivelling (110°) spout,  
pull-out hand spray  
H1 177, H2 122, A 197, Ø2 35  
339310575 ■  
339319675 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 152, H2 106, A 200, Ø1 32, Ø2 45  
339330575 ■  
339339675 ■



**single lever sink mixer DN 10**  
 swivelling spout (360°)  
 for use with displacement heaters  
 H1 152, H2 106, A 200, Ø1 32, Ø2 45  
 339390575 ■  
 339399675 ■



**single lever sink mixer DN 8**  
 swivelling (110°) spout,  
 pull-out hand spray  
 for use with displacement heaters  
 H1 177, H2 122, A 197, Ø1 35, Ø2 52  
 339320575 ■



# KLUDI LOGO NEO

## The logical choice

Sleek lines and reliable technology are what characterise KLUDI LOGO NEO as a member of the KLUDI family of mixers. The swivelling spout proves to be very practical on twin sinks for example. The single-lever mixers are available as versions for sink units and wall-mounting.



**single lever sink mixer DN 10**  
swivelling spout (360°)  
H1 141, H2 110, A 200, Ø1 32, Ø2 45  
379130575 ■



**single lever sink mixer DN 10**  
swivelling spout (360°)  
for use with displacement heaters  
H1 141, H2 110, A 200, Ø1 32, Ø2 45  
379190575 ■



**wall mounted single lever sink  
mixer DN 15**  
swivelling spout (360°)  
A 226  
379240575 ■



**wall mounted single lever sink  
mixer DN 15**  
swivelling spout (360°)  
A 276  
379140575 ■



single lever sink mixer DN 10  
379130575

# KLUDI TERCIO

## In one straight line

Clean, straight lines characterise the new design of the KLUDI TERCIO line of kitchen mixers. The contemporary-style spout lies parallel to the classic operating lever. Another prime feature of the KLUDI TERCIO mixers can be found below the chrome surface: the modern spouts are made of cast brass and are thus of extremely high quality. The outside mixer that is right on trend for large sink units is part of the extended range.



**single lever sink mixer XL DN 15**  
swivelling spout (360°)  
H1 189, H2 147, A 200, Ø1 32, Ø2 45  
389400575 ■



**single lever sink mixer DN 15**  
swivelling spout (360°)  
H1 149, H2 107, A 200, Ø1 32, Ø2 45  
389430575 ■



**single lever sink mixer DN 15**  
swivelling spout (360°)  
for use with displacement heaters  
H1 149, H2 106, A 200, Ø1 32, Ø2 45  
389490575 ■



**wall mounted single lever sink mixer DN 15**  
swivelling spout  
A 236  
389640575 ■





single lever sink mixer XL DN 15  
389400575



# Icons



## Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



## Low pressure

Fitting suitable for unpressurised storage tanks.



## Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



## Sensor

Fitting with non-contact operation.



## Battery operation

Electronic fitting with battery operation.



## Mains operated

Electronic fitting for 230 V AC connection.



## Pull-out spout

Fitting with pull-out spout for extended working radius.



## Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



## Eco

Saves at least 40 % water.



## Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



## KLUDI VersatilityPlus

The KLUDI VersatilityPlus sink mixers with high spout offer practical space between the mixer and sink to meet individual needs.



## KLUDI Eco s-pointer

Saves up to 40% water and enables adjustment of spray angle

# Surfaces



chrome



mocha/chrome



stainless steel look



black/chrome



stainless steel brushed



chrome/white matt



white/chrome



chrome/black matt


Copyright 2016  
Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent. Kludi GmbH & Co. KG continuously endeavours to develop and improve all its products. They are subject to technical modifications that may result at any time from changes and ongoing development. Consequently no legal claims can be made on the basis of the details, illustrations, descriptions and dimensions given in this price list. No liability for misprints and errors.


Printed in Germany.



## DIMENSIONS IN MM



H1 = Height of fitting  
H2 = Spout height (bottom of spout)  
A = Projection of spout  
Ø1 = Diameter of tap hole  
Ø2 = Diameter of fitting



projection of fitting  
from wall

## Icons

You will find a detailed explanation of our pictograms on the back of this flap.

See overleaf



● KLUDI ●

Kludi GmbH & Co. KG  
P.O. Box 25 60 · 58685 Menden  
Am Vogelsang 31–33 · 58706 Menden  
Germany

Tel. +49 2373 904-193  
Fax +49 2373 904-540  
international-sales@kludi.com · www.kludi.com

