

KEUCO GmbH & Co. KG Postfach 1365 D-58653 Hemer Telephone +49 2372 904-0 Telefax +49 2372 904-236 info@keuco.de www.keuco.de

FITTINGS AND ACCESSORIES



0350 Art

KEUCO

KEUCO

FITTINGS AND ACCESSORIES 8-115

EDITION 11 8-31 EDITION 300 32-45 ELEGANCE 46-63 PLAN 64-87 COLLECTION MOLL 88-107

meTime_spa 108-115

ACCESSORIES 116-153

EDITION PALAIS 120-121 ASTOR 122-123 CITY.2 124-125 UNIVERSAL ARTICLES 126-135 COSMETIC MIRRORS 136-151

PRODUCT OVERVIEW 154-221

A FASCINATION FOR THE BATHROOM





Hartmut Dalheimer, Managing Director



Engelbert Himrich, Managing Partner



Sensuousness and sensibility - KEUCO's passion for the bath-At KEUCO, the subject of design already played a pivoting role room runs through its veins, and this is evident in our products. long before it even became a general topic of conversation. Our A KEUCO bathroom awakens the emotions. It is an intimate place understanding of design involves striving to achieve classicmodern aesthetics that retain their contemporary feel, even after of well-being. It conveys elegance and luxury, and it combines aesthetics, ergonomics and functionality. many years of use. Whether designed in-house or in cooperation with internationally recognized designers - KEUCO products are In no other room is this challenge more exciting and demanding regularly distinguished by renowned awards.

4 5

than the bathroom. That is why this fascination still drives us forward. Since its founding in the year 1953, our company, which But timeless design and long-lasting product quality are only two is still family-run today, has undergone a rapid and sustained aspects of our sustainability philosophy. Equally important are transformation. From market leader for high quality bathroom responsible company management, and resource-saving proaccessories, KEUCO has evolved into the brand for the bathduction - with the help of our own water conditioning system for our electroplating plant, for example. We view the label "Made in room, with a wide assortment of furniture, fittings, accessories and mirror cabinets and from our early days we focused on Germany" as commitment to the kind of company management offering concepts of complete bathroom furnishings. that aims to secure jobs in the long term.

Important factors contributing to our success are the contem-KEUCO products are made in our own production plants in Hemer, porary, technically innovative products, the highest standard of Gütersloh and Bünde. Inland production provides us with a close quality, a clear orientation towards design, and state-of-the-art proximity that is essential, so that we can develop and utilize manufacturing facilities. Today, KEUCO products are sold around the know-how of our employees on a long term basis, and so the world, and are market leaders in many areas. They are the achieve seamless quality management. And that makes "Made result of intensive development work, the use of the best materiin Germany" a promise of quality. als, and the most careful workmanship. We combine high-tech manufacturing and involved hand craftsmanship to achieve optimum results. KEUCO quality sets standards: Our products will convince you by their immaculate surfaces, maximum longevity, and perfect functionality. Each article is examined individually before being shipped out.



FREEDOM IS HAVING A VARIETY OF POSSIBILITIES



PURE DESIGN – BUT NOT PURITANICAL

The renowned design agency Tesseraux+Partner was commissioned to design EDITION 11. At first glance and at every use the fittings and accessories convey a feeling of: Here is where perfect quality can be found.


The immaculate, hand-polished surfaces, the most careful of workmanship, the most modern of technology, corrosion-free fasteners, and the meticulous checks for leak-proof results on each individual fitting: Only this way a quality grade can be achieved at a level that one can see, appreciate, and which constantly pays off.







Tesseraux+Partner Dominik Tesseraux



CLEAR LINES, IMMACULATE SURFACES

The perfect chrome-plated washbasin fittings of EDITION 11 are optimally suited for every kind of use. Whether as a smaller model for the guest WC or especially high for washbasin tops and convenient hair-washing – they fulfil any wish regarding individual bathroom planning.





As with all EDITION 11 washbasin fittings, the wall fitting with single-lever mixer has a flow rate limiter. It is available with three different length spouts.




Three-hole fittings with a difference: Temperature regulation on the left, flow rate on the right. After adjusting to your own desired temperature, by pulling it up, the regulator can be returned to its initial position so that the temperature setting is retained.





The particularly appealing design of the freestanding bath tub mixer with a separate waterway for the hand shower is very impressive. A gem in the bathroom, it can be combined with numerous bath tubs and, no matter what one's personal interior design is, gives every bathroom a special touch.












Shower rail and hand shower reiterate the weightless elegance of the design of EDITION 11. In the four-hole bath-edge fitting with hand held pencil shower head the basic quadratic form of EDITION 11 is reflected in the decor disc. The bath tub mixer shines in immaculate chrome lustre, with flow and temperature regulators situated on the side. 18 | 19



SELECTED SHAPES IN EVERY DETAIL



KEUCO's typically large variety of products offers a rich selection for attractive bathroom furnishing. For hanging up towels alone, the assortment ranges from classic double towel holders to chic one-armed towel holders and vertical guest towel holders (along with towel bins) which can hold up to six guest towels. The product range also includes an intelligent towel ring, which has an integrated spacer ensuring that damp towels can dry properly at a sufficiently ventilated distance away from the wall.











The chrome-plated shower basket comes optionally with a conveniently integrated glass squeegee. It is easy to clean, and offers generous space for soaps, shampoos, and similar. Because of its rounded form on the inner surface, the handle, with its concisely crafted edges, has an especially pleasant feel to it.



On the right: Soap holder with removable glass dish and the double tumbler holder with mouth-blown tumblers made of crystal glass.





CLEAR LINES AND SENSUAL FEELING

The freestanding accessories of EDITION 11 radiate power and size and embody sense and sensuality with their high-quality matte porcelain. The unglazed porcelain is individually produced in a complex and meticulous process in Meissen. In total there are four porcelain accessories to choose from. They exert their special appeal in the bathroom when combined together: A soap foam dispenser, a universal pot, a tissue dispenser and an elegant dish.









CHARACTER INSTEAD OF INDIFFERENCE



A STRIKING, ERGONOMICALLY THOUGHT-THROUGH DESIGN





34 35

KEUCO design is determined by aesthetics, functionality and ergonomics, not by the kind of logic that characterizes mass production. The fittings and accessories of EDITION 300 clearly exemplify this philosophy and make it something to be experienced. Convenience of use coupled with striking elegance. The brilliance of the perfectly worked surface emphasizes the characteristic contours.





reddot design award winner 2006

Tesseraux+Partner Dominik Tesseraux



COMPELLING VARIETY








The bath-edge fitting is a new development consistent with the EDITION 300 design line. For the shower fittings you can choose between on wall or in-wall installation. All according to your own individual taste and to suit the local construction conditions.



LASTING IMPRESSIONS FOR SHORT STAYS





The guest WC is a special calling card in every house. With its impressive functionality and stylish elegance, EDITION 300 is ideally equipped to leave an excellent impression with your guests. With the small, only slightly projecting washbasin size it's possible to design even guest WCs with much charm. Even the towel holder and the vanity unit with front drawer and integrated towel opening offer much comfort for small rooms.

CONSISTENT COMBINATION MADE EASY



At KEUCO accessories are much more than just useful additions. It is also important that they can be blended in any combination to form a harmonious visual whole, perfectly coordinated to the characteristic design of the rest of the bathroom furnishings. EDITION 300 does this beautifully.





VARIETY AS A PRINCIPLE




THE DESIGN CLASSIC WITH PROFILE

Initially begun in 1967 purely as line of accessories, ELEGANCE established itself internationally over the decades and became the biggest selling bathroom series in the world. Today, ELEGANCE offers a comprehensive assortment with a wide array of models. The demand for ELEGANCE products still remains steady today thanks among other things to its timelessly modern design.



.molldesign Reiner Moll






EFFUSIVE FLEXIBILITY



Combinations à la carte: Shower solutions can be flexibly adjusted to suit all spaces and your personal preferences, of course. Hand shower or head shower, flush or surface mounting – the choice is all yours.





Right angles and straight lines, coupled with vibrant curves. As in the entire collection, ELEGANCE fittings convince by their striking, classic-modern design.


Single lever basin mixers are available both for single hole installation as well as a concealed solution. The single lever bath tub mixer for installation on the tub edge rigorously carries on the ELEGANCE aesthetic.







HIGHLIGHTS







A level of quality that one not only sees, but appreciates: ELEGANCE fittings and accessories are perfect down to the finest detail. The special brilliance of the immaculate, hand-polished chrome surfaces transforms their use into an aesthetic experience.

Whether for soap foam or lotion, whether as free-standing or mounted model, ELEGANCE soap dispensers are an attraction in every bathroom. The same goes for the soap holder and tumbler holder.



ELEGANCE accessories bring aesthetics, ergonomics and ease of cleaning under one umbrella. All metal parts are chrome-plated to a high standard of quality. The soap foam dispenser is made of matt opal glass; the lotion dispenser and the toothbrush tumbler are made of matt crystal glass. The matt crystal dish can be removed for cleaning from the soap dish on the right.





The ELEGANCE rail system brings elegant comfort into the bathroom: The rail system can be combined as needed with the existing bathroom furnishings.

The matching shower curtains from KEUCO are anti-bacterial, fungicidal, antistatic and available in different colours and sizes.







THE EVOLUTION OF COMFORT



TIMELESSLY MODERN AND INCREDIBLY VERSATILE



free products to choose from.



66 67

With 450 individual products, PLAN is one of the most extensive bathroom collections in the world. PLAN is as varied as the lifestyles of today and the breadth and depth of its large assortment enables individual, tailored solutions to be found. PLAN leaves nothing to be desired – not from an aesthetic or an ergonomic point of view, as the main focus of the PLAN care range offers an additional wide collection of barrier-



DESIGN PLUS

DESIGNPREIS 2006







reddot design award

.molldesign Reiner Moll

PERFECTLY COMBINED – DESIGN AND QUALITY

The fittings are as pleasant to use as is the purity of their forms. Whether chrome-plated, stainless steel, or with aluminium finish: The excellent design and the unmatched quality of PLAN fittings manifest themselves in each individual piece. And fully thought-through design sometimes demonstrates itself in a very discreet way: In the extreme ease of cleaning, for example.



















PLAN blue fittings not only shine in terms of their impeccable surfaces and uncompromising functionality, but also with a consistently implemented sustainability concept. PLAN blue fittings help save water and energy in daily use; one example is the flow limiter in the washbasin mixer which limits to six litres per minute.

Thus, the new PLAN blue mixer with pivoting spout is not only a perfect solution for private use, but also for public areas. As a single lever mixer or pillar tap, they stand out in the slim design thanks to their precise design style and low water consumption.





The large variety of PLAN blue products is also reflected in the shower. Depending on your personal taste, the overhead and hand showers come directly out of the wall or, alternatively, from the fitting. And the classic, height-adjustable combined solution is naturally also available.







WARM WELCOME







76 77


Overall, PLAN is the most comprehensive and transformable KEUCO collection. This is also evident in the guest WC. The multitude of variations PLAN offers allows you to create elegant solutions even in the smallest of rooms. And the single-lever mixer, the sensor fitting and the pillar tap also set standards in terms of functionality.

EYECATCHER IN EVERY BATHROOM






The wide range of surface variants multiplies the diversity of PLAN even more. Choose from chrome-plated, aluminium and stainless steel. Or between lotion dispensers as free-standing model (left) and the mounted model (top), suitable for installation in the washbasin or washtop.



Innovative, elegant and of uncompromising quality: PLAN accessories stand out aesthetically as well as functionally. On this page: Grab rail, towel holder and towel hooks. The flawless surface of the toilet paper holder on the right delights users.








PLAN INTEGRAL ACCESSORIES

ELEGANCE FOR THE GENERAL PUBLIC





The PLAN Integral recessed mounting modules for basins and WCs are ideal for hightraffic public sanitary areas. They stand out not only because of their advantages such as ease of cleaning, durability, and easy refilling, but also because of their elegant and understated design.

Top left two washbasin modules – tissue box dispenser and paper towel dispenser along with waste bin. Beside that a WC module with sanitary bag dispenser and sanitary waste bin. In total there are five different modules available, which can be flexibly combined according to need.



HIGH QUALITY, CONVENIENT, BEAUTIFUL







The CARE products on this page can be flexibly combined for sanitation facilities. The PLAN railing system enables, among other things, a shower to be made barrier-free in a jiffy, if need be, thanks to the attachable tip-up seat. The firmly mounted soft seat, 450 mm wide – also available in 360 mm width – meets the requirements of DIN 18040-1.



NEW TIMELESSNESS




INSPIRATION AND INNOVATION

The COLLECTION MOLL lets fittings and accessories shine in a new light: An inspiring design, highest innovative details and needless to say, the complete KEUCO competency for precise workmanship and durable quality. The unobtrusive, sleek design gives the collection a lightless and timeless beauty that bears the signature of the designer Reiner Moll, and harmonises with numerous KEUCO washbasin and furniture ranges.



.molldesign Reiner Moll



FREEDOM LIES IN THE VARIETY

The product diversification of the COLLECTION MOLL is also reflected by the range of fittings. The diverse variety makes sure to find a tailor-made solution for any imaginable constellation. They impress both through their high level of "Made in Germany" quality as well as through their attractive design. The exceptionally high quality level of material and workmanship make the products a sustainable investment. In addition to durable technology and a design style that can be combined in different ways, the on-wall fittings are also characterized by functional elements. They therefore offer useful storage space for bathing and showering utensils near the bath tub or in a shower.













IDEAS RIGHT DOWN TO THE LAST DETAIL



Whether for corners or walls, the shower baskets of COLLECTION MOLL have a removable, break-proof synthetic insert – hygienic and easy to clean.

The sponge basket, with its integrated, retractable shower squeegee, demonstrates what aesthetically technical innovations could look like. After use, the shower squeegee disappears into the sponge basket, which is open at the bottom so water can drain away.



UNAMBIGUOUS ELEGANCE

The COLLECTION MOLL accessories make the washbasin appear like a big stage. The gracefully hovering shelf offers space for all utensils for daily use.











A brilliant chrome finish and solid materiality make the high quality of the fittings and accessories eminently tangible. In addition to the real crystal soap dish and tumbler, the lotion dispenser made of matt glimmering synthetic material – available in white or anthracite – captivates with its ease of care.



One can hang up, hang up or hang up a towel: From a towel ring and double hook, via a single or double armed towel holder. The COLLECTION MOLL offers a generous collection for an attractive bathroom design style. The towel ring, for example, is made entirely in one piece and its seamless aesthetic stands out. The ergonomically designed towel rail invites to be touched.




















Maximum functionality and attention to detail are also special features of COLLECTION MOLL products for the WC – from the toilet paper holder with or without lid, right to the WC brush set, as a wall or floor model: For example, the toilet brush set, in which the brush hangs in the brush holder and therefore avoids looking directly at the brush.










AESTHETIC FOR THE PUBLIC

Thanks to the wide range of COLLECTION MOLL products, the fittings and accessories are not only for private bathrooms, but are also suitable for public places. Therefore the paper towel dispenser with matching waste bin rounds off the range of products especially thought for these places. Each with a mirror front, the elegant ensemble is available in white or anthracite.





SHOWER EXPERIENCE FOR THE SENSES







Comfort and sensuality are at the forefront of this very special solution for shower fittings. The multi-functional concealed thermostat meTime_spa unites everything which one needs for an extraordinary shower experience – not only in an elegant but also innovative way.

The fitting comes in various sizes and, besides chrome-plated control elements to adjust the flow and temperature of the water, it also offers aluminium shelving on one or more levels. So that it integrates into your own personal interior design style in the best possible way, the glass panel is available in white, anthracite, petrol, truffle or cashmere.




Tesseraux+Partner Dominik Tesseraux







SOOTHING AND REFRESHING SHOWERS





The element of water has always fascinated people. It is particularly fascinating when it takes the form of a waterfall. The aesthetic meTime_spa dousing shower can bring this experience into your own bathroom. The feeling of taking a shower under a waterfall – of allowing the primal power of water act on you – is relaxing for your mind and soul, too. The water treatments inspired by Sebastian Kneipp are perfect for allowing the soothing and relaying effects of water fall on your skin and muscles. With the SPA hose, you can experience the health-promoting alternating hot and cold showers in the privacy of your own bathroom at home and at your leisure.





LITTLE HELPERS WITH A BIG IMPACT



QUALITY AND DESIGN FOR HIGH PERFORMANCE

High-quality materials, excellent workmanship and perfect surfaces – these are the common denominators of all KEUCO accessories. They allow you to perpetuate and effectively accentuate your own personal style of aesthetics in your home. Thanks to their large variety, KEUCO accessories offer the right solution for every kind of bathroom.



ADD NOBLE, GLEAMING ACCENTS

The love of perfection is also reflected in the chrome-plated surfaces of EDITION Palais accessories. Their flawless gloss comes, among other things, from elaborate hand-polishing. Lotion dispenser and tumbler are made of the finest porcelain.







Elegance in circular and spherical shapes: With their decorative discs, ASTOR accessories provide an aristocratic flair in the bathroom. On the right the chrome-plated towel ring. Top: Lotion dispenser made of matt opal glass, tumbler holder with crystal glass tumbler, soap holder with crystal dish, and toilet paper holder with lid.



122 | 123





Urban chic, not just for town houses: CITY.2 adds objective elegance to the bathroom. Thanks to the enormous variety of products the series can satisfy the widest range of demands. Lotion dispenser on the left, on this page a soap dish and towel ring.

A welcome feature in every bathroom: EDITION 11 SELECTION includes four solitary, free-standing accessories made of high quality, matt bisque porcelain – an utensil shelf, a tissue box, a foam soap dispenser and a slender, beautifully shaped general purpose container. With their timeless and choice design, these accessories add elegant highlights to every bathroom concept.







The whole universe of accessories: Our universal articles leave no wish unfullfilled because they offer the proper solution for every need. They are just as suitable for the private area as they are for public areas. Thanks to their practical and functional design and the different variations, they blend harmoniously into every bathroom.

Strong performance: A grab bar with integrated soap dish. Top, moist tissue box, tissue box, and a tip-up seat for maximum comfort while in the bathroom.






Practical, high quality and compatible with any style – discover the diversity of KEUCO's universal articles: Whether toilet paper double holder (right), soap foam dispenser as free-standing model (large picture) or the free-standing models for the WC. The brilliant chrome surfaces of the brush holders and their solid material mean that you can really feel the quality of the workmanship. The solid base with anti-slip mat ensures that it is stable.












Durable, easy-to-clean - and simply beautiful. The huge variety of KEUCO accessory designs carries on with the soap wire baskets. The different shapes, surfaces, dimensions and variants for corner or wall mounting offer the right solution for every hotel bathroom – including practical details such as an integrated glass squeegee (right bottom), which can be easily taken out from the front.



132 | 133

ACCESSORIES SOAP WIRE BASKETS



Sometimes simply functional, sometimes full of useful surprises as can be seen on the right with an integrated glass squeegee: KEUCO soap and sponge baskets enchant with their wealth of variants.




PERSONALITY IN FOCUS



ELEGANT HELPERS

Indispensable for everyone who likes to take a closer look: The wide selection of cosmetic mirrors from KEUCO. Whether with or without light, as floor model or for wall mounting, KEUCO offers the right high-quality and beautifully shaped solution for every preference.












should too.

Now that's an eye-catcher: Cosmetic mirrors of every kind and with many kinds of adjustment options. After all, not only should your bathroom look good, but you






The iLook could become your constant companion because it doesn't only suit the bathroom but fits in every handbag. With its battery operated, non-glare LED semiconductor technology and distortion-free optics the iLook meets professional standards. The model offers a wide array of setup options and if desired is also available with wall installation rail and additional mains adapter.



144 145




As a practical utensil for your daily beauty routine, KEUCO's cosmetic mirror iLook_move is particularly impressive thanks to its high quality mirror surface and the slim, elegant design either round or rectangular, with or without light. But also the innovative unusually refined and durable hinge technology leaves nothing to be desired. With only one grip you can adjust the height of the mirror, the distance to your face, turn it to the side and tilt it for an ideal angle. Designed by Tesseraux + Partner, the glare-free lighting technology with a magnification factor of five has an elegant glass touch panel which offers two different light colours: One for daylight, as also used in professional beauty salons and a second light colour, warm white – a flattering light which, for example, is ideal for ensuring your evening make-up is just perfect. What is absolutely unique is that the two light colours are infinitely variable.

146 147










Whether with one light colour or an elegant glass control panel with touch sensors, the iLook_move is hightech for beauty care and at the same time is also a perfectly shaped gem that gives off a sensual aura of elegance. The LED lamps are durable and power consumption is minimal. If a concealed installation is not possible in your bathroom, then a version with a wall plug transformer is available.







WE'RE PASSIONATE ABOUT FLAWLESS PRODUCTS



PRODUCT **OVERVIEW**

EDITION 11





51102





51102

Single lever basin mixer 150 with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets aerator SLIM SSR M 24 x 1 adjustable flow angle +/- 8° Flow rate limited to 7,6 l/min.

51109

Single lever bidet mixer with pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets, aerator cache TT M 18,5 x 1 Flow rate limited to 7,6 l/min.

51102 Single lever basin mixer 250 without pop-up waste, 1-hole installation, cartridge mixer with ceramic sealing gaskets

aerator SLIM SSR M 24 x 1 adjustable flow angle +/- 8° Flow rate limited to 7,6 l/min.

51115 Three hole basin mixer 150 with/without pop-up waste 1 1/4 Inch, regulation and valve for flow control Flow rate limited to 7,6 l/min.



51104



51116

3-hole installation, ceramic valve for temperature

51104

Single lever basin mixer 110 with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets aerator SLIM SSR M 24 x 1 adjustable flow angle +/- 8° Flow rate limited to 7,6 l/min.

51116

Single lever basin mixer

wall-mounted concealed fitting cartridge mixer with ceramic sealing gaskets and temperature limiter aerotor SLIM SSR M 24 x 1 adjustable flow angle +/- 8° Flow rate limited to 7,6 l/min. (essential for installation: rough part article no. 51116 to be ordered separately)

EDITION 11



51120










51171



51145





51180



51173

51130



51130 Single lever bath tub and shower mixer

4-hole bath filler ceramic valve for temperature regulation and valve for flow control aerator M 28 x 1 pull-out pencil hand shower with backflow preventer Projection: 180, 220 mm (suitable fixing block article no. 51130 to be ordered separately)

51173/51174 Thermostat battery

Surface chrome-plated

concealed fitting with ceramic cut-off valve (51173), with ceramic cut-off and switch valve (51174), safety cut-off at 38°C, set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

51120 Single lever bath tub mixer exposed fitting

shut-off valve and diverter with ceramic sealing gaskets, mixing valve with ceramic sealing gaskets, wall bracket for shower hose DN 15 (Flow rate limited to 12 l/min.) with backflow preventer depth gauge 150 +/- 14 mm aerator M 28 x 1 flow rate approx. 23 l/min.

51172

Single lever bath tub and shower mixer concealed fitting with/without safety device set complete with: handle, sleeve, diverter, rosette

and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

51171

Single lever shower mixer

concealed fitting set complete with: handle, sleeve, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)



51126

51127 Single lever bath tub mixer

floor-mounted/free standing cartridge mixer with ceramic sealing gaskets, complete with round pencil shower and shower hose, 1250 mm (Floor-mounting set article no. 51127 to be ordered separately)

51145

Bath spout DN 20 suitable for all concealed fittings Projection: 146, 196 mm

51126 Thermostat battery for shower exposed fitting

handle with 50% water consumption regulation, safety cut-off at 38°C, with backflow preventer



51147

51185 Hand shower sliding rail consisting of: - wall rail 900, 1200 mm – sliding bracket for hand shower - height adjustment via handle, tilting angle adjustable

51147 Wall outlet for shower hose DN 15 suitable for all concealed fittings

Hand shower with anti limescale device with normal jet restricted flow rate 12 l/min.

56080 Round pencil hand shower with normal jet

51191 Wall bracket for hand shower for shower hoses with conical nuts usable on left or right

51192 Wall outlet for hand shower DN 15 with integrated wall outlet for shower hoses with conical nuts suitable for all concealed fittings with backflow preventer



- spacer disc (5 mm)


51180

51191



both ends fitted with conical nut and twist-protection 1250, 1600, 2000 mm

EDITION 11



11172

removable, MDF white lacquered

Guest towel basket

Dimensions (w x h x d): 200 x 350 x 200 mm





11152



11158

11159



complete with removable crystal glass dish

11152 Lotion dispenser

complete with crystal glass, matt Capacity: approx. 180 ml

11158

Shower basket

aluminium silver anodized/chrome-plated Dimensions (w x h x d): 300 x 95 x 67 mm

11159

Shower basket

aluminium silver anodized/chrome-plated with integrated glass scraper Dimensions (w x h x d): $300 \times 95 \times 67 \text{ mm}$

11164

Toilet brush set with crystal glass insert, matt, brush with handle and spare brush head





11156

11153 Foam soap dispenser standing model, porcelain Capacity: approx. 500 ml

11156 Porcelain dish standing model, porcelain



11169

11169 Porcelain container standing model, porcelain



11177

11177 Tissue box standing model, porcelain





53002

53015

53002

53015

53004



Single lever basin mixer 190

with ceramic sealing gaskets

Flow rate limited to 7,6 l/min.

Three-hole basin mixer 140

with ceramic sealing gaskets

with/without pop-up waste 1 1/4 Inch, 3-hole installation, 90° head part

and temperature limiter

model with rosettes

aerator M 21,5 x 1 cache

with/without pop-up waste 1 1/4 Inch,

1-hole installation, cartridge mixer



53015

53004 Single lever basin mixer 150 without pop-up waste, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter

53015 Three-hole basin mixer 140 model with plate, gauge 200 mm: with/without pop-up waste 1 1/4 Inch, gauge 300 mm: with pop-up waste 1 1/4 Inch, 3-hole installation, 90° head part



53010





53016

aerator M 21,5 x 1 cache Flow rate limited to 7,6 l/min.

with ceramic sealing gaskets

53010 Single lever basin mixer 210

with extended spout with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 21,5 x 1 cache Flow rate limited to 7,6 l/min.

53016 Single lever basin mixer

concealed fitting cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 21,5 x 1 cache Flow rate limited to 7,6 l/min. (concealed rough part article no. 53016 to be ordered separately)





53030



53020



53030

53030 Single lever bath tub and shower mixer

4-hole bath deck-mounted cartridge mixer with ceramic sealing gaskets and temperature limiter, with automatic diverter and backflow preventer, concealable hand shower with normal-, softand massage jet (mounting set article no. 53030 to be ordered separately)

53009

Single lever bidet mixer with pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 24 x 1

53030 Single lever bath tub and shower mixer

3-hole bath deck-mounted cartridge mixer with ceramic sealing gaskets and temperature limiter, with automatic diverter and backflow preventer, concealable hand shower with normal-, softand massage jet (mounting set Article No. 53030 to be ordered separately)



53024

53020 Single lever bath tub mixer

exposed fitting cartridge mixer with ceramic sealing gaskets and temperature limiter, with automatic diverter, with backflow preventer

53024

Single lever shower mixer DN 15 exposed fitting cartridge mixer with ceramic sealing gaskets with backflow preventer





Single lever bath tub and shower mixer

set complete with: handle, sleeve, diverter,

(Flexx Boxx to be ordered separately)

suitable for rough part no. 59970 (Flexx Boxx)



53071



53072

53072

concealed fitting

with/without safety device

rosette and installation unit

53071 Single lever shower mixer concealed fitting

set complete with: handle, sleeve, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

53045 Bath filler/spout DN 20 suitable for all concealed fittings Projection: 164, 214 mm





53045

Surface chrome-plated







53073





53074

53073/53074 Thermostat battery

concealed fitting with ceramic cut-off valve (53073), with ceramic cut-off and switch valve (53074), safety cut-off at 38 °C, set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)





59991

54980







53086/53089

53086/53088 Shower head with wall outlet DN 15 with shower head rail restricted flow rate 15 l/min. Projection: 300, 450 mm

53086/53089 Shower head with ceiling outlet DN 15 with shower head rail restricted flow rate 15 l/min. Projection: 100, 300 mm

53947/53047 Wall outlet for shower hose DN 15 suitable for all concealed fittings

53047

53947



51147

51191 51192

51147 Wall outlet for shower hose DN 15 suitable for all concealed fittings with backflow preventer

51191 Wall bracket for hand shower for shower hoses with conical nuts usable on left or right

51192 Wall outlet for hand shower DN 15 with integrated wall outlet for shower hoses with conical nuts suitable for all concealed fittings with backflow preventer

54991

54941

619, 819 mm State. 30001



54995 Shower hose DN 15 both ends fitted with conical nut and twist-protection 1250, 1600, 2000 mm

59991 Wall bracket for hand shower for shower hoses with conical nuts, with adjustable tilt angle 20-65° Projection: 97 mm

54991 Wall bracket for hand shower for shower hoses with conical nuts

30001 Towel rail 600, 800 mm

Hand shower with anti limescale device Functions: – normal jet – soft jet – massage jet

54980

54941 complete with: handle, sleeve, rosette and adjustable extension (Angle valve DN 15/DN 20 to be ordered separately)

30007 Grab bar/Towel rail (USA) 300 mm



Exposed part for angle valve DN 15/DN 20

54985 Hand shower sliding rail

consisting of:

- wall rail, 800 mm
- sliding bracket for shower head
- height adjustment via handle,
- tilting angle adjustable
- spacer disc (5 mm)

54987

Hand shower sliding rail set

consisting of:

- rail with sliding bracket, 800 mm
- height adjustment via handle, tilting angle adjustable
- spacer disc (5 mm)
- hand shower with normal jet and massage jet
- shower hose, 1600 mm

51185

Hand shower sliding rail

consisting of:

- wall rail 900, 1200 mm
- sliding bracket for hand shower
- height adjustment via handle,
- tilting angle adjustable
- spacer disc (5 mm)

EDITION 300

ELEGANCE





30021

30063

30010

Shelf

30021

Towel ring

Projection: 212 mm

Spare paper holder

Toilet paper holder

Surface chrome-plated

for 100/120 mm wide paper rolls

Ø 210 mm

30063

30060

with lid,

Dimensions (w x h x d):

650 x 120 mm

950 x 120 mm

1250 x 120 mm



30015

30052



30018/30019



51602

51604

SENS

51611



Single lever basin mixer 120

with ceramic sealing gaskets

Flow rate limited to 7,6 l/min.

Single lever basin mixer 90

with ceramic sealing gaskets

Flow rate limited to 7,6 l/min.

with/without pop-up waste 1 1/4 Inch,

1-hole installation, lever head action 90°

1-hole installation, cartridge mixer

aerotor M 24 x 1

aerotor M 24 x 1

Pillar tap 90

without pop-up waste,

with ceramic sealing gaskets

with/without pop-up waste 1 1/4 Inch,

1-hole installation, cartridge mixer



51611 Infrared basin mixer 120 with/without pop-up waste 1 1/4 Inch, 1-hole installation, infrared sensor, manual water-stop for cleaning, with temperature control, aerotor M 24 x 1

51601 Extension to single lever basin mixer and 51613

ordered separately!

51601

either battery or mains operated

30060

with crystalline glass shelf, underside matt



30015 Towel hook

double

30050 Tumbler holder complete with crystal glass tumbler, matt

30052 Lotion dispenser

complete with crystal glass tumbler, matt Capacity: approx. 180 ml

30064 Toilet brush set complete with crystal glass insert, matt and brush

30018/30019 Towel holder fixed

30070

30055

30055 Soap holder complete with crystal glass dish, matt

30070 Towel holder holds 6 guest towels (approx. 30 x 50 cm)

Projection: 320, 465 mm





51608

51602

51604

51608

166 167





51613



51616

matches single lever basin mixers 51602 and 51604, pillar tap 51608 and infrared basin mixers 51611

Please note: Single lever basin mixer to be

51613 Infrared basin mixer 120

without pop-up waste, 1-hole installation, infrared sensor, manual water-stop for cleaning, without temperature control, aerotor M 24 x 1 either battery or mains operated

51616

Single lever basin mixer

concealed fitting DN 15 cartridge mixer with ceramic sealing gaskets and temperature control, aerator SLIM SSR M 24 x 1, adjustable flow angle (essential for installation: rough part article no. 51116 to be ordered separately)



51620 Single lever bath tub mixer with head shower exposed fitting

cartridge mixer with ceramic sealing gaskets, with automatic diverter, with backflow preventer, head shower swivelling, Ø 180 mm, hand shower with normal-, soft- and massage jet, with sliding bracket, wall bracket and shower hose, 1600 mm

51609 Single lever bidet mixer

with pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets aerotor M 24 x 1

51620

Single lever bath tub mixer exposed fitting

cartridge mixer with ceramic sealing gaskets, with automatic diverter and backflow preventer 51645

Bath filler/spout DN 20 suitable for all concealed fittings Projection: 173, 223 mm

51630

Single lever bath tub and shower mixer 4-hole bath deck-mounted

cartridge mixer with ceramic sealing gaskets, with automatic diverter and backflow preventer concealable hand shower with normal-, softand massage jet



51624 Single lever bath shower mixer with head shower

exposed fitting

cartridge mixer with ceramic sealing gaskets, diverter head shower/hand shower with ceramic sealing gaskets, with backflow preventer, head shower swivelling, Ø 180 mm, hand shower with normal-, soft- and massage jet, with sliding bracket, wall bracket and shower hose, 1600 mm

exposed fitting cartridge mixer with ceramic sealing gaskets, with backflow preventer 51626

51624

exposed fitting safety cut-off at 38°C, with backflow preventer





51626

Single lever shower mixer DN 15

Thermostat battery for shower

handle with 50% water consumption regulation,

51626

Thermostat battery with head shower exposed fitting safety cut-off at 38°C, diverter head shower/hand shower

with ceramic sealing gaskets, with backflow preventer head shower swivelling, Ø 180 mm, hand shower with normal-, soft- and massage jet, with sliding bracket, wall bracket and shower hose, 1600 mm





51672



51686/51689







51671

51673

Single lever shower mixer

concealed fitting set complete with: handle, sleeve, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

51674

51673/51674 Thermostat battery

concealed fitting with ceramic cut-off valve (51673), with ceramic cut-off and switch valve (51674), safety cut-off at 38°C, set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

51672 Single lever bath tub and shower mixer

concealed fitting with/without safety device set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

51686/51689

51680

Head shower with ceiling outlet DN 15 Ø 180 mm, with shower head rail, restricted flow rate 15 l/min. Projection: 100, 300 mm

51686/51688

Overhead shower with wall outlet DN 15 Ø 180 mm, with shower head rail, restricted flow rate 15 l/min.

Projection: 300, 450 mm

51680

Hand shower with anti limescale device Functions: – normal jet – soft jet

54995

Shower hose DN 15 both ends fitted with conical nut and twist-protection 1250, 1600, 2000 mm



31606

Angle bar 90° for use as shower rail complete with shower bracket usable as shower rail on left or right Dimensions (w x h): 400 x 1100 mm

31614 Rail system complete with shower bracket

shower rail flexible positioning of sliding rail prior to final installation Dimensions (w x h): 600 x 1100 mm 800 x 1100 mm 1000 x 1100 mm



51685 Hand shower sliding rail

consisting of:

- wall rail, 900 mm
- sliding bracket for shower head
- height adjustment via handle,
- tilting angle adjustable
- spacer disc (5 mm)


51687

Hand shower sliding rail set consisting of:

- rail with sliding bracket, 900 mm
- height adjustment via handle, tilting angle adjustable
- spacer disc (5 mm)
- hand shower with normal jet and soft jet
- shower hose, 1600 mm

54991

59991



for shower hoses with conical nuts, with adjustable tilt angle 20-65° Projection: 97 mm

54991 Wall bracket for hand shower for shower hoses with conical nuts and adjustable extension (Angle valve DN 15/DN 20 to be ordered separately)

54947 Wall outlet for shower hose DN 15 suitable for all concealed fittings

Dimensions (w x h): 300 x 600 mm 400 x 800 mm

optional left and right version

11618/11620 Towel holder 2-arms, swivelling Projection: 340, 450 mm

31606

Angle bar 90°

11610 Shelf with crystal or crystalline glass shelf Dimensions (w x h x d): 360 x 131 x 10 mm 600 x 131 x 10 mm 700 x 131 x 10 mm 950 x 131 x 10 mm

11621 Towel ring Projection: 95 mm



31601





11613 / 11614





11615/11616



11649

31601 Grab bar/Towel rail (USA)

400, 500, 600, 700, 800, 900, 1000, 1100 mm

11613/11614 Towel hook double, 34 mm

11615 Towel hook 59 mm

11616 Robe hook 82 mm

11649 Soap dispenser

for mounting on washbasin or washbasin worktop, including foam soap (2 x 500 ml), also available for liquid soap Capacity: approx. 500 ml Height: 93, 161 mm

ELEGANCE



11650







11653



11654

11658





11664

11662



11655



11657

11650 Tumbler holder/ Tumbler holder table model complete with crystal glass tumbler, matt

11652

Lotion dispenser complete with plastic cup, matt also suitable for the shower Capacity: approx. 180 ml

11652

Lotion dispenser complete with crystal glass cup, matt Capacity: approx. 180 ml

11655 Soap holder/ Soap holder table model complete with removable crystal glass dish, matt 11653 Foam soap dispenser/ Foam soap dispenser table model opal glass, matt including foam soap (2 x 500 ml) Capacity: approx. 220 ml

11657 Sponge basket for corner installation metal basket with removable insert in white or anthracite Dimensions (w x h x d): 180 x 180 x 70 mm

11654 Lotion dispenser/ Lotion dispenser table model opal glass, matt Capacity: approx. 220 ml

11658 Sponge basket metal basket with removable insert in white or anthracite Dimensions (w x h x d): 239 x 105 x 70 mm



11669

11660 Toilet paper holder with lid,

for 100/120 mm wide paper rolls 11664

Toilet brush set with lid, complete with synthetic insert, brush and spare brush head

11669 Toilet brush set complete with crystal glass insert, matt, brush and spare brush head

11667

11662 Toilet paper holder open form, for 100/120 mm wide paper rolls

11667 Moisture box comes with porcelain box, white



11663



11675

11663 Spare paper holder

11675 Towel rack 600 mm





17676

01680 Tip-up seat with Keucolit-seat, white

17676

Cosmetic mirror illuminated, wall model, optional with mains connection through wall socket or with spiral cord and plug, 1 x 8 W energy efficient lamp magnification factor x 5, Ø 207 mm





17677

11682 Bathroom stool chrome-plated, walnut veneer

17677 Cosmetic mirror

illuminated, table model, with power lead (1,70 m), 1 x 8 W energy-efficient light lamp magnification factor x 5, Ø 207 mm



11692

11692 Wall light

horizontal or vertical installation, mirrored front panel, both task lighting and moodlight, switched separately via room switch, fluorescent lamps Illumination/Dimensions (w x h x d): 2 x 14 W T5/700 x 70 x 66 mm 2 x 21 W T5/950 x 70 x 66 mm





54902

54902



54903

54902

Single lever basin mixer 80 with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 24 x 1 vandal proof

54903

Single lever basin mixer 80 for use with instant water heaters only with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 24 x 1 vandal proof

54904

54902

Single lever basin mixer 80 with extended handle with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter, aerator M 24 x 1 vandal proof

54904 Single lever basin mixer 70

without pop-up waste, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 24 x 1

176 177



54902



54911

54902

Single lever basin mixer 80 with extended spout and handle with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter aerator M 24 x 1 vandal proof

54911 Infrared basin mixer 80

with pop-up waste 1 1/4 Inch, 1-hole installation, monoblock without base, infrared sensor (battery 6 V lithium DL 223 A)





54971



54911



54908

54911

Infrared basin mixer 80 without pop-up waste, 1-hole installation, monoblock without base, aerator M 24 x 1 infrared sensor (battery 6 V lithium DL 223 A)

54908

Pillar tap 50 without pop-up waste, 1-hole installation, lever head action 90° with ceramic sealing gaskets aerator M 18 x 1



54912

54909

54912

54909

Infrared basin mixer 80

Single lever bidet mixer

with pop-up waste 1 1/4 Inch,

with ceramic sealing gaskets

and temperature limiter

aerator M 24 x 1

1-hole installation, cartridge mixer

1-hole installation, monoblock without base,

infrared sensor (mains operation 230 V)

without pop-up waste,

aerator M 24 x 1



54921



54921 Single lever basin mixer exposed fitting cartridge mixer with ceramic sealing gaskets aerator M 24 x 1 Projection: 150, 200, 250 mm

56020

Single lever bath tub mixer floor-mounted/free standing cartridge mixer with ceramic sealing gaskets and temperature limiter, complete with round pencil shower and shower hose, 1250 mm (Floor-mounting set article no. 56020 to be ordered separately)

Surface chrome-plated





54972

54920

54945

54972

54920

exposed fitting

concealed fitting

54973



Bath filler/spout DN 20

Projection: 135, 185 mm

suitable for all concealed fittings

Single lever bath tub mixer

set complete with: handle, sleeve, diverter,

suitable for rough part no. 59970 (Flexx Boxx)

cartridge mixer with ceramic sealing gaskets

with automatic diverter and backflow preventer

(Flexx Boxx to be ordered separately)

with/without safety device

rosette and installation unit

Single lever bath tub mixer

and temperature limiter,





54924

54971 Single lever shower mixer concealed fitting

set complete with: handle, sleeve, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

54973/54974 Thermostat battery

concealed fitting with ceramic cut-off valve (54973), with ceramic cut-off and switch valve (54974), safety cut-off at 38°C, set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

54924

Single lever shower mixer DN 15 exposed fitting cartridge mixer with ceramic sealing gaskets, with backflow preventer

Surface chrome-plated Surface aluminium silver anodized (E6 EV1) or aluminium finish Surface stainless steel or stainless steel finish



54974





54926

54926 Thermostat battery for shower

exposed fitting handle with 50% water consumption regulation, safety cut-off at 38 °C, with backflow preventer

PLAN BLUE













54947



54991









53905

53902

Single lever basin mixer 130 with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter, aerator M 24 x 1 adjustable flow angle +/- 8° limiter, restricted flow rate 6 l/min. Height: 204 mm Projection: 125 mm

53905

with/without pop-up waste 1 1/4 Inch, spout swivelling +/- 60°, 1-hole installation, cartridge mixer with ceramic sealing gaskets, aerator M 24 x 1 cache restricted flow rate 6 l/min.

54985

Hand shower sliding rail

consisting of:

- wall rail, 800 mm
- sliding bracket for shower head - height adjustment via handle,
- tilting angle adjustable
- spacer disc (5 mm)

54987

Hand shower sliding rail set consisting of:

- rail with sliding bracket, 800 mm height adjustment via handle, tilting angle adjustable
- spacer disc (5 mm)
- hand shower with normal jet and massage jet
- shower hose, 1600 mm

56028

Shower column complete with:

- large shower head with rain jet, Ø 180 mm or shower head with aerator jet
- round pencil hand shower
- shower hose, 1600 mm

Surface chrome-plated

- shower bracket (with adjustable tilt angle) (concealed fittings to be ordered separately)

51686/51688

54980

Overhead shower with wall outlet DN 15 Ø 180 mm, with shower head rail, restricted flow rate 15 l/min. Projection: 300, 450 mm

51686/51689 Head shower with ceiling outlet DN 15 Ø 180 mm, with shower head rail, restricted flow rate 15 l/min. Projection: 100, 300 mm

56080

54980

Hand shower with anti limescale device Functions: – normal jet – soft jet – massage jet

56080 Round pencil hand shower surface chrome-plated with normal jet

54947

Wall outlet for shower hose DN 15 suitable for all concealed fittings

59991

Wall bracket for hand shower for shower hoses with conical nuts, with adjustable tilt angle 20-65° Projection: 97 mm

54991

Wall bracket for hand shower for shower hoses with conical nuts

54941

Exposed part for angle valve DN 15/DN 20 complete with: handle, sleeve, rosette

and adjustable extension (Angle valve DN 15/DN 20 to be ordered separately)

54995 Shower hose DN 15 both ends fitted with conical nut and twist-protection 1250, 1600, 2000 mm

Surface chrome-plated









with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter, aerator M 24 x 1 adjustable flow angle +/- 8° limiter, restricted flow rate 6 l/min. Height: 161 mm Projection: 107 mm

Single lever basin mixer 90











59991





53902

53908



Single lever basin mixer 200

53902 Single lever basin mixer 210

without pop-up waste, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter, aerator M 24 x 1 adjustable flow angle +/- 8° limiter, restricted flow rate 6 l/min. Height: 289 mm Projection: 140 mm

53908 Pillar tap 200

without pop-up waste, spout swivelling +/- 60°, 1-hole installation, lever head action 90° with ceramic sealing gaskets, aerator M 24 x 1 cache





53945

53909

Single lever bidet mixer with pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets and temperature limiter, aerator M 24 x 1 restricted flow rate 6 l/min.

53945

Bath filler/spout DN 20 suitable for all concealed fittings Projection: 138, 188 mm



53920

53920 Bath tub mixer DN 15 exposed fitting cartridge mixer with ceramic sealing gaskets, ceramic stop valve and diverter, with backflow preventer wall outlet for shower hose DN 15, restricted flow rate 12 l/min.



53924

53924 Shower mixer DN 15 exposed fitting ceramic stop valve, cartridge mixer with ceramic sealing gaskets, with backflow preventer wall outlet for shower hose DN 15, restricted flowrate 12 l/min.





53972

53971

53924

53971

Single lever shower mixer concealed fitting set complete with: handle, sleeve, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

53972

Single lever bath tub and shower mixer concealed fitting

with/without safety device set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

53924 Shower mixer with head shower exposed fitting ceramic stop valve and diverter,

cartridge mixer with ceramic sealing gaskets, with backflow preventer head shower swivelling, Ø 180 mm, restricted flowrate 9 l/min., with sliding bracket, wall bracket and shower hose, 1600 mm



- hand shower with normal-, soft- and massage jet,

54985 Hand shower sliding rail

consisting of:

- wall rail, 800 mm
- sliding bracket for shower head
- height adjustment via handle, tilting angle adjustable
- spacer disc (5 mm)

54987

Hand shower sliding rail set consisting of:

- rail with sliding bracket, 800 mm
- height adjustment via handle,
- tilting angle adjustable
- spacer disc (5 mm)
- hand shower with normal jet and massage jet
- shower hose, 1600 mm

51686/51688

53980

51686/51688


51686/51689

53980 Hand shower

Functions:

– normal jet – soft jet – massage jet PLAN

Surface stainless steel or stainless steel finish





14910



14918/14919

14910 Shelf

with crystalline plate, underside matt Dimensions (w x h): 220 x 100 mm 350 x 120 mm 550 x 120 mm

14918/14919 Towel holder

2-arms, swivelling Projection: 300, 438 mm







14922



14955



14958

14921

14921 Towel ring large model

14958 Universal shelf with crystal glass plate Surface chrome-plated, stainless steel or aluminium silver anodized (E6 EV1)/chrome-plated

Dimensions (w x h): 210 x 115 mm

14950

14922 Towel ring small model

14950 Tumbler holder complete with crystal glass tumbler



14953

14955 Soap holder complete with crystal glass dish

14953 Lotion dispenser complete with crystal glass, matt Capacity: approx. 250 ml



14949

14960

14960

with cover,

14954





14952/14953 Lotion dispenser standing model/ Lotion dispenser wall model Capacity: approx. 250 ml

14949 Built in soap dispenser for mounting on washbasin or washbasin worktop Capacity: approx. 500 ml

Toilet paper holder

for 100/120 mm wide paper rolls

14957 Foam soap dispenser opal glass, matt including foam soap (2 x 250 ml) Capacity: approx. 250 ml

14961

14954 Lotion dispenser Capacity: approx. 1,1 |

14961 Toilet paper holder theft-proof, for 100/120 mm wide paper rolls

Surface chrome-plated Surface aluminium silver anodized (E6 EV1) or aluminium finish Surface stainless steel or stainless steel finish





14956



14962

14956 Lotion dispenser

sensor controlled Capacity: approx. 0,8 l 4 batteries 1,5 V AA necessary Batteries please order separately!

14962 Toilet paper holder

open form, for 100/120 mm wide paper rolls





04976 Hygiene bag dispenser ABS plastic for max. 25 bags, including first 25 bags

14972/14964 Toilet brush set with removable plastic insert, brush and spare brush head







14966-14971

14963 Spare paper holder

14966-14971 Doorplate Symbol Ladies

Doorplate Symbol Gents

Doorplate Symbol Disabled

Doorplate Symbol Ladies/Gents



14969



14977

14969 Multiple toilet roll dispenser for horizontal or vertical installation, can be mounted for 2 rolls of 100/120 mm in width

04988

14977 Sanitary waste bin wall mounted Capacity: 3 |

04988 Waste bin with detachable black insert Capacity: 5 l





14982

14995



17649

04979 **Clothes line** complete with wall mounting element extendable up to max. 2.80 m

14985 Paper towel dispenser

14988 Waste bin wall mounted Capacity: 30 l

17649 **Cosmetic mirror** non illuminated, with pivoting arm, adjustable in three dimensions, magnification factor x 2.5, Ø 190 mm 06549 14982 Bathroom stool also suitable for wet rooms

14995 Hair dryer

with wall mounting element, 230 V Features:

- on the wall holder
- 3 heating levels up to max. 1800 W
- 2 speed levels
- Cold air button
- Overheating protection

06549 Wall light

complete with opal glass, matt and bulbs 2 x 40 W E14







07749/10095/20095





14983



14980

07749/10095/20095

<u></u>

Crystal mirror Dimensions (w x h): 220 x 800 mm 350 x 850 mm 430 x 1050 mm 550 x 850 mm 550 x 1050 mm

14980

Tip-up seat

for wall mounting tip-up seat seat size: 360 mm wide white, dark grey or light grey Surface chrome-plated or aluminium silver anodized (E6 EV1)

14983

Tip-up seat for wall mounting tip-up seat seat size: 370 mm wide white, dark grey or light grey Surface chrome-plated or aluminium laquered


- seat white, dark grey or light grey Surface chrome-plated or aluminium silver anodized (E6 EV1)
- On-off switch with indicator light

PLAN INTEGRAL

Colour variations



aluminium silver (RAL 9006)



44988


44988 Module Washstand 1 consisting of: – Waste bin






44964 Module WC 1 consisting of: Toilet brush holder
Toilet roll holder

– Spare toilet roll compartment



44976


44976 Module WC 2 consisting of:
Sanitary bag dispenser
(including the first pack of hygiene bags)
Sanitary waste bin



44985

44985 Module Washstand 2 consisting of: – 2 Paper towel dispensers (each for max. 100 paper towels)

Surface chrome-plated Surface aluminium silver anodized (E6 EV1) or aluminium finish





44977

44977 Module Washstand 3 consisting of: Tissue box (for max. 150 tissues) Paper towel dispenser (for max. 100 paper towels)











14931/14941

14930 Shower curtain rail 300-2000 mm

14932 **Connecting tube**

14924 Tube angle piece 90° for square shower tray

14925 Tube angle piece 90° for quarter-circle shower tray

14931 Connecting piece in dark grey or chrome-plated

14941

- Ceiling support (set)
- complete, consisting of:
- 1 x wall mounting set
- 1 x shower curtain rail
- 1 x connecting piece, 300-800 mm

Surface chrome-plated Surface aluminium silver anodized (E6 EV1) or aluminium finish Surface stainless steel or stainless steel finish

for square shower tray 800 x 800 mm/900 x 900 mm

- 1 x connecting piece
- -2 x 10 shower curtain rings, white
- 14938

14938

14936/14937

Set of shower curtain rails for quarter-circle shower tray 900 x 900 mm

- consisting of:
- 3 x wall mounting set
- 2 x shower curtain rail, 300 mm
- 1 x tube angle piece 90°
- for quarter-circle shower tray
- 1 x ceiling support, 400 mm
- 1 x connecting piece
- -2 x 10 shower curtain rings, white

consisting of:

14939

14940

14939

- consisting of:
- 2 x shower curtain rail, 900 mm/1100 mm
- 1 x shower curtain rail, 800 mm/1000 mm





14943/14944

Shower curtain PLAN uni*/PLAN stripes 100% Trevira, 80 g/m², shower-proof, fungicidal, anti-bacterial, anti-static, washable at 30°C, can be disinfected at 60 °C (shrinkage rate 1-2%), ironing possible (shrinkage 1-3%), tested for harmful substances according to OEKO-Tex Standard 100 Colours: white, ecru, light grey, truffle, truffle/white, anthracite, anthracite/white, black, black/white Full length: 1800, 2000 mm

Width: 1400, 2000, 3000 mm

14946/14947/34948 Shower curtain PLAN maxxi*

Colour: off-white

14943/14944

100% polyester, 75 g/m², shower-proof, fungicidal, anti-bacterial, washable at 30°C (Shrinkage rate 3%), ironing possible (shrinkage 1-3%), tested for harmful substances according to OEKO-Tex Standard 100 Colour: white Full length: 670, 1800, 2000 mm Width: 1400, 1800, 2000, 3000 mm

– 2 x shower curtain rail, 900 mm/1100 mm - 1 x tube angle piece 90° for square shower tray - 2 x 10 shower curtain rings, white

Set of shower curtain rails

1000 x 1000 mm/1200 x 1200 mm

for square shower tray

– 2 x wall mounting set

14940

Set of shower curtain rails

for square shower tray

1000 x 1000 mm/1200 x 1200 mm,

– 2 x wall mounting set

- $-2 \times \text{tube}$ angle piece 90° for square shower tray
- 3 x 10 shower curtain rings, white

14936/14937 Set of shower curtain rails consisting of: – 3 x wall mounting set – 2 x shower curtain rail, 700 mm/800 mm – 1 x tube angle piece 90° for square shower tray - 1 x ceiling support, 400 mm



14945/14943/14944/14946/14947/34948

Shower curtain PLAN Flame CS*

highly flame resistant according to DIN 4102/B1 100% Trevira, 80 g/m², shower-proof, fungicidal, anti-bacterial, anti-static, washable at 30 °C, can be disinfected at 60 °C (shrinkage rate 1-2%), ironing possible (shrinkage 1-3%), tested for harmful substances according to OEKO-Tex Standard 100

Full length: 1800, 2000 mm Width: 1400, 2000, 3000 mm

14945 Shower curtain PLAN*

all sizes are custom made Please specify: material, colour, full length and width

*Notes on production characteristics:

Vertical seams, reinforced stainless steel eyelets, distance between the eyelets approx. 20 cm, roll hem stainless steel weighted, 50 g per metre, complete with curtain rings, white.

Notes on sizes: The sizes indicated are the sizes of the finished curtain. To prevent the curtain from touching the ground we recommend a distance from curtain to floor of approx. 30 mm. Distance between the middle of the curtain rod and the upper edge of the curtain approx. 40 mm. The width of the curtain should be approx. 1.3 to 1.5 times the length of the shower curtain rod.



14927/14934/14935



8.00 982 mm, 1182 mm 34910 34912

14927 Curtain ring in black or white

34940

14934 Wall mounting set with cover, for slanted ceilings adjustable between 10 to 80 degrees

14935 Wall mounting set with decor cover

34940 Spray guard to be hooked on rail system or grab rails complete with shower curtain PLAN maxxi (670 x 800 mm)

34910 Hand shower bracket for shower rail, height adjustable

34912 Hand shower sliding rail complete with shower bracket 900, 1100 mm

34911 Corner rail for shower/bath usable on left or right Dimensions (w x h):

TÜVERGINE

34911

400 x 400 mm

400 x 600 mm


600 x 600 mm


597 mm,

797 mm

597 mm,

797 mm





34906 Angle bar 90° complete with shower bracket usable as shower rail on left or right Dimensions (w x h): 400 x 1100 mm

34908 Rail system

with shower bracket usable on left or right Dimensions (w x h x d): 400 x 400 x 1100 mm 400 x 600 x 1100 mm 600 x 400 x 1100 mm 600 x 600 x 1100 mm

34906 Angle bar 90° usable on left or right

34914 Rail system complete with shower bracket prior to final installation Dimensions (w x h x d): 600 x 600 x 1100 mm 600 x 900 x 1100 mm 900 x 600 x 1100 mm 900 x 900 x 1100 mm 900 x 1100 x 1100 mm

Surface chrome-plated Surface aluminium silver anodized (E6 EV1) or aluminium finish Dimensions (w x h): 300 x 600 mm

shower rail flexible positioning of sliding rail

- 1100 x 900 x 1100 mm

34901 Grab bar/Towel rail (USA)

for horizontal or vertical installation 300, 400, 500, 600, 700, 800, 900, 1000, 1100 mm

34907


Angle bar 135°

may be used on the left or right 300, 400 mm

34915

Rail system complete with shower bracket shower rail flexible positioning of sliding rail prior to final installation Dimensions (w x h x d): 600 x 600 x 1100 mm 600 x 900 x 1100 mm 900 x 600 x 1100 mm 900 x 900 x 1100 mm 900 x 1100 x 1100 mm 1100 x 900 x 1100 mm

PLAN CARE



for use on WC, consists of wall rail (600 mm) and back rest

for wall mounting tip-up seat, seat size 450 mm wide

Surface chrome-plated or aluminium lacquer

seat size 360 mm wide 34982 Tip-up seat with back rest

and bath tub handles, tip-up seat,

for wall mounting tip-up seat, seat size 360 mm wide

lifts up, braked version, with synthetic covered support Projection: 650 mm

34904 Supporting rail for wash basin fixed, with synthetic covered support Projection: 450/650 mm

lifts up, braked version, with synthetic covered support, removable toilet paper holder with rollbrake Projection: 700/850 mm

34905 Supporting rail for WC* fixed, with synthetic covered support, removable toilet paper holder with rollbrake Projection: 700/850 mm





34913





34902

34913 Fastening angle bracket

for WC flushing mechanism Grohe/Dal (article no. 37559 000) for fastening to WC supporting rails and wash basin pivoted supporting rails

34902 Cover plate

for fastening holes for supporting rails and pivoted supporting rails



52702

52720

exposed fitting



52704



34962

34962 Toilet paper holder for mounting on an angle bar



34964

34964 Toilet brush set complete with synthetic insert, brush with extended handle and spare brush head



34986

34986 Tiltable mirror also suitable for installation with wall offset Dimensions (w x h): 600 x 540 mm



Single lever basin mixer 120

with ceramic sealing gaskets

aerator SLIM SSR M 24 x 1,

Flow rate limited to 6 l/min.

Single lever bath tub mixer

cartridge mixer with ceramic sealing gaskets and automatic diverter, with backflow preventer

adjustable flow angle

1-hole installation, cartridge mixer

with/without pop-up waste 1 1/4 Inch,



52772

52704 Single lever basin mixer 100 with ceramic sealing gaskets aerator SLIM SSR M 24 x 1,

> 52772 Single lever bath tub and shower mixer concealed fitting with/without safety device set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)



52709



with/without pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer adjustable flow angle Flow rate limited to 6 l/min.

52709 Single lever bidet mixer

with pop-up waste 1 1/4 Inch, 1-hole installation, cartridge mixer with ceramic sealing gaskets aerator cache TT M 18,5 x 1 flow rate limited to 6 l/min.



51686/51689







52773





51686/51688





52771

52726 Thermostat battery for shower

exposed fitting handle with 50% water consumption regulation, safety cut-off at 38°C, with backflow preventer

52771

Single lever shower mixer

concealed fitting set complete with: handle, sleeve, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

51645 Bath filler/spout DN 20 suitable for all concealed fittings Projection: 173, 223 mm

52773/52774

Thermostat battery concealed fitting with ceramic cut-off valve (52773), with ceramic cut-off and switch valve (52774), safety cut-off at 38°C, set complete with: handle, sleeve, diverter, rosette and installation unit suitable for rough part no. 59970 (Flexx Boxx) (Flexx Boxx to be ordered separately)

52774

52724 Single lever shower mixer DN 15

exposed fitting cartridge mixer with ceramic sealing gaskets, with backflow preventer

54991



942 mm

51686/51688 Overhead shower with wall outlet DN 15 Ø 180 mm, with shower head rail, restricted flow rate 15 l/min. Projection: 300, 450 mm

52785 Hand shower sliding rail consisting of:

– wall rail, 900 mm – sliding bracket for shower head - height adjustment via handle, tilting angle adjustable – spacer disc (5 mm)

54991 Wall bracket for hand shower for shower hoses with conical nuts 51686/51689 Head shower with ceiling outlet DN 15 Ø 180 mm, with shower head rail, restricted flow rate 15 l/min. Projection: 100, 300 mm

51680 Hand shower with anti limescale device Functions: – normal jet – soft jet

59991

59991 Wall bracket for hand shower for shower hoses with conical nuts, with adjustable tilt angle 20-65° Projection: 97 mm

Surface chrome-plated



54995



54947


54995

Shower hose DN 15 both ends fitted with conical nut and twist-protection 1250, 1600, 2000 mm

54947

Wall outlet for shower hose DN 15 suitable for all concealed fittings

COLLECTION MOLL







12759



12763





12788

metal basket with removable insert Dimensions (w x h x d): 240 x 110 x 80 mm

12759 Shower basket

metal basket with removable insert in white or anthracite with integrated glass scraper Dimensions (w x h x d): 240 x 110 x 91 mm

12763 Spare paper holder


12788 Waste bin wall mounted in white or anthracite Capacity: approx. 25 l

meTime_spa



Glass colour variations











200 mm

truffle clear

56163

56163

complete with:

– Mounting frame

– Shut-off handle

- Adjustment grip


56166

handles right

complete with:


– Mounting frame

– Shut-off handle - Adjustment grip



950 mm 1.7.8 56165

420 mm



Shower and bathtub board

handles as desired left or right

with thermostat battery DN 20

Finish set for the regulation of 3 users

- Panel made of ESG glass, with frame

– Knob for thermostat with safety cut-off at 38 °C

article no. 56163 000073 to be ordered separately)

Shower board with thermostat battery DN 20

and one shelf made of aluminium

Dimensions (w x h): 800 x 200 mm

(essential for installation: rough part

Finish set for the regulation of 3 users

- Panel made of ESG glass, with frame

and three shelfs made of aluminium

Dimensions (w x h): 420 x 950 mm

56161

Shower and bathtub board with thermostat battery DN 20

Finish set for the regulation of 1 user handles as desired left or right complete with:

- Mounting frame
- Panel made of ESG glass, with frame
- and one shelf made of aluminium - Knob for thermostat with safety cut-off at 38 °C
- Shut-off handle
- Dimensions (w x h): 800 x 200 mm

(essential for installation: rough part article no. 56161 000071 to be ordered separately)

56164

Shower board with thermostat battery DN 20

- Finish set for the regulation of 1 user handles right
- complete with:
- Mounting frame
- Panel made of ESG glass, with frame
- and three shelfs made of aluminium
- Knob for thermostat with safety cut-off at 38 $^\circ\mathrm{C}$
- Shut-off handle
- Dimensions (w x h): 420 x 950 mm

(essential for installation: rough part article no. 56161 000071 to be ordered separately)

Shower and bathtub board

with thermostat battery DN 20 Finish set for the regulation of 2 users

- handles as desired left or right
- complete with:
- Mounting frame
- Panel made of ESG glass, with frame and one shelf made of aluminium
- Knob for thermostat with safety cut-off at 38 °C
- Shut-off and adjustment handle
- Dimensions (w x h): 800 x 200 mm

(essential for installation: rough part article no. 56162 000072 to be ordered separately)

56165

56162

Shower board with thermostat battery DN 20

- Finish set for the regulation of 2 users handles right
- complete with:
- Mounting frame
- Panel made of ESG glass, with frame
- and three shelfs made of aluminium
- Knob for thermostat with safety cut-off at 38 °C
- Shut-off and adjustment handle
- Dimensions (w x h): 420 x 950 mm
- (essential for installation: rough part
- article no. 56162 000072 to be ordered separately)

(essential for installation: rough part article no. 56163 000073 to be ordered separately)

– Knob for thermostat with safety cut-off at 38 °C





59948

59982

59948 Exposed part for 3-way diverter valve UP

Waterfall shower for wall connection G 1/2 Inch restricted flow rate 25 l/min.

complete with: handle, sleeve, rosette (round/square)







59993

Wall outlet for shower hose DN 20 with wall bracket, for SPA hose. suitable for all concealed fittings

with backflow preventer

59996 SPA hose

with chrome-plated shower bracket for wall connection elbow and chrome-plated hose connection 3/4"

EDITION PALAIS







40010

40050



40015

40001





40007

40021







40060

40063



40018

40052

40001 Towel rail 600, 800 mm

40015 **Towel hook** double

40018 Towel holder 2-arms, swivelling Projection: 457 mm

40052 Lotion dispenser Porcelain, white Capacity: approx. 250 ml



40055

40007 Grab bar/Towel rail (USA) 300 mm

40021 Towel ring

40055 Soap holder complete with porcelain dish, white 40010 Shelf

40058

with crystalline glass shelf underside lacquered white, black or creme Dimensions (w x h): 700 x 135 mm 950 x 135 mm

Please note: Brackets and shelf to be ordered separately!

40050 Tumbler holder complete with porcelain tumbler, white

40058 Sponge basket for corner installation made of porcelain, white





11667

40077

40060 Toilet paper holder with lid, for 100/120 mm wide paper rolls

11667 Moisture box comes with porcelain box, white 40063 Spare paper holder

40077 Tissue box with closed sides, for up to max. 150 sheets

Surface chrome-plated



40064



40064 Toilet brush set with lid, synthetic insert, brush with handle and spare brush head











02121



02150



02101



02114/02116

02101 Towel rail 600, 800 mm

02114/02116 Towel hook Robe hook



02117

02107 Grab bar/Towel rail (USA) 300 mm

02117 Towel holder 1-arm, fixed Projection: 434 mm



02118

02110 Shelf with crystalline glass shelf Dimensions (w x h): 450 x 120 mm 650 x 120 mm

02118 Towel holder 2-arms, swivelling Projection: 465 mm





02121 Towel ring Ø 175 mm

02152 Lotion dispenser complete with opal glass, matt Capacity: approx. 160 ml

02153

02150 Tumbler holder complete with crystal glass tumbler

02153 Lotion dispenser complete with opal glass, matt Capacity: approx. 250 ml



02155



02158

02155 Soap holder complete with crystal glass dish


02158 Sponge wire basket





02160 Toilet paper holder with lid

02163 Spare paper holder



02175

02164

02164 Toilet brush set complete with matt crystal glass insert and brush

02175 Towel rack 600 mm

03864 Toilet brush set with lid, complete with brush and spare brush head

02191/02195

10000

03864

02191 Wall decor disk chrome-plated, gold-plated

02195 Wall decor disk to wall light ASTOR chrome-plated, gold-plated





17621 Cosmetic mirror non illuminated, on wall rail, adjustable in three dimensions, mirror single sided, concave, magnification factor x 5, Ø 212 mm

Cosmetic mirror illuminated, on wall rail, adjustable in three dimensions, mirror single sided, concave, power supply with adapter (100-240 V) spiral cord (400 mm) and cable switch Lighting: 1 x 4.5 watt LED (maintenance-free lamps) Light colour: 6000 kelvin (daylight) magnification factor x 5, Ø 212 mm


17621



06541

06541 Wall light with opal glass, matt, 1 x 40 W E14

CITY.2







2

02715



306 mm

02718



02755



02753



02721

02710

02701 Towel rail 400, 600, 800 mm

02710 Shelf

with crystal glass shelf Dimensions (w x h): 450 x 120 mm 650 x 120 mm

02721 Towel ring

Ø 192 mm



02714

02750

02703 Towel rail double 600 mm

02714 Towel hook

02715 Towel hook

02750 Tumbler holder complete with crystal or acrylic glass tumbler



02751

02707 Grab bar/Towel rail (USA) 250 mm

02718 Towel holder 2-arms, swivelling Projection: 430 mm

02751 Double tumbler holder complete with crystal or acrylic glass tumblers







02762

02763

02753

02755 Soap holder complete with crystal or acrylic glass dish

02762 Toilet paper holder open form

02763 Spare paper holder

Lotion dispenser

Surface chrome-plated



02760



complete with crystal glass, matt Capacity: approx. 250 ml

02760 Toilet paper holder with lid

02764 Toilet brush set complete with with synthetic insert,

brush and spare brush head

UNIVERSAL ARTICLES



14977



14949

04960

04988

14949

04960

Waste bin

Capacity: 5 l

with detachable black insert

Built in soap dispenser

or washbasin worktop Capacity: approx. 500 ml

Toilet paper holder

for wall mounting

for mounting on washbasin



04909



11649

14977 Sanitary waste bin wall mounted Capacity: 3 l

04909 Grab bar/Towel rail (USA) with soap holder and drainage slots

11649

Soap dispenser for mounting on washbasin or washbasin worktop, including foam soap (2 x 500 ml), also available for liquid soap Capacity: approx. 500 ml Height: 93, 161 mm






14952




04972

14952 Lotion dispenser standing model Capacity: approx. 250 ml

04972 Guest towel basket





11667



01680

11675 Towel rack 600 mm

11667

01680

Tip-up seat

Moisture box

comes with porcelain box, white

with Keucolit-seat, white

650 mm

04976 Hygiene bag dispenser ABS plastic for max. 25 bags, including first 25 bags

14982 Bathroom stool also suitable for wet rooms seat white, dark grey or light grey Surface chrome-plated or aluminium silver anodized (E6 EV1) 3 pronged, complete with towel hook, 610 mm

04977/04985 Tissue box

with closed sides, for up to max. 150 sheets

11682 Bathroom stool chrome-plated, walnut veneer

UNIVERSAL ARTICLES

COSMETIC MIRRORS







14966-14971

11170

16064

14966-14971

Symbol Ladies, Gents, Disabled,

Doorplate

Ladies/Gents

Towel holder

Towel holder

holds 6 guest towels

(approx. 30 x 50 cm)

holds 6 guest towels

(approx. 30 x 50 cm)

and spare brush head

11170

30070

30070

04996/04997



16052



03864

14995

Hair dryer with wall mounting element, 230 V Features:

- On-off switch with indicator light on the wall holder
- 3 heating levels up to max. 1800 W - 2 speed levels
- Cold air button
- Overheating protection

Surface chrome-plated

16052

Soap dispenser table model including foam soap (2 x 500 ml) Capacity: approx. 150 ml Height: 195 mm

03864 Toilet brush set

with lid complete with brush and spare brush head 04996/04997 Hair dryer holder usable on left or right

16062 Toilet paper double holder for 100/120 mm wide paper rolls

04969 Toilet brush set table model, with lid, complete with synthetic insert, brush with handle and spare brush head in white or anthracite

> 16064 Toilet brush set table model, complete with glass insert, brush



17649





17649 Cosmetic mirror non illuminated, with pivoting arm, adjustable in three dimensions,

magnification factor x 2.5, Ø 190 mm

illuminated, wall model, with mains connection through wall socket or helix cable and power plug, magnification factor x 3, Ø 218 mm

17606 Cosmetic mirror Bella Vista illuminated, table model,

with mains connection through wall socket (1,70 m), 1 x 8 W LED magnification factor x 3, Ø 218 mm

17605 Cosmetic mirror Bella Vista

1 x 8 W LED





17621 Cosmetic mirror

non illuminated, on wall rail, adjustable in three dimensions, mirror single sided, concave, magnification factor x 5, Ø 212 mm

17621

Cosmetic mirror

illuminated, on wall rail, adjustable in three dimensions, mirror single sided, concave, power supply with adapter (100-240 V) spiral cord (400 mm) and cable switch Lighting: 1 x 4.5 watt LED (maintenance-free lamps) Light colour: 6000 kelvin (daylight) magnification factor x 5, Ø 212 mm









17613

17612

Cosmetic mirror round non illuminated, wall mounted, on pivoted rail, adjustable in three dimensions, mirror single sided, concave, magnification factor x 5, Ø 212 mm

17613

Cosmetic mirror squared non illuminated, wall mounted, on pivoted rail, adjustable in three dimensions, mirror single sided, concave, magnification factor x 5, Exterior measurement: 200 x 200 mm

17612

17613

Cosmetic mirror round illuminated, wall mounted, on pivoted rail, adjustable in three dimensions, mirror single sided, concave, power supply with adapter (100-240 V) spiral cord (400 mm) and cable switch, Lighting: 1 x 4.5 watt LED (maintenance-free lamps) Light colour: 6000 kelvin (daylight) magnification factor x 5, Ø 212 mm

17613 Cosmetic mirror squared

illuminated, wall mounted, on pivoted rail, adjustable in three dimensions, mirror single sided, concave, power supply with adapter (100-240 V) with spiral cord (400 mm) and cable switch, Lighting: 1 x 4.5 watt LED (maintenance-free lamps) Light colour: 6000 kelvin (daylight) magnification factor x 5, Exterior measurement: 200 x 200 mm



17610



17611

17610

Cosmetic mirror iLook illuminated, 4 Mignon AA batteries necessary for power suply (batteries included), magnification factor x 3

Accessories:

chrome-plated ball-joint for wall mounting, suction cup for fastening to smooth surfaces, travel bag

17611

Cosmetic mirror iLook

illuminated, chrome-plated wall rail, height adjustment, tilting angle adjustable, power supply with adapter (100-240 V) or in-wall adapter (230 V), magnification factor x 3

17676

Cosmetic mirror illuminated, wall model, optional with mains connection through wall socket or with spiral cord and plug, 1 x 8 W energy efficient lamp magnification factor x 5, Ø 207 mm

17676

17677 **Cosmetic mirror** illuminated, table model, with power lead (1,70 m), 1 x 8 W energy-efficient light lamp magnification factor x 5, Ø 207 mm

17677







17612

Cosmetic mirror round illuminated, wall mounted, on pivoted rail, adjustable in three dimensions, mirror single sided, concave, power supply with in-wall adapter (100-240 V) and spiral cord (400 mm), Lighting: 1 x 4.5 watt LED (maintenance-free lamps) Standby consumption: < 0.5 Watt Light colours: from 3200 kelvin (warm white) to 6000 kelvin (daylight) glass with touch sensor technology magnification factor x 5, Ø 212 mm

17613

Cosmetic mirror squared illuminated, wall mounted, on pivoted rail, adjustable in three dimensions, mirror single sided, concave, power supply with in-wall adapter (100-240 V) and spiral cord (400 mm), Lighting: 1 x 4.5 watt LED (maintenance-free lamps) Standby comsumption: < 0.5 Watt Light colours: from 3200 kelvin (warm white) to 6000 kelvin (daylight) glass with touch sensor technology magnification factor x 5, Exterior measurement: 200 x 200 mm





24901/24902



24903/24904







24942

24901 Soap wire basket

Dimensions (w x h x d): 132 x 100 x 28 mm

24902 Sponge wire basket Dimensions (w x h x d): 200 x 100 x 28 mm

24942

Sponge basket removable, with concealed fastening screws Dimensions (w x h x d):

200 x 114 x 28 mm 200 x 114 x 70 mm



24943

24903 Soap wire basket for corner installation Side length: 127 mm Dimensions (w x h x d): 180 x 115 x 28 mm

24904 Sponge basket for corner installation Side length: 170 mm Dimensions (w x h x d): 240 x 170 x 50 mm

24943 Soap wire basket for corner installation removable, with concealed fastening screws Side length: 140 mm Dimensions (w x h x d): 197 x 133 x 28 mm



24944

24941 Soap wire basket removable, with concealed fastening screws Dimensions (w x h x d): 132 x 105 x 28 mm

24944 Sponge basket for corner installation removable, with concealed fastening screws Side length: 186 mm Dimensions (w x h x d): 264 x 180 x 47 mm 260 x 180 x 72 mm





11657

12757

11657

12757

11658





12758

Sponge basket for corner installation

Dimensions (w x h x d): 180 x 180 x 70 mm

metal basket with removable insert

in white or anthracite

in white or anthracite

Shower basket for corner

metal basket with removable insert

Dimensions (w x h x d): 180 x 180 x 80 mm

11658 Sponge basket metal basket with removable insert in white or anthracite Dimensions (w x h x d): 239 x 105 x 70 mm

12758 Shower basket metal basket with removable insert in white or anthracite Dimensions (w x h x d): 240 x 110 x 80 mm

Surface chrome-plated





11158

11159





12759

11158 Shower basket

aluminium silver anodized/chrome-plated Dimensions (w x h x d): 300 x 95 x 67 mm

11159

Shower basket aluminium silver anodized/chrome-plated with integrated glass scraper Dimensions (w x h x d): 300 x 95 x 67 mm

12759

Shower basket metal basket with removable insert in white or anthracite with integrated glass scraper Dimensions (w x h x d): 240 x 110 x 91 mm

In accordance with our manufacturer's guarantee declaration, we assume a guarantee of five years for our products, provided that the product was verifiably purchased and installed by a franchised trade dealer.

The guarantee period commences with the date of delivery ex works. The statutory warranty period is included in the guarantee period. This guarantee excludes electrical components and light bulbs.

The extraordinary surface characteristics and extremely fine colour nuances of our products can only be reproduced to a certain degree in print. Only the original KEUCO products, which can be viewed in sanitary trade dealers' showrooms, can provide you with an optimum impression.

Reproduction and copying, even if only excerpts, are only permitted by explicit permission of the manufacturer, and with the inclusion of source information KEUCO GmbH & Co. KG, Postfach 1365, D-58653 Hemer

We reserve the right to make engineering changes for the purpose of improvement, as well as colour and design changes that are deemed necessary. Errors and omissions excepted.

Our articles are sold exclusively through sanitary wholesale.

Concept, design, text and lithography: KONTRAST Communication Services GmbH, Düsseldorf Photography: Christian Stoll, Düsseldorf; Thomas Krüsselmann, Viersen; Markus Meuthen, Düsseldorf; Stephan Schacher, New York; Eva Gaida, Aalen; Casa, Münster; provideo & fototeam, Menden Printing: Meinders & Elstermann GmbH & Co. KG, Belm, Osnabrück Printed on GALAXI Keramik. Supplied by Papier Union.

For more information please visit www.keuco.de