

CORDIVARI

DESIGN

CATALOGUE PRICE LIST 5
2016

CORDIVARI

DESIGN

Cordivari Design is the brand that identifies the artistic path, research and development of Cordivari group. This concept explores the realm of emotions and affectivity: a journey of passion and feelings that are reflected in the living where every object, every element is expression of its personality. Cordivari Design radiators become in this way protagonists of the contemporary living. The continuous research for technological solutions to enhance the efficiency of the radiators combined with the creativity of important designers working for Cordivari Design, create a perfect alchemy between functionality and style, able to give warmth and elegance to every living space.

for the best
SHOWROOM



INOX STYLE

Cordivari, relying on its forty-years old production experience, has embraced the philosophy of stainless steel, making it available at cordivari design.

In 1991 the first radiator made in stainless steel, model *Elen*, was created. Stainless steel is conquering every day larger and larger application in architecture and industrial design, not only thanks to its performances, but mainly for its visual lightness.

The light reflection created by the polished stainless steel cordivari design radiators, or the elegance of the satin finishing, guarantees a touch of exclusivity and prestige to your house.

Stainless steel is a 100% recyclable material, resistant to corrosion, non-toxic and with infinite lifetime.



EXTRASLIM®

Cordivari design offers a new concept of decorative radiator and with the support of important designers, creates the innovative "extraslim" range, a revolution of the design radiator world thanks to a unique and state of the art production technology.

The result is a radiator consisting of a single heating body with only 7 mm thickness, totally different from the traditional market offer, with geometries that go well beyond the traditional image of the radiator. The extraslim range, has been awarded with several international awards: Design Plus, Comfort & Design, Łazienka Award and Prix du Design Ideobain Nomination.




NEO DESIGN

Neo design radiators are involved in the artistic trend of "minimalism" that has greatly influenced contemporary design. Purity, **simplicity of lines** and **architectural forms**, are the elements that will make you appreciate these sober and elegant radiators.

Interior furnishing designed to create a perfect synthesis between aesthetics and functionality, enables great thermal efficiency in line with current standards of energy saving.

The neo design with its unique style becomes protagonists of contemporary living.



CLASSIC LINE

Retrò is the new line of Cordivari radiators, inspired by classical forms and elegant design.

With timeless shapes these decorative radiators are available with **shiny** and **bright finishing** to decorate your bathrooms with the most exclusive taste.

The line Retrò is available in 3 models with 3 different finishes: Chrome, Antique Bronze, Antique Gold.



GRAPHIC PICTURE

Heat and colour. The pictures radiators spreading the heating through beautiful **colours** and **images**, become the canvas of a painter or a frame upon which the most exciting impressions of your life are captured.

An innovative and everlasting painting process, internationnaly awarded, with high quality finishing and environment friendly approach. The radiator becomes a design object, an element that personalizes your living environment, making it a unique item, enriched by chromatic effects you can choose between graphics solutions proposed by cordivari design, created by painters, artists, designers or from yourself with your favourite images, which will capture forever on the radiator your desired image.



TECHNICAL SUPPORT

A vast range of colours and accessories completes our calorifiers offer: valves, towel rails, hooks polished, satin or painted to put an extra focus on the Cordivari Design. An expansion of knowledge one has of Cordivari's Design going from international rewards to events, from presentation of designers who signed Cordivari's Design Line up to the models that became beauty icons and **state of the art projects**.

A true support for all professionals for thermal output calculation, valves glow resistance and system and products certifications.

SUMMARY

		GALLERY ↓	PRICE LIST ↓
LOLA® STAINLESS STEEL	NEW	8	132
FUJKO STAINLESS STEEL	NEW	18	136
BLOW® STAINLESS STEEL		20	137
KELLY STAINLESS STEEL		24	138
KELLY ELECTRIC - STAINLESS STEEL	NEW	25	139



SFERE	NEW	48	148
GIULY®		52	149
BADGE®		56	150
BADGE® ELECTRIC		64	152
HAND®		66	153



FRAME		84	160
ANDREA	NEW	92	170
JACKY	NEW	94	171
YARA	NEW	96	172



RETRÒ I - II - III		110	178




FRAME PICTURE



118 180

ROSY GRAPHIC



126 186


www.cordivardesign.com

3D TECHNICAL MODELS

www.cordivardesign.com

ACCESSORIES	190
CERTIFICATES - DESIGNERS	202
COLOURS	208
SALES CONDITIONS AND WARRANTY	210

		GALLERY ↓	PRICE LIST ↓
BABYLA STAINLESS STEEL	NEW	26	140
CELINE STAINLESS STEEL		32	142
RIO® STAINLESS STEEL		34	144
STRADIVARI STAINLESS STEEL		38	146
RENÉE STAINLESS STEEL		44	143



SFERE	NEW	48	148
GIULY®		52	149
BADGE®		56	150
BADGE® ELECTRIC		64	152
HAND®		66	153

HAND® ELECTRIC	NEW	68	154
E.SIGN	NEW	70	155
MOVIE®		72	156
MOVIE® ELECTRIC	NEW	76	157
JUNGLE®		78	158



FRAME		84	160
ANDREA	NEW	92	170
JACKY	NEW	94	171
YARA	NEW	96	172

GROOVE®		98	173
ROADS®		100	174
ROADS® STF		102	176
BRIDGE® 1		106	175




RETRÒ I - II - III		110	178

RETRÒ I - II - III	NEW
ELECTRIC	




FRAME PICTURE

ROSY GRAPHIC



126 186

		GALLERY ↓	PRICE LIST ↓
BABYLA STAINLESS STEEL	NEW	26	140
CELINE STAINLESS STEEL		32	142
RIO® STAINLESS STEEL		34	144
STRADIVARI STAINLESS STEEL		38	146
RENÉE STAINLESS STEEL		44	143



SFERE	NEW	48	148
GIULY®		52	149
BADGE®		56	150
BADGE® ELECTRIC		64	152
HAND®		66	153

HAND® ELECTRIC	NEW	68	154
E.SIGN	NEW	70	155
MOVIE®		72	156
MOVIE® ELECTRIC	NEW	76	157
JUNGLE®		78	158



FRAME		84	160
ANDREA	NEW	92	170
JACKY	NEW	94	171
YARA	NEW	96	172

GROOVE®		98	173
ROADS®		100	174
ROADS® STF		102	176
BRIDGE® 1		106	175




		GALLERY ↓	PRICE LIST ↓
RETRÒ I - II - III		110	178

RETRÒ I - II - III	NEW
ELECTRIC	



FRAME PICTURE

ROSY GRAPHIC



126 186

		GALLERY ↓	PRICE LIST ↓
BABYLA STAINLESS STEEL	NEW	26	140
CELINE STAINLESS STEEL		32	142
RIO® STAINLESS STEEL		34	144
STRADIVARI STAINLESS STEEL		38	146
RENÉE STAINLESS STEEL		44	143



SFERE	NEW	48	148
GIULY®		52	149
BADGE®		56	150
BADGE® ELECTRIC		64	152
HAND®		66	153

HAND® ELECTRIC	NEW	68	154
E.SIGN	NEW	70	155
MOVIE®		72	156
MOVIE® ELECTRIC	NEW	76	157
JUNGLE®		78	158



FRAME		84	160
ANDREA	NEW	92	170
JACKY	NEW	94	171
YARA	NEW	96	172

GROOVE®		98	173
ROADS®		100	174
ROADS® STF		102	176
BRIDGE® 1		106	175



		GALLERY ↓	PRICE LIST ↓
RETRÒ I - II - III		110	178

RETRÒ I - II - III	NEW
ELECTRIC	

The background of the entire page features a soft, abstract pattern of flowing, light-colored waves, possibly representing liquid or fabric, in shades of grey and white.

CORDIVARI
DESIGN



INOX *Style*

Cordivari, relying on its forty-years old production experience, has embraced the philosophy of stainless steel, making it available at cordivari design.

In 1991 the first radiator made in stainless steel, model Elen, was created. Stainless steel is conquering every day larger and larger application in architecture and industrial design, not only thanks to its performances, but mainly for its visual lightness.

The light reflection created by the polished stainless steel cordivari design radiators, or the elegance of the satin finishing, guarantees a touch of exclusivity and prestige to your house.

Stainless steel is a 100% recyclable material, resistant to corrosion, non-toxic and with infinite lifetime.

LOLA®

GOLD VILLA
AWARD

3D
TRADEMARK



LOLA®

Model: Horizontal
L: 1516 (mm) - H: 450 (mm)
Material: Satin stainless steel
Watt 549

PRICE LIST - RANGE PAGE 132

CORDIVARI
DESIGN

INOX *Style*





LOLA®

Model: Horizontal

L: 1516 (mm) - H: 450 (mm)

Material: **Polished** stainless steel

Watt 484

PRICE LIST - RANGE PAGE 132





GOLD VILLA
AWARD

3D
TRADEMARK

LOLA®

GOLD VILLA
AWARD

3D
TRADEMARK



LOLA®

Model: Vertical
L: 1516 (mm) - H: 450 (mm)
Material: **Polished** stainless steel
Watt 557
PRICE LIST - RANGE PAGE 134

CORDIVARI
DESIGN

HOOK



Comfort and relax shaped into Lola
sinuous and surrounding design, proposed in
polish finishing, satin and décor.

Entirely made in stainless steel Lola® will
catch your eyes with the reflection of light
rolling on the waves of its radiant and
creating a unique and comfortable
atmosphere in both classical and modern
ambient.





GOLD VILLA
AWARD

3D
TRADEMARK

LOLA®

Model: Horizontal

L: 1516 (mm) - H: 570 (mm)

Material: **Polished** stainless steel

Watt 616

PRICE LIST - RANGE PAGE 132

CORDIVARI
DESIGN

INOX *Style*



LOLA® DECOR



Artwork: **Mariano Moroni**



GOLD VILLA
AWARD

3D
TRADEMARK

LOLA® DECOR

Model: Horizontal

L: 1516 (mm) - H: 450 (mm)

Material: **Polished** stainless steel and **Satin** stainless steel


Watt 484

PRICE LIST - RANGE PAGE 132

HOOK



INOX *Style*





The new stainless steel-made Fujiko radiator designed to enrich any restroom giving it warmth and elegance. Bringing to a higher level the daily use of a classical towel rail.

INOX *Style*



FUJKO

Model: Horizontal


L: 1400 (mm) - H: 595 (mm)

Material: **Polished** stainless steel

Watt 750

PRICE LIST - RANGE PAGE 136

BLOW®



© Rainer Hosch

Design: Jean-Marie Massaud

"We have designed a product that gives architects the opportunity to fulfil their requirements in terms of design.

Blow® is a simple, refined and architectural system, that can easily be arranged and laid out in any interior".

J.M. Massaud



reddot design award
best of the best



German
Design Award
NOMINEE 2014

BLOW®

Model: Vertical

L: 500 (mm) - H: 1700 (mm) [x2]

Material: Polished stainless steel

Watt 1400

PRICE LIST - RANGE PAGE 137



INOX *Style*





reddot design award
best of the best



German
Design Award
NOMINEE 2014

BLOW®


Model: Horizontal

L: 1700 (mm) - H: 500 (mm) [x2]

Material: Polished stainless steel

Watt 1400

PRICE LIST - RANGE PAGE 137



INOX Style




KELLY

Minimal shapes for this new model in polished stainless steel.

Two vertical collectors supporting the horizontal tubes acting as useful towel hangers.

Quality of finishing gives to this model elegance and refinement.



KELLY INOX

L: 500 (mm) - H: 680 (mm)

Material: Polished stainless steel

Watt 259

PRICE LIST - RANGE PAGE 138

NEW

INOX *Style*



KELLY ELECTRIC

L: 500 (mm) - H: 1420 (mm)

Material: **Polished** stainless steel
Watt 500

PRICE LIST - RANGE PAGE 139

BABYLA



Design: **Mariano Moroni**



BABYLA

L: 600 (mm) - H: 650 (mm)

Material: **Polished** stainless steel

Watt 156

PRICE LIST - RANGE PAGE 140

HOOK



INOX Style



BABYLA

L: 600 (mm) - H: 1745 (mm)

Material: **Polished** stainless steel

Watt 395

PRICE LIST - RANGE PAGE 140



BABYLA

Design: Mariano Moroni

"Inspired on modern Minimalism. Babyla, is a decorative radiator with simple and elegant lines, which finds its power in the purity of the stainless steel and its simple aesthetical line that represents an eternal decorative element. Completely built in stainless steel, it is available in polished, satin or gold finishing. Babyla can be dressed with practical and useful accessories as shelves, mirror or hooks".

M. Moroni



BABYLA KIT ELITE

L: 881 (mm) - H: 1883 (mm)

Material: Satin stainless steel

Watt 357

PRICE LIST - RANGE PAGE 140



INOX *Style*



BABYLA

L: 600 (mm) - H: 1745 (mm)

Material: Satin stainless steel

Watt 423

PRICE LIST - RANGE PAGE 140

BABYLA GOLD

NEW

Design: Mariano Moroni



INOX Style



BABYLA GOLD

L: 600 (mm) - H: 1745 (mm)

Material: Polished stainless steel

Finish: Gold

Watt 395

PRICE LIST - RANGE PAGE 140

CELINE

NEW

Celine thanks to true lines and shining reflections donates timeless elegance to most prestigious restrooms. Fully stainless made, this towel rail expresses unmistakable design and ergonomics.


CELINE

L: 500 (mm) - H: 1338 (mm)

Material: **Polished** stainless steel
Watt 465

PRICE LIST - RANGE PAGE 142

INOX *Style*



RIO®



Design: **Paola Pinnavaia**

D COME DESIGN



RIO®

L: 671 (mm) - H: 2000 (mm)

Material: **Polished** stainless steel

Watt 807

PRICE LIST - RANGE PAGE 144

INOX *Style*



RIO®

Design: Paola Pinnavaia

D COME DESIGN

Rio; unique piece of art. Available in polished and satin stainless steel, draws its inspiration from nature; its gentle shape reminds a beautiful waterfall. The movements of the radiator give great energy sensations. Design tames the material, it's a thermal sculpture that lets you feel true emotions.

Sweet curves and harmonic waves of heating elements show a strict relationship between appearance anatomy and logic of the object.



RIO®


L: 671 (mm) - H: 2000 (mm)

Material: Satin stainless steel

Watt 863

PRICE LIST - RANGE PAGE 144

INOX Style



STRADIVARI



Design: **Luca Scacchetti**



CASANOVA ROOM
NUMBER 3

STRADIVARI

Model: Horizontal
L: 1600 (mm) - H: 570 (mm) [x2]
Material: **Satin** stainless steel
Watt 1312
PRICE LIST - RANGE PAGE 147



STRADIVARI

Model: Vertical

L: 660 (mm) - H: 2100 (mm)

Material: Satin stainless steel

Watt 1084

PRICE LIST - RANGE PAGE 146



"Stradivari is based on the idea to combine different size of heating elements. A radiator with an everlasting style, where the linear geometry of the satin stainless steel heating elements exploits and defines each room".

L. Scacchetti



BOLOGNA - CERSAIE
LUCA SCACCHETTI @ CORDIVARI DESIGN

STRADIVARI

Model: Vertical

L: 570 (mm) - H: 1600 (mm)

Material: Satin stainless steel

Watt 713

PRICE LIST - RANGE PAGE 146

INOX Style



BOLOGNA - CER-STILE



MILANO - TEXTURE & MATERIALS - SUPERSTUDIOPIÙ
CARLO COLOMBO AND PAOLA NAVONE @ CORDIVARI DESIGN



RENÉE



Design: **Mariano Moroni**

"Surrounding warming and caring geometries improve each reflecting images. The two groups satin stainless steel seem to fight each other to capture the light in a central mirror".

M. Moroni



RENÉE

L: 1060 (mm) - H: 1600 (mm)

Material: **Satin** stainless steel

Watt 860

PRICE LIST - RANGE PAGE 143



INOX *Style*





CORDIVARI
DESIGN



EXTRASLIM®

Cordivari design offers a new concept of decorative radiator and with the support of important designers, creates the innovative "extraslim" range, a revolution of the design radiator world thanks to a unique and state of the art production technology. The result is a radiator consisting of a single heating body with only 7 mm thickness, totally different from the traditional market offer, with geometries that go well beyond the traditional image of the radiator. The extraslim range, has been awarded with several international awards: Design Plus, Comfort & Design, tazienka Award and prix du design ideobain nomination.


7
mm

SFERE

NEW



Design: Simone Micheli



PATENTED

SFERE TRITTICO

Diameter: 496 (mm) [x3]

Material: Painted carbon steel

Colour: F18 Platinum

Watt 582

PRICE LIST - RANGE PAGE 148





SFERE TRITTICO

Diameter: 496 (mm) [x3]

Material: Painted carbon steel


Colour: T15 Tela

Watt 582

PRICE LIST - RANGE PAGE 148

"This concept interrupts frames and stereotypes that characterized decorative radiators. With powerful but non presumptuous, fresh shapes it allows dreaming. Sfere is a continuous ongoing between 2-dimensional and 3-dimensional realities. Suspended in a vacuum this radiator frees itself through most exclusive technologies and designs".

S. Micheli



MILANO - DESIGN WEEK
DIFFERENT SUITES X DIFFERENT PEOPLE
SIMONE MICHELI @ CORDIVARI DESIGN



SFERE

Diameter: 496 (mm)
Material: Painted carbon steel
Colour: F27 Moonshine
Watt 194
PRICE LIST - RANGE PAGE 148

GIULY®



Design: **Mariano Moroni**



GIULY®

L: 520 (mm) - H: 1200 (mm)

Material: Painted carbon steel

Colour: F20 Milky

Watt 523

PRICE LIST - RANGE PAGE 149



GIULY®

L: 520 (mm) - H: 1590 (mm)
Material: Painted carbon steel
Colour: F03 Metal Antracite
Watt 718

PRICE LIST - RANGE PAGE 149



"Its archetype draws inspiration from the automotive industry, and its shape comes through the re-interpretation of details and graphics scans evoking grilles and vents".

M. Moroni



GIULY®

L: 520 (mm) - H: 1200 (mm)
Material: Painted carbon steel
Colour: R01 Pure White
Watt 523

PRICE LIST - RANGE PAGE 149



BADGE®



Design: **Simone Micheli**

DESIGN PL+US
WINNER

**COMFORT & DESIGN
AWARD**

**ŁAZIENKA
AWARD**

**PRIX DU DESIGN IDÉO BAIN
NOMINÉ**



BADGE® LED

Model: Vertical

L: 512 (mm) - H: 1755 (mm)

Material: Painted carbon steel

Colour: W01 Notturno

Luce: White Led

Watt 795

PRICE LIST - RANGE PAGE 150



STRAIGHT HANGER



BADGE® CONTROL

Model: Vertical

L: 512 (mm) - H: 1755 (mm)

Material: Painted carbon steel

Colour: F22 Classic Gold

Watt 795

PRICE LIST - RANGE PAGE 150

Badge® offers design radiators' new concept, thanks to its original shape.

Three models which meet radiator's functional needs and for this reason they represent a revolution thanks to their design and the employment of a particular innovative technology features that have permitted to attain the prestigious Design Plus and Comfort & Design Award.

DESIGN PL⁺US WINNER

COMFORT & DESIGN
AWARD

ŁAZIENKA
AWARD

PRIX DU DESIGN IDÉO BAIN
NOMINÉ




E V E N T S




VERONA
ABITARE IL TEMPO



BRASILE
LA CASA ITALIANA IN MESSICO



MILANO
DIFFERENT SUITES X DIFFERENT PEOPLE



**BADGE®**

Model: Horizontal

L: 1604 (mm) - H: 404 (mm)

Material: Painted carbon steel

Colour: R13 Jet Black

Watt 572

PRICE LIST - RANGE PAGE 150

A modern interior scene featuring a minimalist sofa with dark pillows, a small white vase on a shelf, and a stack of books.

DESIGN PL+US
WINNER

**COMFORT & DESIGN
AWARD**

**ŁAZIENKA
AWARD**

**PRIX DU DESIGN IDÉO BAIN
NOMINÉ**



DESIGN PLUS

WINNER

COMFORT & DESIGN

AWARD

ŁAZIENKA

AWARD

PRIX DU DESIGN IDÉO BAIN

NOMINÉ



BADGE® CONTROL


Model: Horizontal

L: 1604 (mm) - H: 404 (mm)

Colour: R01 Pure White

Watt 572

PRICE LIST - RANGE PAGE 150



DESIGN PL+US

WINNER

COMFORT & DESIGN
AWARD

ŁAZIENKA
AWARD

PRIX DU DESIGN IDÉO BAIN
NOMINÉ

BADGE® ELECTRIC

Model: Vertical

L: 512 (mm) - H: 1755 (mm)

Material: Painted carbon steel

Colour: H30 Green Apple

Watt 750

PRICE LIST - RANGE PAGE 152

- DIGITAL
THERMOSTAT WITH
LCD DISPLAY
- DAILY AND WEEKLY
PROGRAM SET

HAND®

Hand® is a radiator characterized by a fresh design with an original composition of heating elements. Hidden valves and supports exalt the innovative shape of Hand®: a tribute to human creativity, full of symbols and visions.



HAND®

L: 514 (mm) - H: 1200 (mm)

Material: Painted carbon steel

Colour: F15 Metal Sparkling Black

Watt 490

PRICE LIST - RANGE PAGE 153



NEW



HAND® ELECTRIC

L: 514 (mm) - H: 1200 (mm)

Material: Painted carbon steel

Colour: H27 Bright Red

Watt 490

PRICE LIST - RANGE PAGE 154



- DIGITAL
THERMOSTAT WITH
LCD DISPLAY

- DAILY AND WEEKLY
PROGRAM SET



E.SIGN

L: 550 (mm) - H: 1220 (mm)

Material: Painted carbon steel

Colour: T09 Matt Gold

Watt 508

PRICE LIST - RANGE PAGE 155

Ergonomics, flexibility and practicality. E.sign becomes evolution of traditional towel rail into perfect solution for the most glamour bathrooms.



MOVIE®



Design: **Mariano Moroni**

COMFORT & DESIGN
NOMINÉ



MOVIE®

L: 642 (mm) - H: 1392 (mm)
Material: Painted carbon steel
Colour: F07 Silver Effect
Watt 559

PRICE LIST - RANGE PAGE 156





"The innovative Extraslim® radiator, draws inspiration from cinema as origin of visual communication. It consists of painted carbon steel plate and gets over radiators' traditional image to become a friendly object and a symbol of human life".

M. Moroni

COMFORT & DESIGN
NOMINÉ



NEW



MOVIE® ELECTRIC

L: 642 (mm) - H: 1392 (mm)

Material: Painted carbon steel

Colour: R18 Overseas Blue

Watt 640

PRICE LIST - RANGE PAGE 157



- DIGITAL
THERMOSTAT WITH
LCD DISPLAY

- DAILY AND WEEKLY
PROGRAM SET

COMFORT & DESIGN
NOMINÉ

JUNGLE®



Design: **Mariano Moroni**

"A sign, a unique, basic, primitive, intense meaning symbol in the original "message design", that gives immediate emotional feelings to the user, to enrich his visual culture and to identify his daily living. Foldaway valves and connections make cleaning easier".

M. Moroni



PATENTED

JUNGLE® CONTROL

Model: Horizontal

L: 1500 (mm) - H: 500 (mm)

Material: Painted carbon steel

Colour: W01 Nottuno

Watt 573

PRICE LIST - RANGE PAGE 158



JUNGLE®

Model: Vertical


I: 500 (mm) - H: 1500 (mm)

Material: Painted carbon steel

Colour: F04 Grigio Grafite

Watt 557

PRICE LIST - RANGE PAGE 158



JUNGLE®

Model: Horizontal
L: 1500 (mm) - H: 500 (mm)
Material: Painted carbon steel
Colour: F20 Milky
Watt 573

PRICE LIST - RANGE PAGE 158





CORDIVARI

DESIGN



NEO DESIGN

Neo design radiators are involved in the artistic trend of "minimalism" that has greatly influenced contemporary design. Purity, simplicity of lines and architectural forms, are the elements that will make you appreciate these sober and elegant radiators.

Interior furnishing designed to create a perfect synthesis between aesthetics and functionality, enables great thermal efficiency in line with current standards of energy saving.

The neo design with its unique style becomes protagonists of contemporary living.

FRAME INOX



FRAME INOX DECOR

Model: Vertical

L: 480 (mm) - H: 1832 (mm)

Material: Polished stainless steel plate

Finish: Décor Satin

Watt 880

PRICE LIST - RANGE PAGE 164



INOX *Style*



FRAME INOX

Model: Vertical

L: 480 (mm) - H: 2032 (mm)

Material: **Polished** stainless steel plate

Watt 978

PRICE LIST - RANGE PAGE 160

NEW

An incomparable design, a journey inside the most beautiful living atmosphere. The new model Frame evidences the purity of the design: Frame Inox Polished, which produces light effects.

FRAME INOX

Model: Horizontal

L: 2032 (mm) - H: 592 (mm)

Material: **Polished** stainless steel plate

Watt 1222

PRICE LIST - RANGE PAGE 162



FRAME



STRAIGHT HANGER

FRAME

Model: Vertical
L: 480 (mm) - H: 1632 (mm)
Material: Painted carbon steel
Colour: T11 Matt White
Watt 789
PRICE LIST - RANGE PAGE 166





NEW



FRAME

Model: Horizontal

L: 480 (mm) - H: 1832 (mm)

Material: Painted carbon steel

Colour: H27 Bright Red

Watt 880

PRICE LIST - RANGE PAGE 168



Frame and Frame Plus with their accurate
manufacturing and impeccable finishes enhance
The elegance and harmony of these heating radiators.

ANDREA

NEW

When pure and rigorous elegance meets technology the result is a radiator that enriches all rest- and wellness-rooms.

Andrea towel rail adds to its exclusive and unique design, thanks to the patented technology, ergonomics, practical use and clean surfaces.



PATENTED

ANDREA

L: 500 (mm) - H: 1410 (mm)
Material: Painted carbon steel
Colour: R01 Pure White
Watt 510
PRICE LIST - RANGE PAGE 170





JACKY

NEW



PATENTED

JACKY

L: 500 (mm) - H: 1260 (mm)
Material: Painted carbon steel
Colour: R02 Traffic White
Watt 566

PRICE LIST - RANGE PAGE 171



CORDIVARI
DESIGN

With Yara the traditional towel rail becomes a charming piece of furniture and at the same time keeps the functions of a no frills towel rail.



YARA

L: 500 (mm) - H: 988 (mm)
Material: Painted carbon steel
Colour: T01 Matt Black
Watt 465
PRICE LIST - RANGE PAGE 172

NEW



VALVE TINTA
THE ONLY ONE AVAILABLE WITH COLOURED THERMOSTATIC HEAD



YARA

L: 500 (mm) - H: 988 (mm)

Material: Painted carbon steel

Colour: R01 Pure White

Watt 465

PRICE LIST - RANGE PAGE 172

GROOVE®



Design: **Mariano Moroni**



GROOVE®

L: 416 (mm) - H: 2000 (mm)

Material: Aluminium

Colour: F04 Graphite Grey

Watt 1460

PRICE LIST - RANGE PAGE 173



"Purity and simplicity of the lines are at the base of this project which sees the use of simple minimum vertical elements composed in a sort of parallelism that can become infinite.

The result is a perfect geometry of the radiator, almost a rejection of unnecessary and exasperated modernity".

M. Moroni




ROADS®

Design: Mariano Moroni

"Roads" means the research for essentiality, with a simple and pure formal language. Vertical heating elements, continuously playing with lights and shadows, are creating parallel streets in a fantasy Metropole".

M. Moroni



ROADS®

L: 496 (mm) - H: 1800 (mm)

Material: Aluminium

Colour: R14 Cream

Watt 1315

PRICE LIST - RANGE PAGE 174



ROADS® STF



Design: **Mariano Moroni**



ROADS® STF
L: 916 (mm) - H: 740 (mm)
Material: Aluminium
Colour: F15 Metal Sparkling Black
Profile-Cover: Polished
Watt 1152
PRICE LIST - RANGE PAGE 176





ROADS® STF

L: 916 (mm) - H: 740 (mm)

Material: Aluminium

Colour: F09 Graphite Grey

Profile-Cover: Polished

Watt 1152

PRICE LIST - RANGE PAGE 176





Cordivari Design presents the new radiator Roads® STF within the NeoDesign series. The extension of shapes is conceived so to characterize all environments with the utmost versatility and cleanest design. Research of innovative materials has led to its aluminum profiles and elegant finishes offering a new way of decorating through heat. Roads® STF is a traditional radiator especially designed to offer a product of moderate height and horizontal development.

ROADS® STF

L: 916 (mm) - H: 640 (mm)

Material: Aluminium

Colour: S17 Bahama Beige

Profile-Cover: Matching in colour Profile Cover

Watt 1002

PRICE LIST - RANGE PAGE 176

BRIDGE® 1



Design: **Mariano Moroni**

Bridge® embodies the concept of archaeological industrial production of objects for popular use in a modern key and in a timeless mythmaking context. It is a versatile radiator that in addition to fulfilling its function of high efficiency heating, becomes a multi-purpose piece of furniture of high quality with handles and shelves made of whitened oak.



BOLOGNA - CER-STILE

BRIDGE® 1

L: 400 (mm) - H: 1767 (mm)
Material: Painted carbon steel
Colour: F20 Milky
Watt 1320
PRICE LIST - RANGE PAGE 175







CORDIVARI

DESIGN



CLASSIC LINE

Retrò is the new line of Cordivari radiators, inspired by classical forms and elegant design.

With timeless shapes these decorative radiators are available with shiny and bright finishing to decorate your bathrooms with the most exclusive taste.

The line Retrò is available in 3 models with 3 different finishes: Chrome, Antique Bronze, Antique Gold.

RETRO

Retrò is the new line of Cordivari radiators, inspired by classical forms and elegant Design.

With timeless shapes these decorative radiators are available with shiny and bright finish to decorate your bathroom with the most exclusive taste.

The line Retro is available in 4 models with 3 different finishes: Chrome, Antique Bronze and Antique Gold.



RETRO II

L: 575 (mm) - H: 975 (mm)

Material: Brass

Finish: Chrome

PRICE LIST - RANGE PAGE 178





RETRO I

L: 575 (mm) - H: 975 (mm)

Material: Brass

Finish: Antique Gold

PRICE LIST - RANGE PAGE 178

RETRO



RETRO III

L: 675 (mm) - H: 970 (mm)

Material: Brass

Finish: Antique Gold

PRICE LIST - RANGE PAGE 178





RETRO I ELECTRIC

I: 575 (mm) - H: 975 (mm)

Material: Brass

Finish: Chrome

Watt 100

PRICE LIST - RANGE PAGE 179



RETRO III ELECTRIC

L: 675 (mm) - H: 970 (mm)

Material: Brass

Finish: Antique Gold

Watt 150

PRICE LIST - RANGE PAGE 179



CORDIVARI

DESIGN



GRAPHIC PICTURE

Heat and colour. The pictures radiators spreading the heating through beautiful colours and images, become the canvas of a painter or a frame upon which the most exciting impressions of your life are captured.

An innovative and everlasting painting process, internationnaly awarded, with high quality finishing and environment friendly approach. The radiator becomes a design object, an element that personalizes your living environment, making it a unique item, enriched by chromatic effects you can choose between graphics solutions proposed by cordivari design, created by painters, artists, designers or from yourself with your favourite images, which will capture forever on the radiator your desired image.

FRAME PICTURE

Cordivari Design presents a new attractive range of radiators with exclusive colour combinations created by architect and artist Mariano Moroni.

The new graphics are available on FRAME and FRAME PLUS furnishing radiators. The accurate manufacturing and impeccable finishes enhance the elegance and harmony of the new Frame colours.

The entire range is accessorized with handy and essential satin stainless steel towel racks.



Artwork: Mariano Moroni

FRAME LAGOON

Model: Vertical

L: 480 (mm) - H: 2032 (mm)

Artwork: Lagoon Rosa

Watt 978

PRICE LIST - RANGE PAGE 180



FRAME CORALLO

Model: Vertical

L: 480 (mm) - H: 2032 (mm)

Artwork: Corallo

Watt 978

PRICE LIST - RANGE PAGE 180

FRAME PICTURE



FRAME PICTURE

Model: Vertical

l: 480 (mm) - H: 2032 (mm)

Artwork: Iris 01

Watt 978

PRICE LIST - RANGE PAGE 182



FRAME PICTURE

Model: Vertical
L: 368 (mm) - H: 1832 (mm)
Artwork: Iris 03
Watt 676

PRICE LIST - RANGE PAGE 182



FRAME PICTURE TRITTICO

Model: Vertical

L: 480 (mm) - H: 2032 (mm) [x3]

Artwork: Fisher

Watt 2934

PRICE LIST - RANGE PAGE 182



FRAME PICTURE

NEW



Radiators Convivium by
CordivariDesign, created by artist
Mariano Moroni and celebrating
EXPO 2015.

A special Edition inspired to the
themes of the Exposition reminding
the gastronomic tradition of
Mediterranean Area.

FRAME CONVIVIUM TRITTICO

Model: Vertical

L: 480 (mm) - H: 1832 (mm) [x3]

Artwork: Convivium

Watt 2640

PRICE LIST - RANGE PAGE 184



FRAME PICTURE

Model: Vertical

L: 480 (mm) - H: 1832 (mm)

Artwork: Abstract 06

Watt 880

PRICE LIST - RANGE PAGE 182

ROSY GRAPHIC



Artwork: **Mariano Moroni**

Cordivari proposes an evolution of personalized radiators with the Rosy Graphic models: 3 single columns in painted carbon steel which are decorated with original graphics ideated by the Arch. Mariano Moroni. Vertical and horizontal dimensions and colours have been chosen with care to offer an exclusive design radiators collection easy to place in every contemporaneous living space.



ROSY GRAPHIC

Model: Vertical

L: 2000 (mm) - H: 280 (mm) [x2]

Artwork: Totem White - Totem Black

Watt 1260

PRICE LIST - RANGE PAGE 186





ROSY GRAPHIC



ROSY GRAPHIC

Model: Vertical

L: 560 (mm) - H: 2000 (mm)

Artwork: Ring

Watt 1260


PRICE LIST - RANGE PAGE 186



CORDIVARI

DESIGN

PRICE LIST
TECHNICAL SUPPORT



LOLA® HORIZONTAL

SATIN STAINLESS STEEL / POLISHED / DECOR

INOX Style

Material:

- Vertical collectors in polished/satin stainless steel with ϕ of 38 mm.
- Curved heating elements in polished/satin stainless steel 30x10 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a recyclable film in polyethylene and with a box in carton. User notice included.

Features:



It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent




EURODYNORM
EN 442-1

15 YEARS
WARRANTY




Measures for valves type
Cordivari Elegant Reverse
Manual




Measures for valves type
Cordivari Elegant Corner with
thermostatic head

STANDARD CONNECTIONS



Always specify the kind of connection needed when ordering (from H1 to H7).
Bidirectional connection not possible.

SPECIAL CONNECTIONS (SURCHARGE € 50,00)



LEGEND

- In
- ◀ Airvent
- △ Out
- H Height
- Connection
- Width=20 - Height=15
- | Pipe Centres
- L Width

ACCESSORIES



POLISHED
MANUAL
ELEGANT
REVERSE
VALVE KIT



POLISHED
WITH THERMOSTATIC
HEAD
ELEGANT
CORNER DX
VALVE KIT



KIT 2 HOOKS **POLISHED**
STAINLESS STEEL
Art. Nr. 5991990010223
Price € 89,00
KIT 2 HOOKS **SATIN**
STAINLESS STEEL
Art. Nr. 5991990010224
Price € 115,00

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301082	Ø 16	5991990301081
Price € 125,00		Price € 119,00	

R = Copper connection • M = Multilayer connection

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990301079	Ø 16	5991990301077
Price € 182,00		Price € 178,00	

R = Copper connection - M = Multilayer connection

Accessories and spare parts - see page 191.

INOX Style

GOLD VILLA
AWARD

3D
TRADEMARK





LOLA® SATIN STAINLESS STEEL

N° Elements	Version	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
		H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
11	HORIZONTAL	450	1516	1450	927,00	15,5	1,45	4,1	549	$\phi = 3,8005 * \Delta t^{1,2712}$
14	HORIZONTAL	570	1516	1450	1.144,00	19,0	1,84	5,1	698	$\phi = 4,6612 * \Delta t^{1,2804}$



LOLA® POLISHED STAINLESS STEEL

N° Elements	Version	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
		H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
11	HORIZONTAL	450	1516	1450	1.428,00	15,5	1,45	4,1	484	$\phi = 3,4571 * \Delta t^{1,2632}$
14	HORIZONTAL	570	1516	1450	1.795,00	19,0	1,84	5,1	616	$\phi = 4,2047 * \Delta t^{1,2748}$



LOLA® DECOR

N° Elements	Version	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
		H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
11	HORIZONTAL	450	1516	1450	1.565,00	15,5	1,45	4,1	484	$\phi = 3,4571 * \Delta t^{1,2632}$
14	HORIZONTAL	570	1516	1450	1.946,00	19,0	1,84	5,1	616	$\phi = 4,2047 * \Delta t^{1,2748}$

(*) For additional information on thermal output calculation see page 200.

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT



LOLA® VERTICAL

SATIN STAINLESS STEEL / POLISHED / DECOR

INOX Style

Material:

- Horizontal collectors in polished/satin stainless steel with ϕ of 38 mm.
- Curved heating elements in polished/satin stainless steel 30x10 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a recyclable film in polyethylene and with a box in carton. User notice included.

Features:


It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas




* * *
EURONORM
EN 442-1

15 YEARS
WARRANTY




STANDARD CONNECTIONS



Always specify the kind of connection needed when ordering (da V1 a V11).
Bidirectional connection not possible.

SPECIAL CONNECTIONS (SURCHARGE € 50,00)



ACCESSORIES



R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301084	Ø 16	5991990301083
Price € 106,00		Price € 99,00	
R = Copper connection - M = Multilayer connection			

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990320201	Ø 16	5991990320200
Price € 306,00		Price € 271,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.




LOLA® SATIN STAINLESS STEEL

N° Elements	Version	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
		H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
11	VERTICAL	1516	450	1450	927,00	1450	15,5	1,45	4,1	557	$\phi = 3,7067 * \Delta t^{1,2811}$
14	VERTICAL	1516	570	1450	1.144,00	1450	19,0	1,84	5,1	708	$\phi = 4,4847 * \Delta t^{1,2939}$



LOLA® POLISHED STAINLESS STEEL

N° Elements	Version	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
		H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
11	VERTICAL	1516	450	1450	1.428,00	1450	15,5	1,45	4,1	507	$\phi = 3,4634 * \Delta t^{1,2746}$
14	VERTICAL	1516	570	1450	1.795,00	1450	19,0	1,84	5,1	645	$\phi = 4,1843 * \Delta t^{1,2878}$



LOLA® DECOR

N° Elements	Version	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
		H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
11	VERTICAL	1516	450	1450	1.565,00	1450	15,5	1,45	4,1	507	$\phi = 3,4634 * \Delta t^{1,2746}$
14	VERTICAL	1516	570	1450	1.946,00	1450	19,0	1,84	5,1	645	$\phi = 4,1843 * \Delta t^{1,2878}$

Artwork: Mariano Moroni
 (*) For additional information on thermal output calculation see page 200.



FUJKO

POLISHED STAINLESS STEEL

INOX Style

NEW

Material:

- Vertical collectors in polished stainless steel with ϕ of 30 mm.
- Horizontal heating elements in polished stainless steel 30x10 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a recyclable film in polyethylene and with a box in carton. User notice included.

Features:



It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent





EURODINORM
EN 442-1



15 YEARS
WARRANTY



Measures for valves type Cordivari
Elegant Square - Manual



Measures for valves type
Cordivari Elegant Reverse
Manual



Measures for valves type
Cordivari Elegant Corner with
thermostatic head

FUJKO POLISHED STAINLESS STEEL

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3551610131001	420	1200	1170	891,00	8,5	0,9	2,7	450	$\phi = 4,0360^* \Delta t^{1,2050}$
3551610131002		1400	1370	987,00	9,8	1	3,1	500	$\phi = 4,4845^* \Delta t^{1,2050}$
3551610131003	595	1200	1170	1.258,00	13,1	1,3	4,2	650	$\phi = 5,9217^* \Delta t^{1,2010}$
3551610131004		1400	1370	1.434,00	15,1	1,5	4,8	750	$\phi = 6,8328^* \Delta t^{1,2010}$

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT SQUARE
MANUAL
POLISHED
VALVE KIT



ELEGANT
CORNER DX
WITH THERMOSTATIC
HEAD
POLISHED
VALVE KIT



KIT 2 HOOKS POLISHED
STAINLESS STEEL
Art. Nr. 5991990010223
Price € 89,00

R	ART. NR.	M	ART. NR.
$\varnothing 12/14/15$	5991990301084	$\varnothing 16$	5991990301083
Price € 106,00		Price € 99,00	
R = Copper connection - M = Multilayer connection			

R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301079	$\varnothing 16$	5991990301077
Price € 182,00		Price € 178,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.



BLOW®

POLISHED STAINLESS STEEL

Design: Jean-Marie Massaud

INOX Style

Material:

- Polished stainless steel

Fixing kit:

- Brackets
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Valve kit include:

- Valves with thermostatic head
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

Packaging:

The radiator is protected by a wooden crate and carton.
User notice included.


Features:

It is totally made in stainless steel with an unalterable finishing. Brightness guaranteed during the years.


P. max: 5 bar
T. max: 110° C
Available for central heating systems



EUROPEAN
WARRANTY
EN 442-1



reddot design award
best of the best




BLOW®

Prices include valve kit and thermostatic head, in accordance with EN215:2007

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540640130001	1700	500	50	2.218,00	18,7	1,7	1,3	700	$\phi = 5,8126 * \Delta t^{1,2247}$
3540640130001	500	1700							$\phi = 5,8126 * \Delta t^{1,2247}$

(*) For additional information on thermal output calculation see page 200.



KELLY

POLISHED STAINLESS STEEL

INOX *Style*

Material:

- Vertical collectors in polished stainless steel with ø of 38 mm.
 - Horizontal heating elements in polished stainless steel with ø of 18 mm.

Fixing kit:

- Brackets
 - Airvent
 - Hexagonal tool
 - Plugs and screws for mounting suitable for use on compact or hollow brick walls
 - User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing. Brightness guaranteed during the years.




Accessories and spare parts:

See page 191.


P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 4 x 1/2" gas



UPSIDE DOWN



Measures for valves type Cordivari Elegant Square
with thermostatic head and pipe centres 50 mm



Accessories and spare parts - see page 191.

KELLY

Art. Nr.	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
3551780400104	500	400	50	418,00	436	3,80	0,39	1,87	166	$\phi = 1,5242 * \Delta t^{1,1996}$
3551780400099		500	50	447,00	436	4,40	0,45	2,10	208	$\phi = 1,9021 * \Delta t^{1,1996}$
3551780400105	680	400	50	509,00	618	5,01	0,52	2,52	214	$\phi = 1,9590 * \Delta t^{1,1996}$
3551780400107		500	50	556,00	618	5,81	0,61	2,83	259	$\phi = 2,2599 * \Delta t^{1,2117}$
3551780400106	860	400	50	599,00	800	6,30	0,65	3,18	283	$\phi = 2,4699 * \Delta t^{1,2118}$
3551780400100		500	50	637,00	800	7,30	0,77	3,60	323	$\phi = 2,1865 * \Delta t^{1,2771}$
3551780400101	1224	500	50	741,00	1164	10,27	1,08	5,03	434	$\phi = 2,8138 * \Delta t^{1,2881}$
3551780400111		600	50	797,00	1164	11,66	1,24	5,56	504	$\phi = 3,3058 * \Delta t^{1,2851}$
3551780400102	1406	500	50	851,00	1346	11,76	1,24	5,76	489	$\phi = 3,4089 * \Delta t^{1,2692}$
3551780400112		600	50	938,00	1346	13,30	1,42	6,30	584	$\phi = 3,8140 * \Delta t^{1,2862}$
3551780400103	1770	500	50	997,00	1710	14,75	1,55	7,20	624	$\phi = 3,8734 * \Delta t^{1,2990}$
3551780400113		600	50	1.102,00	1710	16,70	1,78	7,90	726	$\phi = 4,7938 * \Delta t^{1,2832}$

(*) For additional information on thermal output calculation see page 200.



KELLY ELECTRIC

POLISHED STAINLESS STEEL

NEW

Material:

- Vertical collectors in polished stainless steel with ø of 38 mm.
- Horizontal heating elements in polished stainless steel with ø of 18 mm.

Fixing kit:

- Brackets
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:


See page 191.

Electrical resistors: CLASS 1	Minimum class protection: IP 44	Wire Width: 1200 mm
Electrical only: • With Digital Thermostat		



* * *
EN **442-1**

**EUROPEAN
WARRANTY**



NEW DIGITAL THERMOSTAT CHROMED (PLACED ON THE RIGHT SIDE COLLECTOR)

Cordivari new digital thermostat with function of weekly chrono-thermostat, allows an easy and practical management of Cordivari towel rails in dual function.

It is equipped with a LCD display that permits to run and check all functions. Thanks to the several functions available, it enhances all the comfort of the thermostatic regulation.

Available in white and chrome, it fits perfectly in every living space.
Infrared remote control is available on demand.

MAIN FEATURES AND FUNCTIONS:

CRONO: function of chrono-thermostat with daily or weekly programming with two temperature levels (Comfort/Eco)

COMFORT: Possibility of setting your own desired temperature for time slot for higher comfort


ECO: Possibility of keeping the temperature constant with lower power consumption. Useful for energy saving when the room is not occupied.

ANTI-FREEZE: Useful if the room is not used for longer periods

TIMER/FORCED MARCH: Useful to heat rapidly the room and dry towels thanks to 2h of forced march at max. Power.

CHILD SAFETY LOCK: special purpose lock of the display panel so to avoid any accidental alteration


REMOTE CONTROL (optional): The digital thermostat is equipped with an infrared remote control useful to manage all the aforementioned functions.



The general footprint has to be calculated considering the thermostat height.

KELLY ELECTRIC

Art. Nr.	Height	Width	Price	Thermal output	Weight
	H [mm]	L [mm]	€	Watt	[Kg]
KIT - WITH DIGITAL THERMOSTAT					
3581780500001	1240	500	874,00	400	15
3581780500002	1420	500	984,00	500	17



HOW TO PLACE ELECTRIC RADIATORS

Cordivari electric radiators are equipped with a class 1 electrical resistor and a minimum class protection of IP 44 so that they can be placed in hazard zone 2 on condition that the power cable is protected through a different switch with $I_{dn} \leq 30$ mA.

It is compulsory to place power outlet and differential switch in the zone 3.

OPTIONAL

	INFRARED REMOTE CONTROL Art. Nr. 5150990000004 Price € 73,00
--	---



BABYLA

POLISHED STAINLESS STEEL AND SATIN STAINLESS STEEL

Design: Mariano Moroni

INOX Style

Material:

- Vertical collectors in stainless steel with ϕ of 38 mm.
- Horizontal heating elements in stainless steel 30x10 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:


See page 191.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



EURONORM
EN 442-1

15 YEARS
WARRANTY



Dimensions and volume of the satin elite kit (only for the 1500 mm height version).

Accessories and spare parts - see page 191.

ACCESSORIES

KIT ELITE SATIN (ONLY FOR BABYLA H 1500) Art. Nr. 5102000000104 Price € 1.297,00						
SEE NEXT PAGE FOR SIZE	N° 1 MIRROR	N° 1 SHELF FOR BOOKS	ELEGANT SQUARE SATIN VALVE KIT PIPE CENTRES 50 MM WITH THERMOSTATIC HEAD	N° 2 HOOKS FOR HANGING CLOTHES SATIN STAINLESS STEEL Ø 20 MM	N° 3 SHELVES (2 ON THE LEFT, 1 ON THE RIGHT)	N° 1 ANTENNA FOR HANGING CLOTHES

(*) Either when buying the "Elite kit" or the single valve, always specify in the order, the connection needed: copper or multilayer. See page 193.



INOX Style



ELEGANT SQUARE
POLISHED VALVE
KIT PIPE CENTRES
50 MM WITH
THERMOSTATIC
HEAD



R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301076	Ø 16	5991990301075
Price € 189,00			Price € 184,00

R = Copper connection - M = Multilayer connection

Accessories and spare parts - see page 191.

BABYLA POLISHED STAINLESS STEEL

Art. Nr.	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
3551730130014	650	600	50	739,00	445	5,5	0,51	2,3	156	ϕ= 1,2959 * Δt ^{1,2246}
3551730130011	1080	600	50	997,00	875	9,2	0,83	3,4	233	ϕ= 1,8576 * Δt ^{1,2351}
3551730130012	1500	600	50	1.447,00	1275	13,3	1,25	4,5	333	ϕ= 2,3281 * Δt ^{1,2687}
3551730130013	1745	600	50	1.752,00	1540	16,9	1,53	6,0	395	ϕ= 2,5365 * Δt ^{1,2904}



ELEGANT SQUARE
SATIN VALVE
KIT PIPE CENTRES
50 MM WITH
THERMOSTATIC
HEAD

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990320201	Ø 16	5991990320200
Price € 306,00			Price € 271,00

R = Copper connection - M = Multilayer connection

Accessories and spare parts - see page 191.

BABYLA SATIN STAINLESS STEEL

Art. Nr.	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
3551730130004	650	600	50	618,00	445	5,5	0,51	2,3	167	ϕ= 1,3932 * Δt ^{1,2235}
3551730130001	1080	600	50	839,00	875	8,8	0,83	3,2	250	ϕ= 1,9932 * Δt ^{1,2351}
3551730130002	1500	600	50	1.196,00	1275	13,3	1,25	4,5	357	ϕ= 2,4966 * Δt ^{1,2686}
3551730130003	1745	600	50	1.385,00	1540	16,9	1,53	6,0	432	ϕ= 2,7164 * Δt ^{1,2904}



NEW



ELEGANT SQUARE
GOLD POLISHED
VALVE KIT
PIPE CENTRES
50 MM WITH
THERMOSTATIC
HEAD



R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301089	Ø 16	5991990301091
Price € 299,00			Price € 268,00

R = Copper connection - M = Multilayer connection

Accessories and spare parts - see page 191.

BABYLA GOLD GOLD POLISHED STAINLESS STEEL

Art. Nr.	Height	Width	Pipe Centres	Price	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	F [mm]	[Kg]	[m²]	[lt]	Watt	
3551730130024	650	600	50	1.478,00	445	5,5	0,51	2,3	156	ϕ= 1,2959 * Δt ^{1,2246}
3551730130021	1080	600	50	1.994,00	875	9,2	0,83	3,4	233	ϕ= 1,8576 * Δt ^{1,2351}
3551730130022	1500	600	50	2.895,00	1275	13,3	1,25	4,5	333	ϕ= 2,3281 * Δt ^{1,2687}
3551730130023	1745	600	50	3.507,00	1540	16,9	1,53	6,0	395	ϕ= 2,5365 * Δt ^{1,2904}

(*) For additional information on thermal output calculation see page 200.



CELINE

POLISHED STAINLESS STEEL

INOX Style

NEW

Material:

- Vertical collectors in polished stainless steel with Ø of 38 mm.
- Horizontal heating elements in polished stainless steel 30x10 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:

See page 191.


P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 2 x 1/2" gas for Airvent




* * *
EURONORM
EN 442-1

15 YEARS
WARRANTY


UPSIDE DOWN





Measures for valves type Cordivari
Elegant Square - Manual



Measures for valves type Cordivari
Elegant Reverse Manual



Measures for valves type
Cordivari Elegant Corner with thermostatic head



CELINE

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[l]	Watt	
3551730130101	1163	500	50	998,00	10,0	1,118	4,5	402	$\phi = 2,8526^* \Delta t^{1,2646}$
3551730130102	1338		50	1.269,00	11,6	1,203	5,2	465	$\phi = 3,1248^* \Delta t^{1,2786}$

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT SQUARE
MANUAL
POLISHED
VALVE KIT



ELEGANT REVERSE
MANUAL
POLISHED
VALVE KIT



ELEGANT SQUARE
POLISHED VALVE
KIT PIPE CENTRES
50 MM WITH
THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990301084	Ø 16	5991990301083
Price € 106,00		Price € 99,00	
R = Copper connection - M = Multilayer connection			

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990301082	Ø 16	5991990301081
Price € 125,00		Price € 119,00	
R = Copper connection - M = Multilayer connection			

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301076	Ø 16	5991990301075
Price € 189,00		Price € 184,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.



RENÉE

SATIN STAINLESS STEEL

Design: Mariano Moroni

INOX Style

Material:

- Horizontal collectors in satin stainless steel with Ø of 38 mm.
- Curved heating elements in satin stainless steel 30x10 mm.

Fixing kit:

- Brackets
- Airvent
- Blind Plug
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

- The radiator is protected by a wooden crate.
- User notice included.

Features:

- It is totally made in stainless steel with an unalterable finishing guaranteed during the years.
- Standard with **1 mirror, 2 hooks and 2 shelves.**



Accessories and spare parts:

See page 191.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent



15 YEARS WARRANTY



Misure per valvole Model
Elegant a Squadra Corivari

STANDARD CONNECTIONS



LEGEND	
► In	← Airvent
△ Out	

Bidirectional connection not possible.

RENÉE SATIN STAINLESS STEEL

Standard with 1 mirror, 2 hooks and 2 shelves

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3620740130070	1600	1060	995	3.705,00	32	1,75	6,8	860	φ= 4,7835* Δt ^{1,3271}

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT SQUARE
MANUAL
SATIN
VALVE KIT



ELEGANT SQUARE
WITH THERMOSTATIC
HEAD
SATIN
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990320209	Ø 16	5991990320208
Price € 153,00		Price € 136,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990320197	Ø 16	5991990320196
Price € 259,00		Price € 238,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

Accessories and spare parts - see page 191.

**RIO®**

POLISHED / SATIN STAINLESS STEEL

Design: Paola Pinnavaia

INOX Style**Material:**

- Horizontal collectors in polished/satin stainless steel with Ø of 38 mm.
- Vertical heating elements in polished/satin stainless steel with Ø of 25 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.


Features:

It is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.


Accessories and spare parts:

See page 191.



P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent

**15 YEARS WARRANTY****V1 - V2**


Measures for valves type
Cordivari Elegant Corner with
thermostatic head



Measures for valves type
Cordivari Elegant Reverse
Manual

V9 - V10**STANDARD CONNECTIONS**

Always specify the kind of connection needed when ordering (V1 - V2 and V9 - V10). Bidirectional connection not possible.

SPECIAL CONNECTIONS (SURCHARGE € 50,00)**LEGEND**

- | | |
|----------------------|-----------|
| ► In | ← Airvent |
| △ Out | |
| □ Connection | |
| Width=20 - Height=15 | |
| ▀ Pipe Centres | L Width |



D COME DESIGN

RIO® POLISHED STAINLESS STEEL

Height	Width	Pipe Centres (V1-V2)	Finish	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
H [mm]	L [mm]	I [mm]		€	[Kg]	[m²]	[lt]	Watt	
2000	671	751	POLISHED	2.319,00	26	2,38	16,6	807	$\phi = 5,8801^* \Delta t^{1,2581}$

Pipe Centres refers to the radiator valves Elegant Cordivari.



D COME DESIGN

RIO® SATIN STAINLESS STEEL

Height	Width	Pipe Centres (V1-V2)	Finish	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
H [mm]	L [mm]	I [mm]		€	[Kg]	[m²]	[lt]	Watt	
2000	671	751	SATIN	2.445,00	26	2,38	16,6	863	$\phi = 5,5531^* \Delta t^{1,2476}$

Pipe Centres refers to the radiator valves Elegant Cordivari.

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES

ELEGANT SQUARE
MANUAL
POLISHED
VALVE KITELEGANT SQUARE
MANUAL
SATIN
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301084	Ø 16	5991990301083
Price € 106,00		Price € 99,00	
R = Copper connection - M = Multilayer connection			

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990320209	Ø 16	5991990320208
Price € 153,00		Price € 136,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.



STRADIVARI VERTICAL

SATIN STAINLESS STEEL

Design: Luca Scacchetti

INOX Style

Material:

- Horizontal collectors in satin stainless steel
- Vertical heating elements in satin stainless steel

Fixing kit:

- Brackets
- Airvent
- Blind Plug
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:




See page 191.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 4 x 1/2" gas



EN EURO NORM
442-1

15 YEARS
WARRANTY



CASANOVA ROOM NUMBER 3

STRADIVARI SATIN STAINLESS STEEL VERTICAL

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3620760450002	2100	660	600	4.978,00	37	3,14	15	1084	$\phi = 6,7045 * \Delta t^{1,3000}$
3620760450001	1600	570	510	4.410,00	25	2,40	9,3	713	$\phi = 4,2357 * \Delta t^{1,3103}$
3620760450005	1150	420	360	2.996,00	14	1,80	6	378	$\phi = 2,4312 * \Delta t^{1,2900}$

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT
SQUARE
MANUAL
SATIN
VALVE KIT




ELEGANT
CORNER DX
WITH THERMOSTATIC
HEAD
SATIN
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990320209	Ø 16	5991990320208
Price € 153,00		Price € 136,00	

R = Copper connection - M = Multilayer connection

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990320204	Ø 16	5991990320202
Price € 269,00		Price € 247,00	

R = Copper connection - M = Multilayer connection



STRADIVARI HORIZONTAL

SATIN STAINLESS STEEL

Design: Luca Scacchetti

INOX Style

Material:

- Vertical collectors in satin stainless steel
- Horizontal heating elements in satin stainless steel

Fixing kit:

- Brackets
- Airvent
- Blind Plug
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:


See page 191.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 4 x 1/2" gas



EN EURO NORM
442-1

15 YEARS
WARRANTY



STRADIVARI SATIN STAINLESS STEEL HORIZONTAL

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3620760450004	660	2100	2050	4.978,00	37	3,14	15	997	$\phi = 9,1187^* \Delta t^{1,2000}$
3620760450003	570	1600	1550	4.410,00	25	2,40	9,3	656	$\phi = 6,8566^* \Delta t^{1,1659}$
3620760450006	420	1150	1100	2.996,00	14	1,80	6	347	$\phi = 3,0519^* \Delta t^{1,2100}$

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT SQUARE
MANUAL
SATIN
VALVE KIT



ELEGANT SQUARE
WITH THERMOSTATIC
HEAD
SATIN
VALVE KIT



STRAIGHT HANGER
SATIN STAINLESS
STEEL
(L= 420 MM)

Art. Nr.
5991990010159
Price € 192,00

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990320209	Ø 16	5991990320208
Price € 153,00		Price € 136,00	
R = Copper connection - M = Multilayer connection			

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990320197	Ø 16	5991990320196
Price € 259,00		Price € 238,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.



SFERE

Design: Simone Micheli

NEW

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Valve kit include:

SFERE

- Valves
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

SFERE TRITTICO

- Valves with thermostatic head
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)
- Ready-to-install pipe connection kit

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.



Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



SFERE

Price includes valves.

Art. Nr.	Diameter	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ C (75/65/20^\circ C)$	(*) Thermal output ϕ in Watts and Δt in °C
	D [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100211	496	50	571,00	8,1	0,35	0,3	194	$\phi = 1,8093^* \Delta t^{1,1950}$

Art. Nr. and price are referred to colour WHITE R01 - RAL 9010 version.

SFERE TRITTICO

Price includes thermostatic valve in accordance with EN215:2007.

Art. Nr.	Diameter	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ C (75/65/20^\circ C)$	(*) Thermal output ϕ in Watts and Δt in °C
	D [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100221	496	50	1.798,00	24,3	1,2	0,9	582	$\phi = 5,4561^* \Delta t^{1,1950}$

Art. Nr. and price are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



GIULY®

Design: Mariano Moroni

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Valve kit include:

- Thermostatic Valves with frontal regulator
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

INOX Style

EXTRASLIM®


NEO DESIGN

CLASSIC LINE


GRAPHIC PICTURE

TECHNICAL SUPPORT

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



Version with Pipe Centres 50



GIULY®

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(+) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100204	1200	520	400	997,00	16	0,90	1,5	523	$\phi = 3,7750^* \Delta t$ 1,2610
3540806100205	1590	520	400	1.180,00	20	1,16	1,9	718	$\phi = 5,3740^* \Delta t$ 1,2510
3540806100207	1750	620	500	1.432,00	26	1,50	2,5	903	$\phi = 5,9270^* \Delta t$ 1,2850

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

GIULY® PIPE CENTRES 50 MM

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(+) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100201	1200	520	50	997,00	16	0,90	1,5	523	$\phi = 3,7750^* \Delta t$ 1,2610
3540806100202	1590	520	50	1.180,00	20	1,16	1,9	718	$\phi = 5,3740^* \Delta t$ 1,2510
3540806100203	1750	620	50	1.432,00	26	1,50	2,5	903	$\phi = 5,9270^* \Delta t$ 1,2850

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



BADGE®

BADGE® CONTROL

BADGE® LED CONTROL

Design: Simone Micheli

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting
- User notice
- Fixing template scheme (only available for Badge® 1212x512)

Valve kit include:

BADGE®

- Valves
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

BADGE® CONTROL

- Valves with thermostatic head
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Badge® LED is protected by a wooden crate.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:

See page 191.




DESIGN PL+US

WINNER

COMFORT & DESIGN
AWARD

ŁAZIENKA
AWARD

PRIX DU DESIGN IDÉO BAIN
NOMINÉ




STRAIGHT HANGER
POLISHED
STAINLESS STEEL
(L= 570 mm)

Art. Nr. 5991990310240
Price € 111,00



Available only on
BADGE®
H. 1755 x L.512 mm






BADGE®

Price includes valves.


Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100030	1755	512	50	1.090,00	28,5	1,66	1,2	795	φ= 8,0204 * Δt ^{1,1749}
3540806100025	1212	512	400	851,00	20	1,12	0,8	567	φ= 4,4381 * Δt ^{1,2398}
3540806100021	404	1604	50	919,00	19	0,96	1,1	572	φ= 4,7926 * Δt ^{1,2224}

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

BADGE® LED
LIGHTING SYSTEM

- Wire lengths: 90 Cm
- Energy CLASS: A
- Absorbed Power: 60 Watt

Badge® LED Control



Badge® Control has valves with thermostatic head

BADGE® CONTROL

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100050	1755	512	50	1.201,00	28,5	1,66	1,2	795	φ= 8,0204 * Δt ^{1,1749}
3540806100041	404	1604	50	992,00	19	0,96	1,1	572	φ= 4,7926 * Δt ^{1,2224}

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

BADGE® LED CONTROL

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Colour LED	Dry Weight	Surface	Water Content	Thermal output Δt = 50°C (75/65/20°C)	(*) Thermal output φ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€		[Kg]	[m²]	[lt]	Watt	
3540806100150	1755	512	50	2.399,00	BIANCO	28,5	1,66	1,2	795	φ= 8,0204 * Δt ^{1,1749}
3540806100151	1755	512	50	2.399,00	BLU	28,5	1,66	1,2	795	φ= 8,0204 * Δt ^{1,1749}
3540806100152	1755	512	50	2.399,00	VERDE	28,5	1,66	1,2	795	φ= 8,0204 * Δt ^{1,1749}

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



BADGE® ELECTRIC

Design: Simone Micheli

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:

See page 191.

Electrical resistors: CLASS 2	Minimum class protection: IP 44	Wire Width: 1200 mm
Electrical only: • Digital Chrono-thermostat		



DESIGN PL+US
WINNER

COMFORT & DESIGN
AWARD

ŁAZIENKA
AWARD

PRIX DU DESIGN IDÉO BAIN
NOMINÉ




BADGE® ELECTRIC

Art. Nr.	Height	Width	Price	Thermal output	Weight
	H [mm]	L [mm]	€	Watt	[Kg]
CLASS 2 - DIGITAL CHRONO-THERMOSTAT, SCHUKO PLUG, V 230					
3582806100003	1755	512	1.484,00	750	28,5

Il Art. Nr. ed il Price riportati in tabella si riferiscono al Colour BIANCO R01-RAL 9010.

- DIGITAL THERMOSTAT WITH LCD DISPLAY
- DAILY AND WEEKLY PROGRAM SET



HOW TO PLACE ELECTRIC RADIATORS

Cordivari electric radiators are equipped with a CLASS 2 electrical resistor and a minimum class protection of IP 44 so that they can be placed in hazard zone 2 on condition that the power cable is protected through a different switch with $Idn \leq 30$ mA.

It is compulsory to place power outlet and differential switch in the zone 3.





HAND®

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice
- Fixing template scheme

Valve kit include:




HAND®

- Valves
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

HAND® CONTROL

- Valves with thermostatic head

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



HAND® CONTROL

HAND®

Price includes valves.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100011	1200	514	400	729,00	15,5	0,76	1,3	490	$\phi = 3,7982 * \Delta t^{1,2475}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version

HAND® CONTROL

Price include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100016	1200	514	400	799,00	15,5	0,76	1,3	490	$\phi = 3,7982 * \Delta t^{1,2475}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version

(*) For additional information on thermal output calculation see page 200.



HAND® ELECTRIC

NEW

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:



See page 191.

Electrical resistors: CLASS 2	Minimum class protection: IP 44	Wire Width: 1200 mm
IElectrical only: • Digital Chrono-thermostat		


HAND® ELECTRIC

Art. Nr.	Height	Width	Price	Thermal output	Weight
	H [mm]	L [mm]	€	Watt	[Kg]
CLASS 2 - DIGITAL CHRONO-THERMOSTAT, SCHUKO PLUG, V 230					
3582806100201	1200	514	960,00	490	15,5

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.



HOW TO PLACE ELECTRIC RADIATORS

Cordivari electric radiators are equipped with a CLASS 2 electrical resistor and a minimum class protection of IP 44 so that they can be placed in hazard zone 2 on condition that the power cable is protected through a different switch with $I_{dn} \leq 30$ mA.

It is compulsory to place power outlet and differential switch in the zone 3.

- DIGITAL THERMOSTAT WITH LCD DISPLAY
- DAILY AND WEEKLY PROGRAM SET





E.SIGN

NEW

Material:

- Single heating element in painted carbon steel thickness 7 mm.


Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice
- Fixing template scheme

Valve kit include:

- Valve
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 2 x 1/2" gas for Airvent


E.SIGN

UPSIDE DOWN

E.SIGN

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(Δt) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100210	1220	520	400	819,00	16,2	0,9	1,3	508	$\phi = 4,2631^* \Delta t^{1,2220}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

E.SIGN PIPE CENTRES 50 MM

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(Δt) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100220	1220	520	50	819,00	16,2	0,9	1,3	508	$\phi = 4,2631^* \Delta t^{1,2220}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



MOVIE®

Design: Mariano Moroni

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice
- Fixing template scheme

Valve kit include:

- Valves
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:


See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 2 x 1/2" gas for Airvent



COMFORT & DESIGN NOMINÉ

LIQUID THERMOSTATIC HEAD - POLISHED	
Art. Nr.	5035270710002
Price	€ 72,00



MOVIE®

Prices includes valves.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(+) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100002	1130	510	360 ÷ 400	799,00	15	0,6	1,1	385	$\phi = 3,5823 * \Delta t^{1,1958}$
3540806100001	1392	642	450	1.010,00	18	0,92	1,3	559	$\phi = 4,7242 * \Delta t^{1,2202}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



MOVIE® ELECTRIC

Design: Mariano Moroni

NEW

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Electrical resistors: CLASS 2	Minimum class protection: IP 44	Wire Width: 1200 mm
IElectrical only: • Digital Chrono-thermostat		

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:

See page 191.





COMFORT & DESIGN NOMINÉ

MOVIE® ELECTRIC

Art. Nr.	Height	Width	Price	Thermal output	Weight
	H [mm]	L [mm]	€	Watt	[Kg]

CLASS 2 - DIGITAL CHRONO-THERMOSTAT, SCHUKO PLUG, V 230					
3582806100101	1392	642	1.299,00	640	18

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.



HOW TO PLACE ELECTRIC RADIATORS

Cordivari electric radiators are equipped with a CLASS 2 electrical resistor and a minimum class protection of IP 44 so that they can be placed in hazard zone 2 on condition that the power cable is protected through a different switch with $I_{dn} \leq 30$ mA.

It is compulsory to place power outlet and differential switch in the zone 3.

- DIGITAL THERMOSTAT WITH LCD DISPLAY
- DAILY AND WEEKLY PROGRAM SET





JUNGLE®

Design: Mariano Moroni

Material:

- Single heating element in painted carbon steel thickness 7 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting
- User notice

Valve kit include:

JUNGLE®

- Valves
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

JUNGLE® CONTROL

- Valves with thermostatic head
- Fittings for copper pipe (\varnothing 12/14/15)
- Fittings for multilayer pipe (\varnothing 16)

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:


Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)




Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:

See page 191.








JUNGLE®

Price includes valves.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	$(*)$ Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100060	1500	500	50	999,00	19	0,92	1	557	$\phi = 4,4341 * \Delta t^{1,2355}$
3540806100065	500	1500	50	999,00	19	0,92	1	573	$\phi = 5,2249 * \Delta t^{1,2005}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Jungle® Control
has Valves with
Thermostatic head

JUNGLE® CONTROL

Prices include valve kit and thermostatic head, in accordance with EN215:2007.

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	$(*)$ Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3540806100070	1500	500	50	1.072,00	19	0,92	1	557	$\phi = 4,4341 * \Delta t^{1,2355}$
3540806100075	500	1500	50	1.072,00	19	0,92	1	573	$\phi = 5,2249 * \Delta t^{1,2005}$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



FRAME INOX

POLISHED STAINLESS STEEL

INOX Style

FRAME INOX PLUS

POLISHED STAINLESS STEEL

Material:

- Horizontal collector in painted carbon steel with \varnothing of 30 mm
- Heating elements in painted carbon steel
- Heating plate in polished stainless steel

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

Heating plate is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:


See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent





EURO NORM
EN 442-1

EUROPEAN
WARRANTY




HOW TO PLACE
KIT 3 STRAIGHT HANGERS

H	H1	H2	H3
[mm]			
1032	300	500	800
1232	400	600	1000
1432	400	700	1200
1632	500	800	1300
1832	500	800	1400
2032	500	800	1500



Measures for valves type "Elegant" Cordivari

CONNECTIONS



Always specify the kind of connection needed when ordering (V9 - V10 - V11).
Bidirectional connection not possible.

LEGEND	
► In	← Airvent
△ Out	
□ Connection	
Width=20 - Height=15	
Pipe Centres	L Width

ACCESSORIES



ELEGANT SQUARE
MANUAL
POLISHED
VALVE KIT

R	ART. NR.	M	ART. NR.
\varnothing 12/14/15	5991990301084	\varnothing 16	5991990301083
Price € 106,00		Price € 99,00	
R = Copper connection - M = Multilayer connection			



ELEGANT SQUARE
WITH THERMOSTATIC
HEAD
POLISHED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
\varnothing 12/14/15	5991990301072	\varnothing 16	5991990301071
Price € 174,00		Price € 169,00	
R = Copper connection - M = Multilayer connection			



ELEGANT SQUARE
POLISHED VALVE KIT
PIPE CENTRES 50 MM
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
\varnothing 12/14/15	5991990301076	\varnothing 16	5991990301075
Price € 189,00		Price € 184,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.

FRAME INOX VERTICAL - POLISHED STAINLESS STEEL

Height	Width	Pipe Centres (V9- V10)	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(\rightarrow) Thermal output ϕ in Watts and Δt in $^\circ\text{C}$
H [mm]	L [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	282	839,00	7,2	0,75	2,64	381	$\phi = 2,9571 * \Delta t$ 1,2420
	480	394	945,00	9,7	0,98	3,5	499	$\phi = 3,2853 * \Delta t$ 1,2840
	592	506	1.089,00	12,0	1,21	4,4	617	$\phi = 4,0616 * \Delta t$ 1,2840
	704	618	1.225,00	14,6	1,44	5,2	735	$\phi = 4,6341 * \Delta t$ 1,2950
1232	368	282	849,00	8,6	0,89	3,02	455	$\phi = 3,3421 * \Delta t$ 1,2560
	480	394	955,00	11,4	1,17	4,0	596	$\phi = 3,9220 * \Delta t$ 1,2840
	592	506	1.099,00	14,0	1,44	5,1	736	$\phi = 4,8488 * \Delta t$ 1,2840
	704	618	1.235,00	17,2	1,72	6,1	877	$\phi = 5,5322 * \Delta t$ 1,2950
1432	368	282	869,00	9,9	1,04	3,5	529	$\phi = 3,4816 * \Delta t$ 1,2840
	480	394	975,00	13,2	1,36	4,6	692	$\phi = 4,5587 * \Delta t$ 1,2840
	592	506	1.119,00	16,5	1,68	5,9	856	$\phi = 5,6359 * \Delta t$ 1,2840
	704	618	1.255,00	19,8	2,00	7,0	1020	$\phi = 6,4303 * \Delta t$ 1,2950
1632	480	394	985,00	14,9	1,55	5,2	789	$\phi = 5,1853 * \Delta t$ 1,2840
1832	368	282	889,00	12,5	1,33	4,37	676	$\phi = 4,4367 * \Delta t$ 1,2850
	480	394	995,00	16,6	1,74	5,8	880	$\phi = 5,7949 * \Delta t$ 1,2840
	592	506	1.139,00	20,9	2,15	7,2	1100	$\phi = 7,2436 * \Delta t$ 1,2840
	704	618	1.275,00	25,0	2,56	8,7	1304	$\phi = 8,2265 * \Delta t$ 1,2950
2032	368	282	939,00	13,5	1,47	4,85	750	$\phi = 4,9403 * \Delta t$ 1,2840
	480	394	1.045,00	18,4	1,93	6,4	978	$\phi = 6,4388 * \Delta t$ 1,2840
	592	506	1.189,00	23,0	2,38	8,0	1222	$\phi = 8,0484 * \Delta t$ 1,2840
	704	618	1.325,00	27,6	2,84	9,6	1447	$\phi = 9,1246 * \Delta t$ 1,2950

FRAME INOX PLUS VERTICAL - POLISHED STAINLESS STEEL

Height	Width	Pipe Centres (V9- V10)	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(\rightarrow) Thermal output ϕ in Watts and Δt in $^\circ\text{C}$
H [mm]	L [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	282	967,00	14,3	1,35	4,5	580	$\phi = 2,7279 * \Delta t$ 1,3700
	480	394	1.091,00	20,2	1,84	6,3	790	$\phi = 3,7135 * \Delta t$ 1,3700
	592	506	1.269,00	25,0	2,32	7,8	999	$\phi = 4,6990 * \Delta t$ 1,3700
	704	618	1.420,00	28,6	2,81	9,0	1209	$\phi = 5,6846 * \Delta t$ 1,3700
1232	368	282	983,00	17,1	1,61	5,3	691	$\phi = 3,2479 * \Delta t$ 1,3700
	480	394	1.107,00	24,1	2,19	7,5	940	$\phi = 4,4220 * \Delta t$ 1,3700
	592	506	1.285,00	29,8	2,77	9,3	1190	$\phi = 5,5962 * \Delta t$ 1,3700
	704	618	1.436,00	34,2	3,35	10,7	1439	$\phi = 6,7703 * \Delta t$ 1,3700
1432	368	282	1.007,00	19,9	1,86	6,2	801	$\phi = 3,7679 * \Delta t$ 1,3700
	480	394	1.131,00	28,0	2,54	8,8	1091	$\phi = 5,1306 * \Delta t$ 1,3700
	592	506	1.309,00	34,7	3,21	10,8	1381	$\phi = 6,4933 * \Delta t$ 1,3700
	704	618	1.460,00	39,7	3,88	12,4	1670	$\phi = 7,8560 * \Delta t$ 1,3700
1632	480	394	1.157,00	31,9	2,89	10,0	1241	$\phi = 5,8391 * \Delta t$ 1,3700
1832	368	282	1.161,00	25,4	2,38	7,9	1022	$\phi = 4,8078 * \Delta t$ 1,3700
	480	394	1.285,00	35,7	3,24	11,2	1455	$\phi = 6,8431 * \Delta t$ 1,3700
	592	506	1.463,00	45,1	4,10	13,7	1819	$\phi = 8,5538 * \Delta t$ 1,3700
	704	618	1.614,00	50,8	4,96	15,9	2132	$\phi = 10,0273 * \Delta t$ 1,3700
2032	368	282	1.325,00	28,2	2,63	8,8	1133	$\phi = 5,3278 * \Delta t$ 1,3700
	480	394	1.449,00	39,5	3,59	12,3	1568	$\phi = 7,3734 * \Delta t$ 1,3700
	592	506	1.627,00	49,9	4,54	15,0	1960	$\phi = 9,2168 * \Delta t$ 1,3700
	704	618	1.778,00	56,4	5,49	17,6	2363	$\phi = 11,1130 * \Delta t$ 1,3700

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES


	STRAIGHT HANGER POLISHED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990300187 Price € 150,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990300183 Price € 159,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990300184 Price € 169,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990300188 Price € 182,00	 KIT 3 STRAIGHT HANGERS POLISHED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990300189 Price € 398,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990300185 Price € 414,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990300186 Price € 440,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990300190 Price € 486,00
---	---	---

INOX Style

EXTRASLIM®
NEO DESIGN

CLASSIC LINE
GRAPHIC PICTURE

TECHNICAL SUPPORT



FRAME INOX HORIZONTAL

POLISHED STAINLESS STEEL / DECOR

INOX Style

NEW

Material:

- Vertical collectors in painted carbon steel with ϕ of 30 mm
- Heating elements in painted carbon steel
- Heating plate:
- in polished stainless steel (FRAME INOX)
- in stainless steel with satin décor on polished background (FRAME DECOR)

Fixing kit:


- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent




EURODYNORM
EN 442-1

**EUROPEAN
WARRANTY**



STANDARD CONNECTIONS



LEGEND	
► In	↖ Airvent
△ Out	H Height
I Pipe Centres	

Always specify the kind of connection needed when ordering (da H1 a H5). Bidirectional connection not possible.

ACCESSORIES



ELEGANT SQUARE
MANUAL
POLISHED
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301084	Ø 16	5991990301083
Price € 106,00		Price € 99,00	

R = Copper connection - M = Multilayer connection



ELEGANT
CORNER DX
WITH THERMOSTATIC
HEAD
POLISHED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990301079	Ø 16	5991990301077
Price € 182,00		Price € 178,00	

R = Copper connection - M = Multilayer connection

Accessories and spare parts - see page 191.

FRAME INOX HORIZONTAL - POLISHED STAINLESS STEEL

Width	Height	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ C (75/65/20^\circ C)$	(¹) Thermal output ϕ in Watts and Δt in $^\circ C$
L [mm]	H [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	942	839,00	7,2	0,75	2,64	381	$\phi = 2,9571 * \Delta t$ 1,2420
	480	942	945,00	9,7	0,98	3,5	499	$\phi = 3,2853 * \Delta t$ 1,2840
	592	942	1.089,00	12,0	1,21	4,4	617	$\phi = 4,0616 * \Delta t$ 1,2840
	704	942	1.225,00	14,6	1,44	5,2	735	$\phi = 4,6341 * \Delta t$ 1,2950
1232	368	1142	849,00	8,6	0,89	3,02	455	$\phi = 3,3421 * \Delta t$ 1,256
	480	1142	955,00	11,4	1,17	4,0	596	$\phi = 3,9220 * \Delta t$ 1,2840
	592	1142	1.099,00	14,0	1,44	5,1	736	$\phi = 4,8488 * \Delta t$ 1,2840
	704	1142	1.235,00	17,2	1,72	6,1	877	$\phi = 5,5322 * \Delta t$ 1,2950
1432	368	1342	869,00	9,9	1,04	3,5	529	$\phi = 3,4816 * \Delta t$ 1,2840
	480	1342	975,00	13,2	1,36	4,6	692	$\phi = 4,5587 * \Delta t$ 1,2840
	592	1342	1.119,00	16,5	1,68	5,9	856	$\phi = 5,6359 * \Delta t$ 1,2840
	704	1342	1.255,00	19,8	2,00	7,0	1020	$\phi = 6,4303 * \Delta t$ 1,2950
1832	368	1742	889,00	12,5	1,33	4,37	676	$\phi = 4,4367 * \Delta t$ 1,2850
	480	1742	995,00	16,6	1,74	5,8	880	$\phi = 5,7949 * \Delta t$ 1,2840
	592	1742	1.139,00	20,9	2,15	7,2	1100	$\phi = 7,2436 * \Delta t$ 1,2840
	704	1742	1.275,00	25,0	2,56	8,7	1304	$\phi = 8,2265 * \Delta t$ 1,2950
2032	368	1942	939,00	13,5	1,47	4,85	750	$\phi = 4,9403 * \Delta t$ 1,2840
	480	1942	1.045,00	18,4	1,93	6,4	978	$\phi = 6,4388 * \Delta t$ 1,2840
	592	1942	1.189,00	23,0	2,38	8,0	1222	$\phi = 8,0484 * \Delta t$ 1,2840
	704	1942	1.325,00	27,6	2,84	9,6	1447	$\phi = 9,1246 * \Delta t$ 1,2950

FRAME INOX DECOR HORIZONTAL

Width	Height	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ C (75/65/20^\circ C)$	(¹) Thermal output ϕ in Watts and Δt in $^\circ C$
L [mm]	H [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	942	1.160,00	7,2	0,75	2,64	381	$\phi = 2,9571 * \Delta t$ 1,2420
	480	942	1.272,00	9,7	0,98	3,5	499	$\phi = 3,2853 * \Delta t$ 1,2840
	592	942	1.426,00	12,0	1,21	4,4	617	$\phi = 4,0616 * \Delta t$ 1,2840
	704	942	1.541,00	14,6	1,44	5,2	735	$\phi = 4,6341 * \Delta t$ 1,2950
1232	368	1142	1.240,00	8,6	0,89	3,02	455	$\phi = 3,3421 * \Delta t$ 1,2560
	480	1142	1.352,00	11,4	1,17	4,0	596	$\phi = 3,9220 * \Delta t$ 1,2840
	592	1142	1.506,00	14,0	1,44	5,1	736	$\phi = 4,8488 * \Delta t$ 1,2840
	704	1142	1.621,00	17,2	1,72	6,1	877	$\phi = 5,5322 * \Delta t$ 1,2950
1432	368	1342	1.310,00	9,9	1,04	3,5	529	$\phi = 3,4816 * \Delta t$ 1,2840
	480	1342	1.422,00	13,2	1,36	4,6	692	$\phi = 4,5587 * \Delta t$ 1,2840
	592	1342	1.576,00	16,5	1,68	5,9	856	$\phi = 5,6359 * \Delta t$ 1,2840
	704	1342	1.691,00	19,8	2,00	7,0	1020	$\phi = 6,4303 * \Delta t$ 1,2950
1832	368	1742	1.400,00	12,5	1,33	4,37	676	$\phi = 4,4367 * \Delta t$ 1,2850
	480	1742	1.512,00	16,6	1,74	5,8	880	$\phi = 5,7949 * \Delta t$ 1,2840
	592	1742	1.666,00	20,9	2,15	7,2	1100	$\phi = 7,2436 * \Delta t$ 1,2840
	704	1742	1.781,00	25,0	2,56	8,7	1304	$\phi = 8,2265 * \Delta t$ 1,2950
2032	368	1942	1.490,00	13,5	1,47	4,85	750	$\phi = 4,9403 * \Delta t$ 1,2840
	480	1942	1.602,00	18,4	1,93	6,4	978	$\phi = 6,4388 * \Delta t$ 1,2840
	592	1942	1.756,00	23,0	2,38	8,0	1222	$\phi = 8,0484 * \Delta t$ 1,2840
	704	1942	1.871,00	27,6	2,84	9,6	1447	$\phi = 9,1246 * \Delta t$ 1,2950

(*) For additional information on thermal output calculation see page 200.

INOX Style

EXTRASLIM®

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT



FRAME INOX

DECOR

INOX Style

FRAME INOX PLUS

DECOR

Material:

- Horizontal collector in painted carbon steel with ø of 30 mm
- Heating elements in painted carbon steel
- Heating plate in stainless steel with satin décor on polished background

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Features:

Heating plate is totally made in stainless steel with an unalterable finishing.
Brightness guaranteed during the years.

Accessories and spare parts:


See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent





* * *
EN **EURODINORM**
442-1

EUROPEAN
WARRANTY




HOW TO PLACE
KIT 3 STRAIGHT HANGERS

H	H1	H2	H3
[mm]			
1032	300	500	800
1232	400	600	1000
1432	400	700	1200
1632	500	800	1300
1832	500	800	1400
2032	500	800	1500



Measures for valves type "Elegant" Cordivari

CONNECTIONS



Always specify the kind of connection needed
when ordering (V9 - V10 - V11).
Bidirectional connection not possible.

LEGEND	
► In	≤ Airvent
△ Out	
□ Connection	
Width=20 - Height=15	
Pipe Centres	L Width

ACCESSORIES



ELEGANT SQUARE
MANUAL
POLISHED
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990301084	Ø 16	5991990301083
Price € 106,00		Price € 99,00	

R = Copper connection - M = Multilayer connection



ELEGANT SQUARE
WITH THERMOSTATIC
HEAD
POLISHED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990301072	Ø 16	5991990301071
Price € 174,00		Price € 169,00	

R = Copper connection - M = Multilayer connection



ELEGANT SQUARE
POLISHED VALVE KIT
PIPE CENTRES 50 MM
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990301076	Ø 16	5991990301075
Price € 189,00		Price € 184,00	

R = Copper connection - M = Multilayer connection

Accessories and spare parts - see page 191.

FRAME INOX DECOR VERTICAL

Height	Width	Pipe Centres (V9- V10)	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(Δt) Thermal output φ in Watts and Δt in °C
H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
1032	368	282	1.160,00	7,2	0,75	2,64	381	$\phi = 2,9571 * \Delta t$ 1,2420
	480	394	1.272,00	9,7	0,98	3,5	499	$\phi = 3,2853 * \Delta t$ 1,2840
	592	506	1.426,00	12,0	1,21	4,4	617	$\phi = 4,0616 * \Delta t$ 1,2840
	704	618	1.541,00	14,6	1,44	5,2	735	$\phi = 4,6341 * \Delta t$ 1,2950
1232	368	282	1.240,00	8,6	0,89	3,02	455	$\phi = 3,3421 * \Delta t$ 1,2560
	480	394	1.352,00	11,4	1,17	4,0	596	$\phi = 3,9220 * \Delta t$ 1,2840
	592	506	1.506,00	14,0	1,44	5,1	736	$\phi = 4,8488 * \Delta t$ 1,2840
	704	618	1.621,00	17,2	1,72	6,1	877	$\phi = 5,5322 * \Delta t$ 1,2950
1432	368	282	1.310,00	9,9	1,04	3,5	529	$\phi = 3,4816 * \Delta t$ 1,2840
	480	394	1.422,00	13,2	1,36	4,6	692	$\phi = 4,5587 * \Delta t$ 1,2840
	592	506	1.576,00	16,5	1,68	5,9	856	$\phi = 5,6359 * \Delta t$ 1,2840
	704	618	1.691,00	19,8	2,00	7,0	1020	$\phi = 6,4303 * \Delta t$ 1,2950
1632	480	394	1.480,00	14,9	1,55	5,2	789	$\phi = 5,1853 * \Delta t$ 1,2845
1832	368	282	1.400,00	12,5	1,33	4,37	676	$\phi = 4,4367 * \Delta t$ 1,2850
	480	394	1.512,00	16,6	1,74	5,8	880	$\phi = 5,7949 * \Delta t$ 1,2840
	592	506	1.666,00	20,9	2,15	7,2	1100	$\phi = 7,2436 * \Delta t$ 1,2840
	704	618	1.781,00	25,0	2,56	8,7	1304	$\phi = 8,2265 * \Delta t$ 1,2950
2032	368	282	1.490,00	13,5	1,47	4,85	750	$\phi = 4,9403 * \Delta t$ 1,2840
	480	394	1.602,00	18,4	1,93	6,4	978	$\phi = 6,4388 * \Delta t$ 1,2840
	592	506	1.756,00	23,0	2,38	8,0	1222	$\phi = 8,0484 * \Delta t$ 1,2840
	704	618	1.871,00	27,6	2,84	9,6	1447	$\phi = 9,1246 * \Delta t$ 1,2950

FRAME INOX DECOR PLUS VERTICAL

Height	Width	Pipe Centres (V9- V10)	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(Δt) Thermal output φ in Watts and Δt in °C
H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
1032	368	282	1.261,00	14,3	1,35	4,5	580	$\phi = 2,5226 * \Delta t$ 1,3900
	480	394	1.478,00	20,2	1,84	6,3	790	$\phi = 3,4340 * \Delta t$ 1,3900
	592	506	1.636,00	25,0	2,32	7,8	999	$\phi = 4,3454 * \Delta t$ 1,3900
	704	618	1.770,00	28,6	2,81	9,0	1209	$\phi = 5,2568 * \Delta t$ 1,3900
1232	368	282	1.339,00	17,1	1,61	5,3	691	$\phi = 3,0035 * \Delta t$ 1,3900
	480	394	1.556,00	24,1	2,19	7,5	940	$\phi = 4,0892 * \Delta t$ 1,3900
	592	506	1.714,00	29,8	2,77	9,3	1190	$\phi = 5,1750 * \Delta t$ 1,3900
	704	618	1.848,00	34,2	3,35	10,7	1439	$\phi = 6,2608 * \Delta t$ 1,3900
1432	368	282	1.438,00	19,9	1,86	6,2	801	$\phi = 3,4843 * \Delta t$ 1,3900
	480	394	1.655,00	28,0	2,54	8,8	1091	$\phi = 4,7445 * \Delta t$ 1,3900
	592	506	1.813,00	34,7	3,21	10,8	1381	$\phi = 6,0046 * \Delta t$ 1,3900
	704	618	1.947,00	39,7	3,88	12,4	1670	$\phi = 7,2647 * \Delta t$ 1,3900
1632	480	394	1.748,00	31,9	2,89	10,0	1241	$\phi = 5,3997 * \Delta t$ 1,3700
1832	368	282	1.587,00	25,4	2,38	7,9	1022	$\phi = 4,4460 * \Delta t$ 1,3900
	480	394	1.804,00	35,7	3,24	11,2	1455	$\phi = 6,3281 * \Delta t$ 1,3900
	592	506	1.962,00	45,1	4,10	13,7	1819	$\phi = 7,9101 * \Delta t$ 1,3900
	704	618	2.096,00	50,8	4,96	15,9	2132	$\phi = 9,2727 * \Delta t$ 1,3900
2032	368	282	1.688,00	28,2	2,63	8,8	1133	$\phi = 4,9268 * \Delta t$ 1,3900
	480	394	1.905,00	39,5	3,59	12,3	1568	$\phi = 6,8185 * \Delta t$ 1,3900
	592	506	2.063,00	49,9	4,54	15,0	1960	$\phi = 8,5232 * \Delta t$ 1,3900
	704	618	2.197,00	56,4	5,49	17,6	2363	$\phi = 10,2767 * \Delta t$ 1,3900

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES

	STRAIGHT HANGER POLISHED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990300187 Price € 150,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990300183 Price € 159,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990300184 Price € 169,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990300188 Price € 182,00		KIT 3 STRAIGHT HANGERS POLISHED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990300189 Price € 398,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990300185 Price € 414,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990300186 Price € 440,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990300190 Price € 486,00
---	---	---	--

INOX Style

EXTRASLIM®
NEO DESIGN

CLASSIC LINE
GRAPHIC PICTURE

TECHNICAL SUPPORT



FRAME

FRAME PLUS

Material:

- Horizontal collector in painted carbon steel with \varnothing of 30 mm
- Heating elements in painted carbon steel
- Heating plate in painted carbon steel

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)


Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.




Accessories and spare parts:

See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent


**HOW TO PLACE
KIT 3 STRAIGHT HANGERS**

H	H1	H2	H3
[mm]			
1032	300	500	800
1232	400	600	1000
1432	400	700	1200
1632	500	800	1300
1832	500	800	1400
2032	500	800	1500


CONNECTIONS


Always specify the kind of connection needed when ordering (V9 - V10 - V11).
Bidirectional connection not possible.

LEGEND	
► In	← Airvent
◀ Out	
□ Connection Width=20 - Height=15	
▀ Pipe Centres	L Width

ACCESSORIES


ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010

R	Art. Nr.	M	Art. Nr.
\varnothing 12/14/15	5991990310553	\varnothing 16	5991990310552
Price € 103,00		Price € 98,00	
R = Copper connection - M = Multilayer connection			



ELEGANT
CORNER DX
WITH THERMOSTATIC
HEAD
PAINTED PURE WHITE
RAL 9010
VALVE KIT

R	Art. Nr.	M	Art. Nr.
\varnothing 12/14/15	5991990310549	\varnothing 16	5991990310547
Price € 197,00		Price € 191,00	
R = Copper connection - M = Multilayer connection			



TINTA
PIPE CENTRES 50 MM
WITH THERMOSTATIC
HEAD ALL - PAINTED
VALVE KIT

R	ART. NR.	M	ART. NR.
\varnothing 12/14/15	5991990311217	\varnothing 16	5991990311216
Price € 279,00		Price € 269,00	
R = Copper connection - M = Multilayer connection			

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.

FRAME VERTICAL

Height	Width	Pipe Centres (V9- V10)	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(\rightarrow) Thermal output ϕ in Watts and Δt in $^\circ\text{C}$
H [mm]	L [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	282	490,00	7,2	0,75	2,64	381	$\phi = 2,9571 * \Delta t$ 1,2420
	480	394	549,00	9,7	0,98	3,5	499	$\phi = 3,2853 * \Delta t$ 1,2840
	592	506	639,00	12,0	1,21	4,4	617	$\phi = 4,0616 * \Delta t$ 1,2840
	704	618	769,00	14,6	1,44	5,2	735	$\phi = 4,6341 * \Delta t$ 1,2950
1232	368	282	510,00	8,6	0,89	3,02	455	$\phi = 3,3421 * \Delta t$ 1,2560
	480	394	569,00	11,4	1,17	4,0	596	$\phi = 3,9220 * \Delta t$ 1,2840
	592	506	659,00	14,0	1,44	5,1	736	$\phi = 4,8488 * \Delta t$ 1,2840
	704	618	789,00	17,2	1,72	6,1	877	$\phi = 5,5322 * \Delta t$ 1,2950
1432	368	282	542,00	9,9	1,04	3,5	529	$\phi = 3,4816 * \Delta t$ 1,2840
	480	394	601,00	13,2	1,36	4,6	692	$\phi = 4,5587 * \Delta t$ 1,2840
	592	506	691,00	16,5	1,68	5,9	856	$\phi = 5,6359 * \Delta t$ 1,2840
	704	618	821,00	19,8	2,00	7,0	1020	$\phi = 6,4303 * \Delta t$ 1,2950
1632	480	394	644,00	14,9	1,55	5,2	789	$\phi = 5,1853 * \Delta t$ 1,2845
1832	368	282	620,00	12,5	1,33	4,37	676	$\phi = 4,4367 * \Delta t$ 1,2850
	480	394	679,00	16,6	1,74	5,8	880	$\phi = 5,7949 * \Delta t$ 1,2840
	592	506	769,00	20,9	2,15	7,2	1100	$\phi = 7,2436 * \Delta t$ 1,2840
	704	618	899,00	25,0	2,56	8,7	1304	$\phi = 8,2265 * \Delta t$ 1,2950
2032	368	282	698,00	13,5	1,47	4,85	750	$\phi = 4,9403 * \Delta t$ 1,2840
	480	394	773,00	18,4	1,93	6,4	978	$\phi = 6,4388 * \Delta t$ 1,2840
	592	506	849,00	23,0	2,38	8,0	1222	$\phi = 8,0484 * \Delta t$ 1,2840
	704	618	979,00	27,6	2,84	9,6	1447	$\phi = 9,1246 * \Delta t$ 1,2950

Prices are referred to colour WHITE R01 - RAL 9010 version.

FRAME PLUS VERTICAL

Height	Width	Pipe Centres (V9- V10)	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(\rightarrow) Thermal output ϕ in Watts and Δt in $^\circ\text{C}$
H [mm]	L [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	282	599,00	14,3	1,35	4,5	580	$\phi = 2,9499 * \Delta t$ 1,3500
	480	394	699,00	20,2	1,84	6,3	790	$\phi = 4,0157 * \Delta t$ 1,3500
	592	506	795,00	25,0	2,32	7,8	999	$\phi = 5,0815 * \Delta t$ 1,3500
	704	618	955,00	28,6	2,81	9,0	1209	$\phi = 6,1472 * \Delta t$ 1,3500
1232	368	282	639,00	17,1	1,61	5,3	691	$\phi = 3,5122 * \Delta t$ 1,3500
	480	394	739,00	24,1	2,19	7,5	940	$\phi = 4,7819 * \Delta t$ 1,3500
	592	506	835,00	29,8	2,77	9,3	1190	$\phi = 6,0516 * \Delta t$ 1,3500
	704	618	995,00	34,2	3,35	10,7	1439	$\phi = 7,3213 * \Delta t$ 1,3500
1432	368	282	699,00	19,9	1,86	6,2	801	$\phi = 4,0745 * \Delta t$ 1,3500
	474	394	799,00	28,0	2,54	8,8	1091	$\phi = 5,5481 * \Delta t$ 1,3500
	586	506	895,00	34,7	3,21	10,8	1381	$\phi = 7,0217 * \Delta t$ 1,3500
	698	618	1.055,00	39,7	3,88	12,4	1670	$\phi = 8,4953 * \Delta t$ 1,3500
1632	480	394	899,00	31,9	2,89	10,0	1241	$\phi = 6,3143 * \Delta t$ 1,3500
1832	368	282	799,00	25,4	2,38	7,9	1022	$\phi = 5,1991 * \Delta t$ 1,3500
	480	394	899,00	35,7	3,24	11,2	1455	$\phi = 7,4767 * \Delta t$ 1,3500
	592	506	995,00	45,1	4,10	13,7	1819	$\phi = 9,3458 * \Delta t$ 1,3500
	704	618	1.155,00	50,8	4,96	15,9	2132	$\phi = 10,8434 * \Delta t$ 1,3500
2032	368	282	850,00	28,2	2,63	8,8	1133	$\phi = 5,7614 * \Delta t$ 1,3500
	480	394	993,00	39,5	3,59	12,3	1568	$\phi = 8,0561 * \Delta t$ 1,3500
	592	506	1.132,00	49,9	4,54	15,0	1960	$\phi = 10,0702 * \Delta t$ 1,3500
	704	618	1.299,00	56,4	5,49	17,6	2363	$\phi = 12,0174 * \Delta t$ 1,3500

Prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES

	STRAIGHT HANGER POLISHED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990300187 Price € 150,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990300183 Price € 159,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990300184 Price € 169,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990300188 Price € 182,00		STRAIGHT HANGER PAINTED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990310565 Price € 124,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990310566 Price € 133,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990310567 Price € 142,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990310568 Price € 155,00		KIT 3 STRAIGHT HANGERS PAINTED FOR FRAME 368 (L= 404 mm) Art. Nr. 5991990310569 Price € 298,00 FOR FRAME 480 (L= 516 mm) Art. Nr. 5991990310570 Price € 320,00 FOR FRAME 592 (L= 628 mm) Art. Nr. 5991990310571 Price € 341,00 FOR FRAME 704 (L= 740 mm) Art. Nr. 5991990310572 Price € 372,00
---	---	---	--	---	---



FRAME HORIZONTAL

NEW

Material:

- Vertical collector in painted carbon steel with ϕ of 30 mm
- Heating elements in painted carbon steel
- Heating plate in painted carbon steel

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)


Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.


Accessories and spare parts:

See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



STANDARD CONNECTIONS



LEGEND	
► In	↖ Airvent
◀ Out	H Height
I Pipe Centres	

Always specify the kind of connection needed when ordering (da H1 a H5). Bidirectional connection not possible.

ACCESSORIES



ELEGANT
SQUARE
MANUAL
VALVE KIT
PAINTED PURE
WHITE RAL 9010



ELEGANT
CORNER DX
WITH THERMOSTATIC
HEAD
PAINTED PURE WHITE
RAL 9010
VALVE KIT



TINTA
PIPE CENTRES 50 MM
WITH THERMOSTATIC
HEAD ALL - PAINTED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
\varnothing 12/14/15	5991990310553	\varnothing 16	5991990310552
Price € 103,00		Price € 98,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

R	Art. Nr.	M	Art. Nr.
\varnothing 12/14/15	5991990310548	\varnothing 16	5991990310546
Price € 197,00		Price € 191,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

R	ART. NR.	M	ART. NR.
\varnothing 12/14/15	5991990311217	\varnothing 16	5991990311216
Price € 279,00		Price € 269,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.

FRAME HORIZONTAL

Width	Height	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	↳ Thermal output ϕ in Watts and Δt in $^\circ\text{C}$
L [mm]	H [mm]	I [mm]	€	[Kg]	[m ²]	[lt]	Watt	
1032	368	942	490,00	7,2	0,75	2,64	381	$\phi = 2,9571 * \Delta t$ 1,2420
	480	942	549,00	9,7	0,98	3,5	499	$\phi = 3,2853 * \Delta t$ 1,2840
	592	942	639,00	12,0	1,21	4,4	617	$\phi = 4,0616 * \Delta t$ 1,2840
	704	942	769,00	14,6	1,44	5,2	735	$\phi = 4,6341 * \Delta t$ 1,2950
1232	368	1142	510,00	8,6	0,89	3,02	455	$\phi = 3,3421 * \Delta t$ 1,2560
	480	1142	569,00	11,4	1,17	4,0	596	$\phi = 3,9220 * \Delta t$ 1,2840
	592	1142	659,00	14,0	1,44	5,1	736	$\phi = 4,8488 * \Delta t$ 1,2840
	704	1142	789,00	17,2	1,72	6,1	877	$\phi = 5,5322 * \Delta t$ 1,2950
1432	368	1342	542,00	9,9	1,04	3,5	529	$\phi = 3,4816 * \Delta t$ 1,2840
	480	1342	601,00	13,2	1,36	4,6	692	$\phi = 4,5587 * \Delta t$ 1,2840
	592	1342	691,00	16,5	1,68	5,9	856	$\phi = 5,6359 * \Delta t$ 1,2840
	704	1342	821,00	19,8	2,00	7,0	1020	$\phi = 6,4303 * \Delta t$ 1,2950
1832	368	1742	620,00	12,5	1,33	4,37	676	$\phi = 4,4367 * \Delta t$ 1,2850
	480	1742	679,00	16,6	1,74	5,8	880	$\phi = 5,7949 * \Delta t$ 1,2840
	592	1742	769,00	20,9	2,15	7,2	1100	$\phi = 7,2436 * \Delta t$ 1,2840
	704	1742	899,00	25,0	2,56	8,7	1304	$\phi = 8,2265 * \Delta t$ 1,2950
2032	368	1942	698,00	13,5	1,47	4,85	750	$\phi = 4,9403 * \Delta t$ 1,2840
	480	1942	773,00	18,4	1,93	6,4	978	$\phi = 6,4388 * \Delta t$ 1,2840
	592	1942	849,00	23,0	2,38	8,0	1222	$\phi = 8,0484 * \Delta t$ 1,2840
	704	1942	979,00	27,6	2,84	9,6	1447	$\phi = 9,1246 * \Delta t$ 1,2950

Prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT



ANDREA

PATENTED

NEW

Material:

- Vertical collector in painted carbon steel 90x30 mm
- Horizontal heating elements in painted carbon steel 50x20 mm


Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 2 x 1/2" gas for Airvent


ANDREA

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ C (75/65/20^\circ C)$	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3551776100001	990	500	50	391,00	10,2	0,8	5,5	393	$\phi = 3,1665^* \Delta t 1,2326$
3551776100002			50	452,00	12,2	0,9	6,7	452	$\phi = 3,4558^* \Delta t 1,2457$
3551776100003			50	494,00	14,3	1,0	7,8	510	$\phi = 3,8396^* \Delta t 1,2499$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES


ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD



TINTA
PIPE CENTRES
50 MM WITH
THERMOSTATIC
HEAD ALL -
PAINTED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310553	Ø 16	5991990310552
Price € 103,00		Price € 98,00	
R = Copper connection - M = Multilayer connection			

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	
R = Copper connection - M = Multilayer connection			

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	
R = Copper connection - M = Multilayer connection			

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.



JACKY

PATENTED
NEW

Material:

- Vertical collector in painted carbon steel 90x30 mm
- Horizontal heating elements in painted carbon steel 50x20 mm

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:


The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 2 x 1/2" gas for Airvent



EURO NORM
EN 442-1

**EUROPEAN
WARRANTY**



JACKY

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[kg]	[m²]	[lt]	Watt	
3551776101001	1260	500	50	499,00	14,4	1,1	7,8	566	$\phi = 5,1155^* \Delta t 1,2030$
3551776101002			50	568,00	17,3	1,3	9,4	654	$\phi = 5,6764^* \Delta t 1,2133$
3551776101003			50	687,00	20,2	1,5	11,0	741	$\phi = 6,1902^* \Delta t 1,2233$

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC HEAD



TINTA
PIPE CENTRES 50
MM WITH THER-
MOSTATIC HEAD
ALL - PAINTED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310553	Ø 16	5991990310552
Price € 103,00		Price € 98,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	
R = Copper connection - M = Multilayer connection		R = Copper connection - M = Multilayer connection	

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.



YARA

PATENTED
NEW

Material:

- Vertical collector in painted carbon steel 90x30 mm
- Horizontal heating elements in painted carbon steel Ø 18 mm




Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 2 x 1/2" gas for Airvent



YARA

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3551436101001	988	500	50	418,00	16,4	0,8	3,8	465	$\phi = 3,5452 * \Delta t$ 1,2466
3551436101002			50	465,00	19,4	0,9	4,4	557	$\phi = 3,9566 * \Delta t$ 1,2646
3551436101003			50	514,00	22,4	1,0	5,1	613	$\phi = 4,1248 * \Delta t$ 1,2786

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.

ACCESSORIES



ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310553	Ø 16	5991990310552
Price € 103,00		Price € 98,00	
R = Copper connection - M = Multilayer connection			

Prices are referred to colour WHITE R01 - RAL 9010 version.



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	
R = Copper connection - M = Multilayer connection			



TINTA
PIPE CENTRES 50
MM WITH THER-
MOSTATIC HEAD
ALL-PAINTED
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	
R = Copper connection - M = Multilayer connection			

Accessories and spare parts - see page 191.



GROOVE®

Design: Mariano Moroni

PATENTED

Material:

- Aluminium heating elements 100x20 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:

See page 191.

P. max: 6 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



ACCESSORIES



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	

R = Copper connection - M = Multilayer connection

NEW



TINTA
PIPE CENTRES 50 MM
WITH THERMOSTATIC
HEAD ALL - PAINTED
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	

R = Copper connection - M = Multilayer connection

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.

GROOVE®

Height	Width	Pipe Centres	ELEMENTS	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C	
									φ = 11,7467 * Δt ^{1,1199}	φ = 17,4751 * Δt ^{1,1313}
1800	284	50	5	740,00	17,3	0,67	1,8	939		
2000	416	50	7	1.062,00	26,9	1,04	2,7	1460		

Prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



ROADS®

Design: Mariano Moroni

PATENTED

Material:

- Aluminium heating elements 100x20 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

Accessories and spare parts:

See page 191.

P. max: 6 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



ACCESSORIES

	ELEGANT SQUARE PIPE CENTRES 50 MM VALVE KIT PAINTED PURE WHITE RAL 9010 WITH THERMOSTATIC HEAD
--	---

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	

R = Copper connection - M = Multilayer connection

NEW




	TINTA PIPE CENTRES 50 MM WITH THERMOSTATIC HEAD ALL - PAINTED VALVE KIT
--	---

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	

R = Copper connection - M = Multilayer connection

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.



STANDARD CONNECTIONS



ROADS®

Height	Width	Pipe Centres	ELEMENTS	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	Thermal output ϕ in Watts and Δt in °C							
									L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	(*) Thermal output ϕ in Watts and Δt in °C
1800	364	50	5	729,00	17,5	0,68	1,8	939	364	50	729,00	24,4	0,96	2,5	1315	$\phi = 11,7467 * \Delta t^{1,1199}$
	496	50	7	950,00	24,4	0,96	2,5	1315	496	50	950,00	27,0	1,06	2,8	1460	$\phi = 16,4453 * \Delta t^{1,1199}$
2000	364	50	5	789,00	19,3	0,75	2,0	1043	364	50	789,00	27,0	1,06	2,8	1460	$\phi = 12,4822 * \Delta t^{1,1313}$
	496	50	7	1.010,00	27,0	1,06	2,8	1460	496	50	1.010,00	30,4	1,19	3,2	1580	$\phi = 17,4751 * \Delta t^{1,1313}$

Prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



BRIDGE® 1

Design: Mariano Moroni

PATENTED

Material:

- Tubular elements in painted carbon steel with ϕ of 25 mm
- Shelves and hanger in whitened oaks
- Stainless steel rods and clamps

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a recyclable film in polyethylene and with a box in carton. User notice included.


Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.

P. max: 8 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent



BRIDGE® 1

Art. Nr.	Height	Width	Pipe Centres	Price	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(^a) Thermal output ϕ in Watts and Δt in °C
	H [mm]	L [mm]	I [mm]	€	[Kg]	[m²]	[lt]	Watt	
3541836100001	1767	440	344	1.749,00	26,0	2,55	18,0	1320	$\phi = 8,1962 * \Delta t^{1,2990}$

Art. Nr. and price are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



ROADS® STF

Design: Mariano Moroni

Material:

- Aluminium heating elements 100x30 mm.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)


Colours:

Radiator and accessories: standard white colour RAL 9010.
For other colours price has to be increased by 30%. See page 208.


Accessories and spare parts:

See page 191.

P. max: 6 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/2" gas for Airvent




STANDARD CONNECTIONS



Always specify the kind of connection needed when ordering.
Bidirectional connection not possible.

SPECIAL CONNECTIONS (SURCHARGE € 50,00)



ACCESSORIES



CORDIVARI ELEGANT
WITH THERMOSTATIC
HEAD SQUARED
PURE WHITE **RAL 9010**
PAINTED
VALVE KIT

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310539	Ø 16	5991990310538
Price € 178,00		Price € 171,00	
R = Copper connection - M = Multilayer connection			



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	
R = Copper connection - M = Multilayer connection			

NEW




TINTA
PIPE CENTRES 50 MM
WITH THERMOSTATIC
HEAD ALL - PAINTED
VALVE KIT

R	ART. NR.	M	ART. NR.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	
R = Copper connection - M = Multilayer connection			

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.



Matching in colour profile cover.



Profile cover in chrome finishing.

ROADS® STF

Height H [mm]	Width L [mm]	Pipe Centres I [mm]	ELEMENTS	Price for coloured profile-cover	Surcharge for chrome finished profile-cover	Dry Weight	Surface	Water Content	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
				€		[Kg]	[m²]	[lt]	Watt	
640	780	600	11	862,00	27,00	10,7	3,9	1,7	848	$\phi = 8,5581 * \Delta t^{1,1748}$
	916		13	1.010,00	33,00	12,6	4,6	2,0	1002	$\phi = 10,1141 * \Delta t^{1,1748}$
	1052		15	1.170,00	39,00	14,5	5,3	2,3	1157	$\phi = 11,6702 * \Delta t^{1,1748}$
740	644	700	9	781,00	33,00	9,9	3,2	1,5	797	$\phi = 8,733 * \Delta t^{1,1539}$
	780		11	956,00	39,00	12,1	3,9	1,9	975	$\phi = 10,6736 * \Delta t^{1,1539}$
	916		13	1.132,00	45,00	14,2	4,7	2,2	1152	$\phi = 12,6143 * \Delta t^{1,1539}$

Prices are referred to colour WHITE R01 - RAL 9010 version.

(*) For additional information on thermal output calculation see page 200.



RETRÒ




Material:

- Brass elements

Fixing kit:

- Fixing brackets already integrated on radiator with plugs and screws included
- Airvent included
- User notice

P. max: 6 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - Airvent integrated on radiator

**EUROPEAN
WARRANTY**

Packaging:

The radiator is protected by a recyclable film in polyethylene and with a box in recyclable carton.

User notice included.

Finish:

Chrome, Antique Bronze, Antique Gold.

RETRÒ I

Art. Nr.	Height	Width	Pipe Centres	Finish	Price
	H [mm]	L [mm]	I [mm]		€
3551330150001				ANTIQUE GOLD	1.716,00
3551330150002	975	575	500	CHROME	1.172,00
3551330150003				ANTIQUE BRONZE	1.788,00



RETRÒ II

Art. Nr.	Height	Width	Pipe Centres	Finish	Price
	H [mm]	L [mm]	I [mm]		€
3551330150011				ANTIQUE GOLD	1.668,00
3551330150012	975	575	500	CHROME	1.125,00
3551330150013				ANTIQUE BRONZE	1.757,00

RETRÒ III

Art. Nr.	Height	Width	Pipe Centres	Finish	Price
	H [mm]	L [mm]	I [mm]		€
3551330150021				ANTIQUE GOLD	2.051,00
3551330150022	970	675	600	CHROME	1.317,00
3551330150023				ANTIQUE BRONZE	2.148,00

ACCESSORIES



R	Art. Nr.	M	Art. Nr.
Ø 10/12 14/15/16	5991990311132	Ø 14 16/18	5991990311133
Price € 248,00	Price € 252,00		


R = Copper connection
M = Multilayer connection

R	Art. Nr.	M	Art. Nr.
Ø 10/12 14/15/16	5991990311134	Ø 14 16/18	5991990311135
Price € 156,00	Price € 159,00		

R = Copper connection
M = Multilayer connection

R	Art. Nr.	M	Art. Nr.
Ø 10/12 14/15/16	5991990311130	Ø 14 16/18	5991990311131
Price € 261,00	Price € 266,00		

R = Copper connection
M = Multilayer connection





RETRÒ ELECTRIC

NEW

Material:

- Brass elements

Fixing kit:

- Fixing brackets already integrated on radiator with plugs and screws included
- User notice

Packaging:

The radiator is protected by a recyclable film in polyethylene and with a box in recyclable carton.


User notice included.

Finish:

Chrome, Antique Bronze, Antique Gold.


Electrical resistors: CLASS 1	Minimum class protection: IP 55	Wire Width: 1500 mm
Electrical only: • Cable without plug to be connected on a ON-OFF switcher - not included		

**EUROPEAN
WARRANTY**




RETRÒ I ELECTRIC

Art. Nr.	Height	Width	Finish	Price	Watt
	H [mm]	L [mm]		€	
3581330000001	975	575	ANTIQUE GOLD	2.025,00	100
3581330000002			CHROME	1.478,00	
3581330000003			ANTIQUE BRONZE	2.097,00	



RETRÒ II ELECTRIC

Art. Nr.	Height	Width	Finish	Price	Watt
	H [mm]	L [mm]		€	
3581330000011	975	575	ANTIQUE GOLD	1.973,00	100
3581330000012			CHROME	1.429,00	
3581330000013			ANTIQUE BRONZE	2.071,00	



RETRÒ III ELECTRIC

Art. Nr.	Height	Width	Finish	Price	Watt
	H [mm]	L [mm]		€	
3581330000021	970	675	ANTIQUE GOLD	2.363,00	150
3581330000022			CHROME	1.635,00	
3581330000023			ANTIQUE BRONZE	2.445,00	

ACCESSORIES



COVER SHROUD ANTIQUE GOLD

Art. Nr.
5103000000077
Price € 310,00




COVER SHROUD CHROME

Art. Nr.
5103000000080
Price € 174,00



COVER SHROUD ANTIQUE BRONZE

Art. Nr.
5103000000078
Price € 339,00



FRAME ARTIC - CORALLO - LAGOON

Artwork: Mariano Moroni

Material:

- Horizontal collectors in painted carbon steel with Ø of 30 mm.
- Heating elements in painted carbon steel.
- Heating plate in painted carbon steel.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.


Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Accessories and spare parts:


See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent



Measures for valves type "Elegant" Cordivari

CONNECTIONS



Always specify the kind of connection needed when ordering (V9 - V10 - V11).
Bidirectional connection not possible.

LEGEND	
► In	← Airvent
◀ Out	
□ Connection	
Width=20 - Height=15	
I Pipe Centres	L Width

ACCESSORIES



ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310553	Ø 16	5991990310552
Price € 103,00		Price € 98,00	

R = Copper connection - M = Multilayer connection



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	

R = Copper connection - M = Multilayer connection



STRAIGHT HANGER
POLISHED
FOR FRAME 368 (L= 404 mm)
Art. Nr. 5991990300187
Price € 150,00
FOR FRAME 480 (L= 516 mm)
Art. Nr. 5991990300183
Price € 159,00
FOR FRAME 592 (L= 628 mm)
Art. Nr. 5991990300184
Price € 169,00
FOR FRAME 704 (L= 740 mm)
Art. Nr. 5991990300188
Price € 182,00

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.

CORALLO




Primitive signs and colours presented in a contemporary style have inspired the Frame CORALLO furnishing radiator. The sinuous lines cover the entire heating surface radiating a joyful dynamism. Frame Corallo enriches everyday life with new visual and emotional stimuli. Versatile and stylish, it fits in any environment and can be accessorised with handy and essential satin stainless steel towel racks.

ARTIC



Frame ARTIC presents the fascination of a snow-white "abstract landscape". Its lines and its coating in shades of grey and black are lost in a sea of white, creating horizons, skies and territories that belong to the soul. Artic involves and stirs emotions just like in front of a painting. This radiator, available in four sizes, is versatile and functional and it represents an important contribution to interior architecture.

LAGOON



Infinite color gradations, reflections, but, above all, transparency of colors: these are the Frame LAGOON distinctive features. The brightness and the enriched chromatic effects, evoke the perception of flowing water. The original paint comes from the Artist's expert hands, that using old painting techniques impress the water-based color on paper with appropriate designed paintbrushes' bristles.

FRAME

Height H [mm]	Width L [mm]	Pipe Centres (V9- V10) I [mm]	Price €	Dry Weight [Kg]	Surface [m²]	Water Content [lt]	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C	
								$\phi = 2,9571 * \Delta t$ 1,2420	$\phi = 3,2853 * \Delta t$ 1,2840
1032	368	282	1.029,00	7,2	0,75	2,64	381	$\phi = 4,0616 * \Delta t$ 1,2840	$\phi = 4,6341 * \Delta t$ 1,2950
	480	394	1.153,00	9,7	0,98	3,5	499	$\phi = 3,3421 * \Delta t$ 1,2560	$\phi = 3,9220 * \Delta t$ 1,2840
	592	506	1.240,00	12,0	1,21	4,4	617	$\phi = 4,8488 * \Delta t$ 1,2840	$\phi = 5,5322 * \Delta t$ 1,2950
	704	618	1.462,00	14,6	1,44	5,2	735	$\phi = 6,4303 * \Delta t$ 1,2950	$\phi = 7,2436 * \Delta t$ 1,2840
1232	368	282	1.071,00	8,6	0,89	3,02	455	$\phi = 3,4816 * \Delta t$ 1,2840	$\phi = 4,5587 * \Delta t$ 1,2840
	480	394	1.195,00	11,4	1,17	4,0	596	$\phi = 5,6359 * \Delta t$ 1,2840	$\phi = 6,4303 * \Delta t$ 1,2950
	592	506	1.282,00	14,0	1,44	5,1	736	$\phi = 6,4303 * \Delta t$ 1,2950	$\phi = 7,2436 * \Delta t$ 1,2840
	704	618	1.504,00	17,2	1,72	6,1	877	$\phi = 8,2265 * \Delta t$ 1,2950	$\phi = 9,1246 * \Delta t$ 1,2840
1432	368	282	1.117,00	9,9	1,04	3,5	529	$\phi = 4,4367 * \Delta t$ 1,2850	$\phi = 5,7949 * \Delta t$ 1,2840
	480	394	1.241,00	13,2	1,36	4,6	692	$\phi = 5,1853 * \Delta t$ 1,2845	$\phi = 6,0516 * \Delta t$ 1,3500
	592	506	1.328,00	16,5	1,68	5,9	856	$\phi = 6,4303 * \Delta t$ 1,2950	$\phi = 7,2436 * \Delta t$ 1,2840
	704	618	1.550,00	19,8	2,00	7,0	1020	$\phi = 8,0484 * \Delta t$ 1,2840	$\phi = 9,1246 * \Delta t$ 1,2950
1632	480	394	1.288,00	14,9	1,55	5,2	789	$\phi = 9,4943 * \Delta t$ 1,2840	$\phi = 10,8434 * \Delta t$ 1,3500
1832	368	282	1.209,00	12,5	1,33	4,37	676	$\phi = 10,7614 * \Delta t$ 1,3500	$\phi = 12,0174 * \Delta t$ 1,3500
	480	394	1.333,00	16,6	1,74	5,8	880	$\phi = 12,0174 * \Delta t$ 1,3500	$\phi = 13,4767 * \Delta t$ 1,3500
	592	506	1.420,00	20,9	2,15	7,2	1100	$\phi = 13,4767 * \Delta t$ 1,3500	$\phi = 14,8359 * \Delta t$ 1,3500
	704	618	1.642,00	25,0	2,56	8,7	1304	$\phi = 14,8359 * \Delta t$ 1,3500	$\phi = 16,1941 * \Delta t$ 1,3500
2032	368	282	1.243,00	13,5	1,47	4,85	750	$\phi = 16,1941 * \Delta t$ 1,3500	$\phi = 17,5522 * \Delta t$ 1,3500
	480	394	1.367,00	18,4	1,93	6,4	978	$\phi = 17,5522 * \Delta t$ 1,3500	$\phi = 18,9103 * \Delta t$ 1,3500
	592	506	1.454,00	23,0	2,38	8,0	1222	$\phi = 18,9103 * \Delta t$ 1,3500	$\phi = 20,2684 * \Delta t$ 1,3500
	704	618	1.676,00	27,6	2,84	9,6	1447	$\phi = 20,2684 * \Delta t$ 1,3500	$\phi = 21,6265 * \Delta t$ 1,3500

Always specify while ordering the desired Artwork type.

(CORALLO G09 / ARTIC G10 / LAGOON ROSA P21 / LAGOON AZUL P22).

FRAME PLUS

Height H [mm]	Width L [mm]	Pipe Centres (V9- V10) I [mm]	Price €	Dry Weight [Kg]	Surface [m²]	Water Content [lt]	Thermal output $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C	
								$\phi = 2,9499 * \Delta t$ 1,3500	$\phi = 4,0157 * \Delta t$ 1,3500
1032	368	282	1.258,00	14,3	1,35	4,5	580	$\phi = 5,0815 * \Delta t$ 1,3500	$\phi = 6,1472 * \Delta t$ 1,3500
	480	394	1.385,00	20,2	1,84	6,3	790	$\phi = 6,4303 * \Delta t$ 1,3500	$\phi = 7,5949 * \Delta t$ 1,3500
	592	506	1.511,00	25,0	2,32	7,8	999	$\phi = 7,2436 * \Delta t$ 1,3500	$\phi = 8,3459 * \Delta t$ 1,3500
	704	618	1.739,00	28,6	2,81	9,0	1209	$\phi = 8,0484 * \Delta t$ 1,3500	$\phi = 9,1246 * \Delta t$ 1,3500
1232	368	282	1.298,00	17,1	1,61	5,3	691	$\phi = 9,4943 * \Delta t$ 1,3500	$\phi = 10,6614 * \Delta t$ 1,3500
	480	394	1.427,00	24,1	2,19	7,5	940	$\phi = 10,8434 * \Delta t$ 1,3500	$\phi = 11,9103 * \Delta t$ 1,3500
	592	506	1.558,00	29,8	2,77	9,3	1190	$\phi = 12,0174 * \Delta t$ 1,3500	$\phi = 13,1853 * \Delta t$ 1,3500
	704	618	1.791,00	34,2	3,35	10,7	1439	$\phi = 13,4767 * \Delta t$ 1,3500	$\phi = 14,6446 * \Delta t$ 1,3500
1432	368	282	1.315,00	19,9	1,86	6,2	801	$\phi = 14,0516 * \Delta t$ 1,3500	$\phi = 15,2194 * \Delta t$ 1,3500
	480	394	1.447,00	28,0	2,54	8,8	1091	$\phi = 15,5481 * \Delta t$ 1,3500	$\phi = 16,7159 * \Delta t$ 1,3500
	592	506	1.585,00	34,7	3,21	10,8	1381	$\phi = 17,0217 * \Delta t$ 1,3500	$\phi = 18,1895 * \Delta t$ 1,3500
	704	618	1.826,00	39,7	3,88	12,4	1670	$\phi = 18,4953 * \Delta t$ 1,3500	$\phi = 19,6631 * \Delta t$ 1,3500
1632	480	394	1.466,00	31,9	2,89	10,0	1241	$\phi = 19,9191 * \Delta t$ 1,3500	$\phi = 21,0869 * \Delta t$ 1,3500
1832	368	282	1.359,00	25,4	2,38	7,9	1022	$\phi = 21,5941 * \Delta t$ 1,3500	$\phi = 22,7619 * \Delta t$ 1,3500
	480	394	1.493,00	35,7	3,24	11,2	1455	$\phi = 23,1719 * \Delta t$ 1,3500	$\phi = 24,3397 * \Delta t$ 1,3500
	592	506	1.632,00	45,1	4,10	13,7	1819	$\phi = 24,7487 * \Delta t$ 1,3500	$\phi = 25,9165 * \Delta t$ 1,3500
	704	618	1.883,00	50,8	4,96	15,9	2132	$\phi = 26,3255 * \Delta t$ 1,3500	$\phi = 27,4933 * \Delta t$ 1,3500
2032	368	282	1.403,00	28,2	2,63	8,8	1133	$\phi = 27,9023 * \Delta t$ 1,3500	$\phi = 29,0691 * \Delta t$ 1,3500
	480	394	1.540,00	39,5	3,59	12,3	1568	$\phi = 29,4791 * \Delta t$ 1,3500	$\phi = 30,6469 * \Delta t$ 1,3500
	592	506	1.687,00	49,9	4,54	15,0	1960	$\phi = 31,0702 * \Delta t$ 1,3500	$\phi = 32,2380 * \Delta t$ 1,3500
	704	618	1.949,00	56,4	5,49	17,6	2363	$\phi = 32,8148 * \Delta t$ 1,3500	$\phi = 34,9826 * \Delta t$ 1,3500

Always specify while ordering the desired Artwork type.

(CORALLO G09 / ARTIC G10 / LAGOON ROSA P21 / LAGOON AZUL P22).

(*) For additional information on thermal output calculation see page 200.

INOX Style

EXTRASLIM®
NEO DESIGN
CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT



FRAME PICTURE

Customize the:

- **FRAME**
- **FRAME PLUS**

radiators with your favourite pictures, forever imprinted on the surface.

FRAME

	Height	Width	Price
	H [mm]	L [mm]	€
1032	368	1.029,00	
	480	1.153,00	
	592	1.240,00	
	704	1.462,00	
1232	368	1.071,00	
	480	1.195,00	
	592	1.282,00	
	704	1.504,00	
1432	368	1.117,00	
	480	1.241,00	
	592	1.328,00	
	704	1.550,00	
1632	480	1.288,00	
1832	368	1.209,00	
	480	1.333,00	
	592	1.420,00	
	704	1.642,00	
2032	368	1.243,00	
	480	1.367,00	
	592	1.454,00	
	704	1.676,00	


FRAME PLUS

	Height	Width	Price
	H [mm]	L [mm]	€
1032	368	1.258,00	
	480	1.385,00	
	592	1.511,00	
	704	1.739,00	
1232	368	1.298,00	
	480	1.427,00	
	592	1.558,00	
	704	1.791,00	
1432	368	1.315,00	
	480	1.447,00	
	592	1.585,00	
	704	1.826,00	
1632	480	1.466,00	
1832	368	1.359,00	
	480	1.493,00	
	592	1.632,00	
	704	1.883,00	
2032	368	1.403,00	
	480	1.540,00	
	592	1.687,00	
	704	1.949,00	

For technical features and connections see FRAME Page 166.

HOW TO ORDER CUSTOM IMAGES

- Choose between FRAME / FRAME PLUS (painted model).
- Select the size (H and L) and the connection type.
- Send your high resolution image (300 dpi - jpg, tiff, eps file), or your real picture. (Material used for rendering will not be given back).
- Send the relevant acquaintance to Cordivari dealer (All images sent by customer must respect all relevant rules of copyright).
- Our graphic team will resize the desired image on the selected radiator.
- Approve the pdf preview and order.



HOW TO ORDER STANDARD IMAGES

- Choose between FRAME / FRAME PLUS (painted model).
- Select the size (H and L) and the connection type.
- Choose a picture from our image gallery.
- Our graphic team will resize the desired image on the selected radiator.
- Approve the pdf preview and order.

IMAGE GALLERY



Frame Picture radiators are made in painted carbon steel using a unique and everlasting painting process. The Frame Picture painting process was awarded by ANVER (Italian Painters Association), during "Polveri" Exhibition (Verona, Italy), where it stood out for its innovation, high quality finishing and environment friendly approach.

PHOTOS BY: PIERO E ITAL GOVERNATORE - ITALCOLOR



FISHER (P09)



BAY (P10)



SHORE (P11)

PICTURES



MOUNTAIN (P17)



RIVER (P18)



SILHOUETTE (P01)

DRAWING BY
JACQUES TARARAN



FLÒ (P12)



GEMMA



VIOLA



IRIS 01



IRIS 02



IRIS 03



MIMOSA

FRAME SEASON - ARTWORK BY MARIANO MORONI



ABSTRACT 01
(G11)



ABSTRACT 02
(G12)



ABSTRACT 03
(G13)



ABSTRACT 04
(G14)



ABSTRACT 05
(G15)



ABSTRACT 06
(G16)

INOX Style


EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT



FRAME PICTURE CONVIVIUM

Artwork: Mariano Moroni

NEW

Material:

- Horizontal collectors in painted carbon steel with Ø of 30 mm.
- Heating elements in painted carbon steel.
- Heating plate in painted carbon steel.

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.


Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Accessories and spare parts:


See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	Connections: n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent



Measures for valves type "Elegant" Cordivari

CONNECTIONS



Always specify the kind of connection needed
when ordering (V9 - V10 - V11).
Bidirectional connection not possible.

LEGEND	
► In	← Airvent
◀ Out	
□ Connection	
Width=20 - Height=15	
▀ Pipe Centres	▀ Width

ACCESSORIES



ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310553	Ø 16	5991990310552
Price € 103,00		Price € 98,00	

R = Copper connection - M = Multilayer connection



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	

R = Copper connection - M = Multilayer connection



STRAIGHT HANGER
POLISHED

FOR FRAME 480 (L= 516 mm)
Art. Nr. 5991990300183
Price € 159,00

FOR FRAME 592 (L= 628 mm)
Art. Nr. 5991990300184
Price € 169,00

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.

CONVIVIUM TRITTICO

CONVIVIUM



The radiator **CONVIVIUM TRITTICO** is composed of three pieces.

FRAME

Height H [mm]	Width L [mm]	Pipe Centres (V9- V10) I [mm]	ARTWORK CONVIVIUM	Price €	Dry Weight [Kg]	Surface [m²]	Water Content [lt]	Thermal output Δt = 50°C Watt	75/65/20°C (Δt=50°C)
				*	Equazione caratteristica φ in Watts and Δt in °C				
1832	480	394		1.333,00	16,6	1,74	5,8	880	ϕ= 5,7949 * Δt ^{1,2840}
	592	506		1.420,00	20,9	2,15	7,2	1100	ϕ= 7,2436 * Δt ^{1,2840}
2032	480	394		1.367,00	18,4	1,93	6,4	978	ϕ= 6,4388 * Δt ^{1,2840}
	592	506		1.454,00	23,0	2,38	8,0	1222	ϕ= 8,0484 * Δt ^{1,2840}

Always specify while ordering the desired Artwork type.

FRAME PLUS

Height H [mm]	Width L [mm]	Pipe Centres (V9- V10) I [mm]	ARTWORK CONVIVIUM	Price €	Dry Weight [Kg]	Surface [m²]	Water Content [lt]	Thermal output Δt = 50°C Watt	75/65/20°C (Δt=50°C)
				*	Equazione caratteristica φ in Watts and Δt in °C				
1832	480	394		1.493,00	35,7	3,24	11,2	1455	ϕ= 7,4767 * Δt ^{1,3500}
	592	506		1.632,00	45,1	4,10	13,7	1819	ϕ= 9,3458 * Δt ^{1,3500}
2032	480	394		1.540,00	39,5	3,59	12,3	1568	ϕ= 8,0561 * Δt ^{1,3500}
	592	506		1.687,00	49,9	4,54	15,0	1960	ϕ= 10,0702 * Δt ^{1,3500}

Always specify while ordering the desired Artwork type.

(*) For additional information on thermal output calculation see page 200.



ROSY GRAPHIC TOTEM - RING

Artwork: Mariano Moroni

Material:

- Horizontal collectors in painted carbon steel with ϕ of 38 mm
- Vertical elements in painted carbon steel 50x10 mm

Fixing kit:

- Brackets
- Airvent
- Hexagonal tool
- Plugs and screws for mounting suitable for use on compact or hollow brick walls
- User notice

Packaging:

The radiator is protected by a film in polyethylene and with a box in carton.
User notice included.

Painting process:

Painted with ecological epoxy.
(Certificate DIN 55900-1,-2)

Accessories and spare parts:


See page 191.

P. max: 5 bar	Available for central heating systems
T. max: 110° C	- Connections (Version Vertical): n° 2 x 1/2" gas - n° 1 x 1/8" gas for Airvent




EN **442-1**

**EUROPEAN
WARRANTY**



G04 - Ring

Available measures




RING, TOTEM BLACK AND TOTEM WHITE ARE AVAILABLE IN **HORIZONTAL VERSION ON REQUEST**.


Vertical and horizontal dimensions and graphic have been chosen with care to offer a exclusive design radiators collection easy to place in every contemporaneous living space.

We always suggest to indicate the connections when you order.

STANDARD CONNECTIONS



SPECIAL CONNECTIONS (SURCHARGE € 50,00)




LEGEND	
► In	← Airvent
◀ Out	■ Height
□ Connection	Width=20 - Height=15
I Pipe Centres	L Width

Always specify the kind of connection needed when ordering. Bidirectional connection not possible.




G01 - Totem White

Available measures



G02 - Totem Black

Available measures



ACCESSORIES



ELEGANT SQUARE
MANUAL VALVE KIT
PAINTED PURE WHITE
RAL 9010

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310553	Ø 16	5991990310552
Price € 103,00		Price € 98,00	
R = Copper connection - M = Multilayer connection			



CORDIVARI ELEGANT
WITH THERMOSTATIC
HEAD SQUARE
PURE WHITE **RAL 9010**
PAINTED VALVE KIT

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310539	Ø 16	5991990310538
Price € 178,00		Price € 171,00	
R = Copper connection - M = Multilayer connection			



ELEGANT SQUARE
PIPE CENTRES 50 MM
VALVE KIT
PAINTED PURE WHITE
RAL 9010
WITH THERMOSTATIC
HEAD

R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990310543	Ø 16	5991990310542
Price € 192,00		Price € 185,00	
R = Copper connection - M = Multilayer connection			

Art. Nr. and prices are referred to colour WHITE R01 - RAL 9010 version.

Accessories and spare parts - see page 191.

ROSY GRAPHIC VERTICAL - STANDARD VERSION

STANDARD VERSION		N. ELEMENTS	Price	Pipe Centres	Dry Weight	Surface	Water Content	Thermal output a $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
			€	l [mm]	[Kg]	[m²]	[lt]	Watt	
G01	Totem White 280 x 1800 mm	5	691,00	1742	12,8	1,14	3,5	570	$\phi= 3,7532 * \Delta t 1,2840$
	Totem White 392 x 1800 mm	7	761,00	1742	18	1,60	4,9	798	$\phi= 5,2544 * \Delta t 1,2840$
	Totem White 504 x 1800 mm	9	831,00	1742	23,1	2,06	6,3	1026	$\phi= 6,7557 * \Delta t 1,2840$
	Totem White 616 x 1800 mm	11	901,00	1742	28,2	2,50	7,7	1254	$\phi= 8,2570 * \Delta t 1,2840$
	Totem White 280 x 2000 mm	5	732,00	1942	14,1	1,16	3,8	630	$\phi= 4,1710 * \Delta t 1,2826$
	Totem White 392 x 2000 mm	7	808,00	1942	19,8	1,77	5,3	882	$\phi= 5,8394 * \Delta t 1,2826$
	Totem White 504 x 2000 mm	9	884,00	1942	25,5	2,27	6,9	1134	$\phi= 7,5078 * \Delta t 1,2826$
G02	Totem White 616 x 2000 mm	11	960,00	1942	31,2	2,78	8,4	1386	$\phi= 9,1762 * \Delta t 1,2826$
	Totem Black 280 x 1800 mm	5	691,00	1742	12,8	1,14	3,5	570	$\phi= 3,7532 * \Delta t 1,2840$
	Totem Black 392 x 1800 mm	7	761,00	1742	18	1,60	4,9	798	$\phi= 5,2544 * \Delta t 1,2840$
	Totem Black 504 x 1800 mm	9	831,00	1742	23,1	2,06	6,3	1026	$\phi= 6,7557 * \Delta t 1,2840$
	Totem Black 616 x 1800 mm	11	901,00	1742	28,2	2,50	7,7	1254	$\phi= 8,2570 * \Delta t 1,2840$
	Totem Black 280 x 2000 mm	5	732,00	1942	14,1	1,16	3,8	630	$\phi= 4,1710 * \Delta t 1,2826$
	Totem Black 392 x 2000 mm	7	808,00	1942	19,8	1,77	5,3	882	$\phi= 5,8394 * \Delta t 1,2826$
G04	Totem Black 504 x 2000 mm	9	884,00	1942	25,5	2,27	6,9	1134	$\phi= 7,5078 * \Delta t 1,2826$
	Totem Black 616 x 2000 mm	11	960,00	1942	31,2	2,78	8,4	1386	$\phi= 9,1762 * \Delta t 1,2826$
	Ring 448 x 1800 mm	8	866,00	1742	20,5	1,83	5,6	912	$\phi= 6,0051 * \Delta t 1,2840$
	Ring 448 x 1900 mm	8	886,00	1842	21,6	1,93	5,8	960	$\phi= 6,3211 * \Delta t 1,2840$
	Ring 560 x 1600 mm	10	822,00	1542	23	2,05	6,3	1020	$\phi= 6,6795 * \Delta t 1,2854$
	Ring 560 x 2000 mm	10	922,00	1942	28,3	2,53	7,6	1260	$\phi= 8,3420 * \Delta t 1,2826$
	Ring 672 x 1800 mm	12	936,00	1742	30,8	2,75	8,4	1368	$\phi= 9,0076 * \Delta t 1,2840$
G04	Ring 672 x 2000 mm	12	998,00	1942	34	3,04	9,1	1512	$\phi= 10,0104 * \Delta t 1,2826$
	Ring 784 x 2000 mm	14	1.150,00	1942	39,7	3,55	10,7	1764	$\phi= 11,6788 * \Delta t 1,2826$

The price are refered to standard connection (V1-V6). For special connection see Page 186.

ROSY GRAPHIC VERTICAL - TANDEM VERSION

TANDEM VERSION		N. ELEMENTS	Price	Pipe Centres	Dry Weight	Surface	Water Content	Thermal output a $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in °C
			€	l [mm]	[Kg]	[m²]	[lt]	Watt	
G01	Totem White 280 x 1800 mm	5	907,00	1742	25	2,23	6,4	825	$\phi= 4,3857 * \Delta t 1,3387$
	Totem White 392 x 1800 mm	7	1.047,00	1742	35	3,12	9	1155	$\phi= 6,1400 * \Delta t 1,3387$
	Totem White 504 x 1800 mm	9	1.187,00	1742	44,8	4,01	11,6	1485	$\phi= 7,8943 * \Delta t 1,3387$
	Totem White 616 x 1800 mm	11	1.327,00	1742	54,8	4,90	14,2	1815	$\phi= 9,6486 * \Delta t 1,3387$
	Totem White 280 x 2000 mm	5	941,00	1942	27,6	2,47	7,1	900	$\phi= 4,7957 * \Delta t 1,3381$
	Totem White 392 x 2000 mm	7	1.097,00	1942	38,6	3,45	9,9	1260	$\phi= 6,7140 * \Delta t 1,3381$
	Totem White 504 x 2000 mm	9	1.253,00	1942	49,7	4,44	12,8	1620	$\phi= 9,5914 * \Delta t 1,3381$
G02	Totem White 616 x 2000 mm	11	1.409,00	1942	60	5,42	15,6	1680	$\phi= 10,5505 * \Delta t 1,3381$
	Totem Black 280 x 1800 mm	5	907,00	1742	25	2,23	6,4	825	$\phi= 4,3857 * \Delta t 1,3387$
	Totem Black 392 x 1800 mm	7	1.047,00	1742	35	3,12	9	1155	$\phi= 6,1400 * \Delta t 1,3387$
	Totem Black 504 x 1800 mm	9	1.187,00	1742	44,8	4,01	11,6	1485	$\phi= 7,8943 * \Delta t 1,3387$
	Totem Black 616 x 1800 mm	11	1.327,00	1742	54,8	4,90	14,2	1815	$\phi= 9,6486 * \Delta t 1,3387$
	Totem Black 280 x 2000 mm	5	941,00	1942	27,6	2,47	7,1	900	$\phi= 4,7957 * \Delta t 1,3381$
	Totem Black 392 x 2000 mm	7	1.097,00	1942	38,6	3,45	9,9	1260	$\phi= 6,7140 * \Delta t 1,3381$
G04	Totem Black 504 x 2000 mm	9	1.253,00	1942	49,7	4,44	12,8	1620	$\phi= 9,5914 * \Delta t 1,3381$
	Totem Black 616 x 2000 mm	11	1.409,00	1942	60	5,42	15,6	1680	$\phi= 10,5505 * \Delta t 1,3381$
	Ring 448 x 1800 mm	8	1.117,00	1742	40	3,56	10,3	1320	$\phi= 7,0172 * \Delta t 1,3387$
	Ring 448 x 1900 mm	8	1.147,00	1842	42	3,75	10,9	1391	$\phi= 7,4160 * \Delta t 1,3380$
	Ring 560 x 1600 mm	10	1.313,00	1542	46,9	3,97	11,6	1490	$\phi= 7,9023 * \Delta t 1,3393$
	Ring 560 x 2000 mm	10	1.331,00	1942	55,2	4,93	14,2	1800	$\phi= 9,5914 * \Delta t 1,3381$
	Ring 672 x 1800 mm	12	1.397,00	1742	59,8	5,34	15,5	1980	$\phi= 10,5258 * \Delta t 1,3387$
	Ring 672 x 2000 mm	12	1.487,00	1942	66	5,92	17	2160	$\phi= 11,5096 * \Delta t 1,3381$
	Ring 784 x 2000 mm	14	1.799,00	1942	77	6,90	19,9	2520	$\phi= 13,4279 * \Delta t 1,3381$

The price are refered to standard connection (V1-V6). For special connection see Page 186.

ROSY GRAPHIC VERTICAL - MAX VERSION

MAX VERSION		N. ELEMENTS	Price	Pipe Centres	Dry Weight	Surface	Water Content	Thermal output a $\Delta t = 50^\circ\text{C}$ (75/65/20°C)	(*) Thermal output ϕ in Watts and Δt in $^\circ\text{C}$
			€	I [mm]	[Kg]	[m ²]	[lt]	Watt	
G01	Totem White 280 x 1800 mm	5	1.091,00	1762	38,7	3,31	9,5	1368	$\phi = 6,8767 * \Delta t$ 1,3530
	Totem White 392 x 1800 mm	7	1.267,00	1762	51,2	3,97	12,7	1824	$\phi = 9,1698 * \Delta t$ 1,3530
	Totem White 504 x 1800 mm	9	1.443,00	1762	66,1	4,63	16,5	2371	$\phi = 11,9196 * \Delta t$ 1,3530
	Totem White 616 x 1800 mm	11	1.619,00	1762	78,6	5,29	19,7	2827	$\phi = 14,2118 * \Delta t$ 1,3530
	Totem White 280 x 2000 mm	5	1.141,00	1962	42,9	5,95	10,5	1512	$\phi = 7,6303 * \Delta t$ 1,3520
	Totem White 392 x 2000 mm	7	1.329,00	1962	56,7	6,61	14,0	2016	$\phi = 10,1738 * \Delta t$ 1,3520
	Totem White 504 x 2000 mm	9	1.517,00	1962	73,2	7,28	18,2	2620	$\phi = 13,2259 * \Delta t$ 1,3520
G02	Totem White 616 x 2000 mm	11	1.705,00	1962	87,1	7,94	21,7	3124	$\phi = 15,7694 * \Delta t$ 1,3520
	Totem Black 280 x 1800 mm	5	1.091,00	1762	38,7	8,60	9,5	1368	$\phi = 6,8767 * \Delta t$ 1,3530
	Totem Black 392 x 1800 mm	7	1.267,00	1762	51,2	9,26	12,7	1824	$\phi = 9,1698 * \Delta t$ 1,3530
	Totem Black 504 x 1800 mm	9	1.443,00	1762	66,1	3,67	16,5	2371	$\phi = 11,9196 * \Delta t$ 1,3530
	Totem Black 616 x 1800 mm	11	1.619,00	1762	78,6	4,40	19,7	2827	$\phi = 14,2118 * \Delta t$ 1,3530
	Totem Black 280 x 2000 mm	5	1.141,00	1962	42,9	5,13	10,5	1512	$\phi = 7,6303 * \Delta t$ 1,3520
	Totem Black 392 x 2000 mm	7	1.329,00	1962	56,7	5,87	14,0	2016	$\phi = 10,1738 * \Delta t$ 1,3520
G04	Totem Black 504 x 2000 mm	9	1.517,00	1962	73,2	6,60	18,2	2620	$\phi = 13,2259 * \Delta t$ 1,3520
	Totem Black 616 x 2000 mm	11	1.705,00	1962	87,1	7,33	21,7	3124	$\phi = 15,7694 * \Delta t$ 1,3520
	Ring 448 x 1800 mm	8	1.355,00	1762	58,7	8,07	14,6	2097	$\phi = 10,5443 * \Delta t$ 1,3530
	Ring 560 x 2000 mm	10	1.543,00	1962	78,8	8,80	19,7	2822	$\phi = 14,2433 * \Delta t$ 1,3520
	Ring 672 x 1800 mm	12	1.707,00	1762	86,0	9,53	21,6	3100	$\phi = 15,5872 * \Delta t$ 1,3530
	Ring 672 x 2000 mm	12	1.731,00	1962	95,3	10,30	23,8	3427	$\phi = 17,2955 * \Delta t$ 1,3520
	Ring 784 x 2000 mm	14	2.107,00	1962	111,9	11,5	28,0	4032	$\phi = 20,3476 * \Delta t$ 1,3520

The price are referred to standard connection (V1-V6). For special connection see Page 186.



INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT

ACCESSORIES AND SPARE PARTS




ACCESSORIES - STAINLESS STEEL RADIATORS

ELEGANT VALVES POLISHED

Kit valves includes:


Valves and holder - thermostatic Head (not in manual version) - **Fittings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **Couple of cover rings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **2 pipe covering stickers.**

AVAILABLE FOR: **LOLA - FUJKO - BABYLA - KELLY - RIO® - FRAME - FRAME PLUS**




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301084	$\varnothing 16$	5991990301083
Price € 106,00		Price € 99,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301079	$\varnothing 16$	5991990301077
Price € 182,00		Price € 178,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301080	$\varnothing 16$	5991990301078
Price € 182,00		Price € 178,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301072	$\varnothing 16$	5991990301071
Price € 174,00		Price € 169,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301070	$\varnothing 16$	5991990301069
Price € 189,00		Price € 181,00	

R = Copper connection - M = Multilayer connection




AVAILABLE FOR: **LOLA - FUJKO - BABYLA - KELLY - CELINE - FRAME - FRAME PLUS**



R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301082	$\varnothing 16$	5991990301081
Price € 125,00		Price € 119,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301086	$\varnothing 16$	5991990301085
Price € 269,00		Price € 244,00	

R = Copper connection - M = Multilayer connection


All Kits include two polished sticks, polished rings and fittings for copper or multilayer pipes.

AVAILABLE FOR: **BABYLA - KELLY - FRAME - FRAME PLUS**



R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301076	$\varnothing 16$	5991990301075
Price € 189,00		Price € 184,00	

R = Copper connection - M = Multilayer connection



R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301088	$\varnothing 16$	5991990301087
Price € 189,00		Price € 184,00	

R = Copper connection - M = Multilayer connection

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT


ACCESSORIES - STAINLESS STEEL RADIATORS


ELEGANT VALVES POLISHED

Kit valves includes:

Valves and holder - thermostatic Head (not in manual version) - **Fittings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **Couple of cover rings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **2 pipe covering stickers.**

AVAILABLE FOR: **BABYLA - KELLY - FRAME - FRAME PLUS**

PIPE CENTRES 50 MM STRAIGHT WITH THERMOSTATIC HEAD			
ONLY FOR V7 - V8 - V11 CONNECTIONS TYPE			
			
R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301074	$\varnothing 16$	5991990301073
Price € 198,00		Price € 193,00	
R = Copper connection - M = Multilayer connection			




All Kits include two polished sticks, polished rings and fittings for copper or multilayer pipes.

ELEGANT VALVES GOLD-POLISHED

Kit valves includes:

Valves and holder - thermostatic Head (not in manual version) - **Fittings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **Couple of cover rings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **2 pipe covering stickers.**

AVAILABLE FOR: **BABYLA**




SQUARE - MANUAL			
			
PIPE CENTRES 50 MM SQUARE - WITH THERMOSTATIC HEAD (RIGHT)			
ONLY FOR V7 - V8 - V11 CONNECTIONS TYPE			
R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990301056	$\varnothing 16$	5991990301055
Price € 191,00		Price € 162,00	
R = Copper connection - M = Multilayer connection			

ELEGANT VALVES SATIN

Kit valves includes:

Valves and holder - thermostatic Head (not in manual version) - **Fittings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **Couple of cover rings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **2 pipe covering stickers.**

AVAILABLE FOR: **LOLA - BABYLA - RIO® - RENÉE - STRADIVARI**

SQUARE - MANUAL		CORNER (RIGHT) - WITH THERMOSTATIC HEAD		CORNER (LEFT) - WITH THERMOSTATIC HEAD	
					
R	Art. Nr.	M	Art. Nr.	R	Art. Nr.
$\varnothing 12/14/15$	5991990320209	$\varnothing 16$	5991990320208	$\varnothing 12/14/15$	5991990320204
Price € 153,00		Price € 136,00		Price € 269,00	Price € 247,00
R = Copper connection - M = Multilayer connection		Not available on: BABYLA		Not available on: BABYLA	

ACCESSORIES - STAINLESS STEEL RADIATORS

ELEGANT VALVES SATIN

Kit valves includes:

Valves and holder - thermostatic Head (not in manual version) - **Fittings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **Couple of cover rings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **2 pipe covering stickers.**

AVAILABLE FOR: **LOLA - BABYLA - RIO® - RENÉE - STRADIVARI**

SQUARE - WITH THERMOSTATIC HEAD	
R Art. Nr.	M Art. Nr.
$\varnothing 12/14/15$ 5991990320197	$\varnothing 16$ 5991990320196
Price € 259,00	Price € 238,00
R = Copper connection - M = Multilayer connection	


STRAIGHT - WITH THERMOSTATIC HEAD	
R Art. Nr.	M Art. Nr.
$\varnothing 12/14/15$ 5991990320195	$\varnothing 16$ 5991990320194
Price € 261,00	Price € 248,00
R = Copper connection - M = Multilayer connection	

REVERSE - MANUAL	
Only for: LOLA	
R Art. Nr.	M Art. Nr.
$\varnothing 12/14/15$ 5991990320207	$\varnothing 16$ 5991990320206
Price € 188,00	Price € 165,00
R = Copper connection - M = Multilayer connection	

AVAILABLE FOR: **BABYLA**

PIPE CENTRES 50 MM SQUARE WITH THERMOSTATIC HEAD (RIGHT)	
ONLY FOR V7 - V8 - V11 CONNECTIONS TYPE	
R Art. Nr.	M Art. Nr.
$\varnothing 12/14/15$ 5991990320201	$\varnothing 16$ 5991990320200
Price € 306,00	Price € 271,00
R = Copper connection - M = Multilayer connection	

PIPE CENTRES 50 MM STRAIGHT WITH THERMOSTATIC HEAD	
ONLY FOR V7 - V8 - V11 CONNECTIONS TYPE	
R Art. Nr.	M Art. Nr.
$\varnothing 12/14/15$ 5991990320199	$\varnothing 16$ 5991990320198
Price € 306,00	Price € 285,00
R = Copper connection - M = Multilayer connection	



All Kits include two polished sticks, polished rings and fittings for copper or multilayer pipes.

SET FOR PIPE COVERING

AVAILABLE FOR: **ALL MODELS WITH POLISHED AND SATIN ELEGANT VALVES KIT**

SET FOR PIPE COVERING PIPE CENTRES 50 MM	
POLISHED VALVES	
Art. Nr.	5103000000057
Price	€ 51,00
SATIN VALVES	
Art. Nr.	5103000000058
Price	€ 68,00
GOLD VALVES	
Art. Nr.	5103000000087
Price	€ 87,00

SET FOR PIPE COVERING	
POLISHED VALVES	
Art. Nr.	5103000000044
Price	€ 24,00
SATIN VALVES	
Art. Nr.	5103000000045
Price	€ 28,00

ACCESSORY
FITTINGS FOR MULTILAYER PIPE Ø 20 X 2
FOR POLISHED VALVE
Art. Nr. 5006170050051
Price € 39,00
FOR SATIN VALVE
Art. Nr. 5006170320001
Price € 40,00

Please note:
Valves Kit for multilayer connections are supplied for pipe with thickness 2.
Fittings for special connections not in catalogue on request.

Pipe dimension: $\varnothing 18 \times 70$ mm. - Covering dimension: 122x72 mm.

HOOKS POLISHED STAINLESS STEEL • SATIN STAINLESS STEEL

LOLA - LOLA DECOR - BABYLA - FUJKO
POLISHED STAINLESS STEEL

	KIT 2 HOOKS Ø 20 mm POLISHED
	Price € 89,00 Art. Nr. 5991990010223

LOLA - BABYLA
SATIN STAINLESS STEEL

	KIT 2 HOOKS Ø 20 mm SATIN
	Price € 115,00 Art. Nr. 5991990010224

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC SUPPORT

TECHNICAL SUPPORT


ACCESSORIES PAINTED RADIATORS

ELEGANT VALVES KIT WHITE RAL 9010

Kit valves includes:


Valves and holder - thermostatic Head (not in manual version) - **Fittings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **Couple of cover rings for copper pipe ($\varnothing 12/14/15$) or multilayer pipe ($\varnothing 16$)** - **2 pipe covering stickers.**

AVAILABLE FOR: **ALL PAINTED CARBON STEEL RADIATORS**




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310553	$\varnothing 16$	5991990310552
Price € 103,00		Price € 98,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310549	$\varnothing 16$	5991990310547
Price € 197,00		Price € 191,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310548	$\varnothing 16$	5991990310546
Price € 197,00		Price € 191,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310539	$\varnothing 16$	5991990310538
Price € 178,00		Price € 171,00	

R = Copper connection - M = Multilayer connection




R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310541	$\varnothing 16$	5991990310540
Price € 188,00		Price € 182,00	

R = Copper connection - M = Multilayer connection




AVAILABLE FOR: **FRAME PIPE CENTRES 50 - FRAME PLUS PIPE CENTRES 50 - ROSY GRAPHIC PIPE CENTRES 50 - ROSY GRAPHIC TANDEM PIPE CENTRES 50 - ROSY GRAPHIC MAX PIPE CENTRES 50 - GROOVE® - ROADS® - ANDREA - JACKY - YARA**

All Kits include two polished sticks, polished rings and fittings for copper or multilayer pipes.



R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310543	$\varnothing 16$	5991990310542
Price € 192,00		Price € 185,00	

R = Copper connection - M = Multilayer connection



R	Art. Nr.	M	Art. Nr.
$\varnothing 12/14/15$	5991990310545	$\varnothing 16$	5991990310544
Price € 198,00		Price € 194,00	

R = Copper connection - M = Multilayer connection

Valves with different colour as White R01-RAL 9010 can be ordered together with radiator only and not separately.

Article nr. are referred to colour White R01-RAL 9010 version

Available also coloured with surcharge 30% see page 208.

KIT ELITE BABYLA - SATIN STAINLESS STEEL

KIT ELITE SATIN (ONLY FOR BABYLA H 1500) Art. Nr. 5102000000104 Price € 1.297,00						
	N° 1 MIRROR Art. Nr. 599199000006 Price € 309,00	N° 1 SHELF FOR BOOKS Art. Nr. 599199010055 Price € 185,00	N° 1 ELEGANT SQUARE SATIN STAINLESS STEEL PIPE CENTRES 50 MM WITH THERMOSTATIC HEAD (See page 193)	N° 2 HOOKS SATIN STAINLESS STEEL Ø 20 MM Art. Nr. 599199010007 Price € 95,00	N° 3 SHELVES (2 SX + 1 DX) Art. Nr. 599199010021 - SX Art. Nr. 599199010022 - DX Price € 121,00 (cad.)	N° 1 ANTENNA FOR HANGING CLOTHES Art. Nr. 599199000005 Price € 124,00

ACCESSORIES PAINTED RADIATORS

TINTA™ VALVES WHITE RAL 9010

NEW

New TINTA Valves kit include:

ENTIRELY COLOURED THERMOSTATIC HEAD .

AVAILABLE FOR: **ALL PAINTED CARBON STEEL RADIATORS**

SQUARE			
R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990311211	Ø 16	5991990311212
Price € 249,00		Price € 228,00	

R = Copper connection - M = Multilayer connection

THE CODES AND PRICES REFER TO STANDARD COLOUR WHITE R01- RAL 9010, THE PICTURES SHOW THE TINTA VALVE SET IN FULLY COLOURED VERSION. SURCHARGE OF 30% FOR DIFFERENT COLOURS THEN WHITE RAL 9010.

AVAILABLE FOR: **FRAME PIPE CENTRES 50 - FRAME PLUS PIPE CENTRES 50 - ROSY GRAPHIC PIPE CENTRES 50 - ROSY GRAPHIC TANDEM PIPE CENTRES 50 - ROSY GRAPHIC MAX PIPE CENTRES 50 - GROOVE® - ROADS® - ANDREA - JACKY - YARA**

PIPE CENTRES 50 MM SQUARE - WITH THERMOSTATIC HEAD - RIGHT			
ONLY FOR V7 - V8 - V11 CONNECTIONS TYPE			
R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990311217	Ø 16	5991990311216
Price € 279,00		Price € 269,00	

R = Copper connection - M = Multilayer connection

PIPE CENTRES 50 MM SQUARE - WITH THERMOSTATIC HEAD - LEFT			
ONLY FOR V7 - V8 - V11 CONNECTIONS TYPE			
R	Art. Nr.	M	Art. Nr.
Ø 12/14/15	5991990311219	Ø 16	5991990311218
Price € 279,00		Price € 269,00	

R = Copper connection - M = Multilayer connection

Valves with different colour as White R01-RAL 9010 can be ordered together with radiator only and not separately. Article nr. are referred to colour White R01-RAL 9010 version. Available also coloured with surcharge 30% see page 208.

THERMOSTATIC HEAD

LIQUID THERMOSTATIC HEAD - POLISHED	
Art. Nr.	5035270710002
Price	€ 72,00

LIQUID THERMOSTATIC HEAD - GOLD	
Art. Nr.	5035270710021
Price	€ 145,00

LIQUID THERMOSTATIC HEAD - SATIN	
Art. Nr.	5035270710004
Price	€ 95,00

LIQUID THERMOSTATIC HEAD - WHITE	
Art. Nr.	5035270710003
Price	€ 72,00

ACCESSORY	
FITTINGS FOR MULTILAYER PIPE Ø 20 X 2 FOR COLOURED VALVE	
Art. Nr. 5006170050051	Price € 39,00

Please note:
Valves Kit for multilayer connections are supplied for pipe with thickness 2.
Fittings for special connections not in catalogue on request.

INOX Style

EXTRASLIM®

NEO DESIGN

GRAPHIC PICTURE

TECHNICAL SUPPORT

HANGERS

STRADIVARI SATIN STAINLESS STEEL



**STRAIGHT HANGER
SATIN
STAINLESS STEEL
(L= 420 mm)**
Art. Nr. 5991990010159
Price € 192,00

FRAME - FRAME PLUS



**STRAIGHT HANGER
POLISHED**
FOR FRAME 368 (L= 404 mm)
Art. Nr. 5991990300187
Price € 150,00
FOR FRAME 480 (L= 516 mm)
Art. Nr. 5991990300183
Price € 159,00
FOR FRAME 592 (L= 628 mm)
Art. Nr. 5991990300184
Price € 169,00
FOR FRAME 704 (L= 740 mm)
Art. Nr. 5991990300188
Price € 182,00

FRAME - FRAME PLUS




**KIT 3 STRAIGHT HANGERS
POLISHED**
FOR FRAME 368 (L= 404 mm)
Art. Nr. 5991990300189
Price € 398,00
FOR FRAME 480 (L= 516 mm)
Art. Nr. 5991990300185
Price € 414,00
FOR FRAME 592 (L= 628 mm)
Art. Nr. 5991990300186
Price € 440,00
FOR FRAME 704 (L= 740 mm)
Art. Nr. 5991990300190
Price € 486,00

BADGE®



**STRAIGHT HANGER
POLISHED
STAINLESS STEEL
(L= 570 mm)**
Art. Nr. 5991990310240
Price € 111,00

FRAME - FRAME PLUS



**STRAIGHT HANGER
PAINTED**
FOR FRAME 368 (L= 404 mm)
Art. Nr. 5991990310565
Price € 124,00
FOR FRAME 480 (L= 516 mm)
Art. Nr. 5991990310566
Price € 133,00
FOR FRAME 592 (L= 628 mm)
Art. Nr. 5991990310567
Price € 142,00
FOR FRAME 704 (L= 740 mm)
Art. Nr. 5991990310568
Price € 155,00

FRAME - FRAME PLUS



**KIT 3 STRAIGHT HANGERS
PAINTED**
FOR FRAME 368 (L= 404 mm)
Art. Nr. 5991990310569
Price € 298,00
FOR FRAME 480 (L= 516 mm)
Art. Nr. 5991990310570
Price € 320,00
FOR FRAME 592 (L= 628 mm)
Art. Nr. 5991990310571
Price € 341,00
FOR FRAME 704 (L= 740 mm)
Art. Nr. 5991990310572
Price € 372,00

Available only on BADGE® H. 1755 x L.512 mm and
BADGE® ELECTRIC

SPARE PARTS • FIXING KIT

STAINLESS STEEL RADIATORS



POLISHED

AVAILABLE FOR:	Art. Nr.	Price €
LOLA - LOLA DECOR OR - VT	5102000000510	84,00
FUJYKO		
BABYLA	5102000000412	53,00
KELLY	5102000000414	76,00

SATIN

AVAILABLE FOR:	Art. Nr.	Price €
LOLA - LOLA DECOR OR - VT	5102000000511	57,00
BABYLA	5102000000423	47,00

Kits include: Brackets, Airvent, Blind Plug, Hexagonal tool, Plugs and screws for mounting, User notice.

PAINTED CARBON STEEL RADIATORS

Code Nr. are referred to colour WHITE R01 - RAL 9010 version. Available also coloured with surcharge - see page 208.



AVAILABLE FOR:	Art. Nr.	Price €
ROSY GRAPHIC OR	5102000000422	48,00



AVAILABLE FOR:	Art. Nr.	Price €
MOVIE®	5102000000265	75,00
HAND® CONTROL	5102000000264	70,00
BADGE® CONTROL		
JUNGLE® CONTROL		
GIULY®		
SFERE		
E.SIGN	5102000000263	86,00




AVAILABLE FOR:	Art. Nr.	Price €
ROSY GRAPHIC VT	5102000000512	72,00
ROSY GRAPHIC TANDEM VT	5102000000514	92,00
ROSY PICTURE VT	5102000000512	72,00
FRAME	5102000000415	41,00
FRAME PLUS	5102000000513	74,00

Kits include: Brackets, Airvent, Blind Plug, Hexagonal tool, Plugs and screws for mounting, User notice.

ELEGANT VALVES FLOW RESISTANCE

The following diagrams allow to calculate Cordivari valves flow resistance. The flow resistance is defined as the drop in pressure (expressed in KPa) that happened inside the valve due to the water (expressed in l/h) passing by.

Coefficient Kv, on the below diagrams, states the flow rate in m³/h that is passing by the valve, with a pressure difference of 1 bar.



- Elegant with Thermostatic Head


- Straight
- Pipe Centres 50 Straight



STRAIGHT ELEGANT



STRAIGHT ELEGANT PIPE CENTRES 50 MM



- Elegant Manual


- Square
- Reverse
- Pipe Centres 50 Straight



SQUARE MANUAL ELEGANT



REVERSE MANUAL ELEGANT



- Elegant with Thermostatic Head

- Corner
- Pipe Centres 50 a Square



ELEGANT CORNER



SQUARE ELEGANT PIPE CENTRES 50 MM

INOX Style

EXTRASLIM®

NEO DESIGN


CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT



ELEGANT VALVES FLOW RESISTANCE

The different coloured line indicate different opening levels of the thermostatic head.



"TINTA" VALVES FLOW RESISTANCE







The different coloured line indicate different opening levels of the thermostatic head.



CORDIVARI RADIATORS FLOW RESISTANCE

Below, it is reported the flow resistance diagram for some Cordivari Dsign radiator.

From the diagram we can see that radiators' flows rate are marginal compared to the general heating system ones.



INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE


GRAPHIC PICTURE

TECHNICAL SUPPORT

TECHNICAL FORMULAS FOR PROFESSIONALS

THERMAL OUTPUT

The power of a radiator to exchange heating in the room where it is installed depends on many factors: shape, size, installation type....and so on, and from a pure technical point of view, from the difference between its temperature and the air temperature around it. It is known in physics that heating is transmitted spontaneously from a hot body to a cold body and this heating transmission is as big as the difference in temperature between the two bodies. In order to have comparable data between radiators thermal output, it is necessary to establish the difference in temperature between the radiator and the environment in which it has been fitted. On this regard, EN 442 European directive refers to the temperature difference between the average hot water temperature inside the radiator and the room temperature where the radiator is fitted.



T₁ = delivery temperature

$$T_2 = \text{back flow temperature} \quad \Delta T = \left(\frac{T_1 + T_2}{2} \right) - T_a$$

T_a = room temperature

For example:

$$T_1 = 75^\circ\text{C} \quad \Delta T = \left(\frac{75 + 65}{2} \right) - 20 = 50^\circ\text{C}$$

$$T_2 = 65^\circ\text{C}$$

T_a = 20°C



ΔT is established at 50°C and the radiator thermal output has to be determined by authorised laboratories according standard procedures, defined by the European directive. As a consequence:

$$\Phi = K_M * \Delta T^n \quad [\text{W}]$$

That is called "Heating Body Typical Equation". Such equation allows to calculate the radiator thermal output according to whatever ΔT. In such cases, the radiator thermal output at a different ΔT than 50°C, it is calculated as follows:

$$\Phi_{\Delta T} = K_M * \Delta T^n \quad \Phi_{\Delta T} = \frac{\Phi_{50}}{50^n} * \Delta T^n$$

To be precise, the directive states that it is necessary to refer to the arithmetic temperature difference (ΔT above established) if as it happens in most cases the relation

$$\mu = \frac{T_2 - T_a}{T_1 - T_a}$$

It is bigger or equal to 0.7. If the radiator is functioning with low water temperature or big temperature drops, the relations μ is lower than 0.7. In this case, it is necessary to change to the above stated relation the "temperature arithmetic difference" with the "temperature logarithmic difference", defined below:

$$\Delta T = \left[\frac{T_1 - T_2}{\ln \frac{T_1 - T_a}{T_2 - T_a}} \right]$$

Example

If the nominal thermal output of one radiator stated in the catalogue is:

$$\Phi = 430[W] = 369,8[KCal/h]$$

and typical equation defined as:

$$\Phi = 3,2967 * \Delta T^{1,2451}$$

and if we assume to make the radiator functioning at $\Delta T = 60$ °C we obtain:

$$\Phi = 3,2967 * 60^{1,2451} = 539,6[W] \Rightarrow 539,6 * 0,860 = 464[KCal/h]$$

It is possible to state then, that going from $\Delta T = 50$ to $\Delta T = 60$ the radiator thermal output rise of 25,5%. . If we think to make functioning the same radiator according to the below conditions:

$$T_1 = 55 \text{ °C} \quad T_2 = 35 \text{ °C} \quad T_a = 20 \text{ °C}$$

$$\mu = \frac{35-20}{55-20} = 0,429 < 0,7 \quad \text{et} \quad \Delta T = \left(\frac{T_1 - T_2}{\ln \frac{T_1 - T_a}{T_2 - T_a}} \right) = \left(\frac{55-35}{\ln \frac{55-20}{35-20}} \right) = 23,6 \text{ °C}$$

Applying the above procedure, the thermal output ΔT 23,6 °C it is equal to:

$$\Phi = 3,2967 * 23,6^{1,2451} = 168,8[W] \Rightarrow 168,8 * 0,860 = 142,2[KCal/h]$$


We remind that in order to have the thermal output express in Kcal/h, it is necessary to multiply the value in Watts x 0.860.

TO CALCULATE THERMAL OUTPUT AT A DIFFERENT ΔT THAN 50°C

In order to satisfy the increasing exigent demands coming from architects and designer, Cordivari Design has developed a software that with few and easy steps allows you to choose the right radiators and the right needed power. This includes also the possibility to calculate the needed output at different Delta T than 50. The Cd also includes the radiators .3ds, .dwg, .dxf technical drawings suitable to be used with design software programmes, and the Cordivari Design catalogue in pdf version for an immediate and easy consultation.

In our website www.cordivaridesign.com, you can calculate the ideal thermal efficiency of your chosen radiators according to your heating system or download the latest version of the software in the download area

DOWNLOAD



3D TECHNICAL MODELS

www.cordivaridesign.com



CATALOGUE
(PDF FILE)



SOFTWARE
(DELTA T
CALCULATION)




PICTURES
OF RADIATORS

PRODUCTS CERTIFICATES




CE DECLARATION OF CONFORMITY

Every Cordivari radiators has a precise declaration of conformity according to the standard CPR 305/2011.



TEST REPORT

Determination of thermal output according to the standard EN 442-1 and EN 442-2, relevant characteristic formula, nominal power expressed in Watts a ΔT 50°C.



TEST REPORT

Certificate of Laboratory MRT (Politecnico of Milan-Italy) on following tests: hydraulic pressure test, maximal operating pressure, endurance and conformity of radiator to the drawing's dimensions according to the standard EN 442-1 e EN 442-2.



TEST REPORT

Test report from MRT (Politecnico of Milan-Italy) about: thermal output, hydraulic pressure test.




TEST REPORT

Test report from MRT (Politecnico of Milan-Italy) about: thermal output, hydraulic pressure test.




TEST REPORT


Test report from MRT (Politecnico of Milan-Italy) about: thermal output, hydraulic pressure test.



PAINTING PROCESS CERTIFICATION
ACCORDING TO DIN 55900-1, -2



TEST REPORT FROM LABORATORY
HKL (UNIVERSITY OF STUTTGART)
ACCORDING TO DIN 55900-1, 55900-2.



TEST REPORT FROM LABORATORY
HKL (UNIVERSITY OF STUTTGART)
ACCORDING TO DIN 55900-1, 55900-2.

COMPANY SYSTEM CERTIFICATES



ENVIRONMENT SYSTEM CERTIFICATE UNI EN ISO 14001:2004



QUALITY SYSTEM CERTIFICATE UNI EN ISO 9001:2008

Cordivari has always had among its goals:

- Continual improvement of its products
- Minimal environmental impacts
- Achievement of total quality

Cordivari worked out in order to obtain the most important certifications showing the company engagement in front of its internal system and external environment.

CE RADIATORS MARK

CE radiators mark: main futures

CE mark of radiators is the compliance to the minimal security requirements of European Directive of Standard 89/106/CEE and to the relevant EN 442-1-2-3.

The CE mark for radiators is compulsory since 01/12/2005.

The main features and tests are:

- Thermal output with relevant heat loss and characteristic formula tested by a certified laboratory as CETIAT, MRT and HLK.
- Conformity to the directive 76/769/CEE regulating the use of dangerous substances during painting process.
- Fire resistance according to EN 13501-1
- Corrosion resistance, endurance in humid atmosphere (min. 100 hours)
- Pressure test

The symbol of CE mark, in conformity to the directive 93/68/CEE, together to other technical information, is applied on the product and on its packaging.

Main Standards regulating the construction of design radiators

UNI EN 442-1:2015

Radiators and convectors - Part 1 Technical specifications and requirements

UNI EN 442-2:2015

Radiators and convectors - Part 2 Test Methods and Rating

UNI EN 13501-1:2009

Fire class of products and construction parts.

CPR 305/2011

Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC

76/769/CEE

Directive on use and market of some dangerous substances.

93/68/CEE

CE mark.

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT

DESIGNERS



Jean-Marie Massaud

Graduated from the ENSCI in 1990, Jean-Marie Massaud has run a quest for synthesis, reduction and lightness since his first intuitions. He has been working all kind of design fields, from furniture to industrial product and equipment. In 2000, he founds Studio Massaud and expands his expertise to architecture and brand development.

He collaborates with various brands such as B&B Italia, Axor Hansgrohe, Dedon, Lancôme or Renault. Denying trend and fashion, Jean-Marie prefers questioning the existing, working out on progress and eventually proposing answers to contemporary stakes. It is this symbiosis between Man, his creations and his natural environment, that Jean Marie Massaud strives to reach, as a catalyst to innovation, as an economic model and as a life project.

For Cordivari he projected Blow® radiator's design.



Mariano Moroni

Architect, Artist and Designer. He was born in 1954 in Nereto (Teramo).

After Artistic High School he graduated in architecture, and was licensed by Politecnico in Milan . Starting from 70s he attended to many Exhibitions and Fairs in Italy and abroad.

He has a wide-ranging and versatile mind, and he is involved in many creative activities from painting to architecture, from urban activity to graphic and design.

In 1999 he took part to a movie whose theme was rural architecture. His artworks are shown in public and private structures.

Cooperating with Cordivari, with mutual respect and estimation, he created Movie®, Renée, Jungle®, Raising®, Bridge®, Roads®, Roads® STF, Groove® and Giuly®.



DESIGNERS



Paola Pinnavaia was graduated at ISIA in Rome and she won European Design Award.

She worked as industrial designer for Texas Instruments in Nice, Tokyo and Dallas. In 1994 she founded Studio ONdesign in Rome, putting at industries disposal her creativity, innovation, and methodological experiences. She made Design being the propulsive heart of the industry. She cooperated with many prestigious international companies.

She designed for Cordivari Rio® and Foglia® (winner of 2001 I.D. Award review Magazine, New York).



Paola Pinnavaia



Luca Scacchetti (Milan 1952- 2015).

In 1975 he graduated in Architecture at Milan Politecnico University.

Since 1976 he's teaching Architectonic Composition and since 1987 he's teaching Architectonic Projects at Architecture Department- European Design Institute in Milan.

He is also teaching Architectural elements and Urbanistic at Artistic Accademy in Brera and at Design Department-Politecnico in Milan. He is cooperating in Design with many important Italian and stanger furnitures lighting and gifts industries. For Cordivari he created Stradivari radiator.



Luca Scacchetti



Professor at University, he founded in 1990 Architecture Studio and in 1993 the Project Company «Simone Micheli Architectural Hero». His architectural jobs, contract, interior design, exhibit, graphic and communication are linked to sensorial world.

He takes care of the most important exhibiting event and most qualified international Fair.

His artworks are shown at the most important architectural and design Show all over the world.

Many magazine are writing about his job.

Badge® and Sfere radiators, he created for Cordivari, was awarded with Design Plus, with Confort & Design and had the nomination at Ideo Bain Award.



Simone Micheli

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT

DESIGN HISTORY

AWARDS AND PRIZES RECEIVED DURING THE YEARS FROM CORDIVARI RADIATORS – MILESTONES IN A CONTINOUS SINERGY BETWEEN FUNCTIONALITY AND STYLE.

- 1991:** Elen, the first design radiator made in stainless steel, was realized
- 1995:** Elen protagonist of Cersaie exhibition - Bologna
- 1999:** First prototyp of Foglia®, first stainless steel radiator with exclusive DESIGN (design by Paola Pinnavaia)
- 2001:** Collezione Inox range was created. Foglia® won the I.D. Magazine Annual Design Review award, New York
- 2004:** Stradivari was selected for the event Casanova Room Number 3 (concept Luca Scacchetti), Abitare il Tempo – Verona
- 2004:** Tam Tam was selected for I.DoT- Italian Design on Tour award
- 2005:** Stradivari at FuoriSalone Texture & Materials (concept Carlo Colombo), Superstudiopiù - Milan
- 2006:** Nasce il brand Cordivari Design, come identificazione di radiatori d'arredo alto di gamma
- 2006:** First concept of ExtraSlim. Movie is exhibited in preview at the Mostra Convegno Expocomfort of Milan
- 2006:** ExtraSlim range was created. Badge® was exhibited in the exclusive setting Sim.Home (concept Simone Micheli), Abitare il Tempo - Verona
- 2007:** Badge® protagonist of the exhibition SiMaison (concept Simone Micheli), Salon Futur Intérieur- Paris
- 2007:** Badge® won Design Plus, Frankfurt
- 2008:** Movie® and Hand® radiators selected for Comfort & Design Award, Milan
- 2008:** Badge® won Comfort & Design Award, Milan
- 2008:** Nomination of Badge® for the Idéo Bain Prix du Design award, Paris
- 2008:** Badge® arrived in Brazil: exhibition at the Museum Mube, Sao Paulo
- 2008:** Rio® protagonist of D come design Award (concept Luisa Bocchietto), Torino World Design Capital '08
- 2008:** Exhibition of the Badge® at Domestic Campus (concept Simone Micheli), Abitare il Tempo - Verona
- 2008:** Lola awarded the Gold Villa Award, Poland
- 2009:** Badge® goes to Mexico: La Casa Italiana in Messico (concept Simone Micheli), Museo de Guadalajara, Mexico
- 2009:** Cordivari protagonist of FuoriSalone Interni Design Energies, Milan
- 2010:** Jungle® e Badge® exposed in spectacular Mücsarnok Art Gallery, Budapest
- 2010:** Movie®, Lola Decor and Badge® in three-dimensional version during the event Showroom Stereo 3D, Milan
- 2010:** Badge® Led won Lazienka Award, Poland
- 2010:** Rosy Picture® won the selection of Bathroom of Dreams, Czech Republic
- 2010:** Blow® launched from designer Jean-Marie Massaud during CERSAIE exibition at Cordivari Design stand
- 2011:** Badge® Led exposed in Jo House event (AbitaMi) during Salone Internazionale della Casa - MACEF, Milano
- 2011:** Bridge® and Raising® exposed at Open Art Office (concept Mariano Moroni), sponsored by A.M.A.C.I. (Italian Association of Contemporary Art Museum)
- 2012:** Blow® won Reddot Design Award Best of the Best category heating radiator
- 2013:** Nomination by German Design Council of Blow® at the German Design Award
- 2014:** Giuly® won IF- Product Design Award
- 2015:** Sfere won ADI Ceramic Award of the ADI Associazione per il Disegno Industriale
- 2016:** Nomination of the Sfere at German Design Award 2017 - Excellent Product Design from German Design Council

DESIGN PLUS
WINNER

COMFORT & DESIGN
AWARD

LAZIENKA
AWARD

PRIX DU DESIGN IDÉO BAIN
NOMINÉ



D COME DESIGN



CASANOVA ROOM
NUMBER 3



GOLD VILLA
AWARD



DESIGN HISTORY




RAISING®
Design di Mariano Moroni

OPEN ART/OFFICE
promossa da "A.M.A.C.I." Associazione Musei d'Arte Contemporanea
Italiani

Raising®, free-standing Model that frees the radiator from the traditional position on the wall and combines the function of the radiator with the one of floor lighting.

AVAILABLE ON REQUEST



FOGLIA®
Design Paola Pinnavaia

DESIGN DISTINCTION Award 2001
I.D. Review, New York

Foglia® born in 1999 it is the first design heating element, where the sinuous shape meet stainless steel's strength.

AVAILABLE ON REQUEST

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT


COLOURS

GLOSSY



GLOSSY
MATT
SPECIAL FINISHING
MELANGE
WAVY } +30%

MATT



T01
MATT BLACK



T09
MATT GOLD



T10
MATT BEIGE



T11
MATT WHITE



T12
MATT LIGHT GREY



T13
MATT GREY

NEW



T14
MATT BROWN



T15
TELA

MELANGE



M01
GOLD BLACK



M02
BLACK BROWN



M04
BLACK SILVER 2



M06
GOLD WHITE

SPECIAL FINISHING



F06
METAL ROUGH BLACK



F15
METAL SPARKLING BLACK



F04
GRAPHITE GREY



F03
METAL ANTRACITE



F09
GRAPHITE GREY



F07
SILVER EFFECT




F20
MILKY



F18
PLATINUM



F22
CLASSIC GOLD



F14
OLD BRONZE EFFECT



F24
BLACK STAR




F23
SPARKLING GREY



F25
QUARTZ DUST



F27
MOONSHINE



F26
DARK ALUMINIUM

WAVY



W01
NOTTURNO



W02
CARBON



W03
DOLOMITE



W04
SMOKE



W05
SNOWFLAKE



R31
IVORY

Please refer to Cordivari Colours chart, in order to see the real colour.

INOX Style

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

TECHNICAL SUPPORT

GENERAL SALES CONDITIONS AND WARRANTY

Sales of Cordivari's products are made according to the conditions listed below. Exceptions should be accorded written by Cordivari Srl.

1. SHIPMENT

Goods are transported at buyer's risk and peril, even if they are shipped free of carriage. Goods have to be checked at the delivery about unaltered packaging, missing or confused products in the presence of the forwarder. Any claim has to be immediately communicated to the forwarder by appointing the shipment's document and by registered mail within 3 days from receipt of the goods (otherwise Cordivari Srl is cleared of his responsibilities).

2. DELIVERY TERMS

Delivery terms are indicative. Failure to comply with the agreed delivery terms for any reasons will not entitle the buyer to any compensation, cancellation or modification of the order without our prior consent. In case of strikes, lack in raw materials, or any other Act of God, Cordivari Srl reserves the right to decide proper countermeasures; in this case Cordivari Srl should be considered exempted from any responsibility. Shall ordered goods not be collected within agreed date, the same will be invoiced and stored with risks and costs charged to the customer.

3. DRY WEIGHT, MEASURES, SURFACES

Dry Weights, measures, surfaces, shapes, sizes, images and other figures related to the products are merely indicative and Cordivari Srl may at any time modify them.

4. ORDER CANCELLATION OR MODIFICATION

All orders are valid only if accepted in written form by Cordivari Srl .
No orders shall be cancelled even partially without the consent of Cordivari Srl. It will not be possible to modify the order when the production has already started. Some cost due to the modifications or cancellation will be charge to the buyer.

5. RADIATORS/ACCESSORIES WARRANTY ON CONSTRUCTION DEFECTS

For all the Stainless Steel design radiators (excluding model Blow®, Frame and Frame Plus), Cordivari Srl offers a 15 years warranty, if radiators are installed in closed heating system.
For carbon steel radiators and brass radiator, hot water and electric version (including model Blow®, Frame and Frame Plus), for the accessories and for all the other items not listed in sales conditions, Cordivari Srl offers warranty terms and period according to the national law following the directive for warranties 1999/44/CE, only if radiators are installed in closed heating system.

- The warranty period starts with the date of the delivery of the material and this warranty is invalidated if the code of the radiator with the date is removed or modified.
- Warranty is only valid if Cordivari S.r.l. is notified by registered mail about the fault within 8 days since delivery.
- Warranty will take effect after having examined the defects and their causes in the Cordivari plant.
- The materials that have to be replaced or repaired must be shipped free of carriage to the Cordivari plant.

Warranty will be applicable at the following conditions:

- materials must have been stored in good conditions and protected from the inclemency of the weather before installation;
- radiator did not have damages during transport, handling or installation;
- no alterations or reparations must be done without the prior consent of the seller;
- the buyer must have paid all the bills within the pre-established deadlines;
- if for cleaning none of those aggressive, corrosive, substances not suitable for radiators material have been used;
- the installation must have been done by professionals and in conformity with all instructions and standards written on the technical data sheets provided by Cordivari S.r.l.;
- no periodical emptying of the system must have taken place;
- no aggressive chemical substances must have been added to the water of the system
- the working pressure and temperature shown in the catalogue must correspond to the current usage pressure and temperature;
- the caps and accessories used must be original Cordivari materials;
- radiator has not been connected to a system with open expansion tank;
- the radiators must not have been connected to the sanitary water system;

The warranty doesn't cover construction or dismantling costs to move the product from/to the installation place.

In case of using antifreeze, it should never be used pure, but it has to be diluted before including in the heating system.

When you use anti-corrosion, it has to be compatible with all the material composing the heating elements of the radiator.

In case of preinstalled Cordivari's caps, each alteration of those caps will make decade the warranty of the product. Cordivari will not assume responsibilities for radiator assembled by other people and/or even for caps which are not by Cordivari. Cordivari's warranty immediately decades in case of reparations or modifications on products without the previous agreement of Cordivari.

Heating system should be without any remaining of metals, calamine, grease, and without presence of gas.

Before starting the heating system, make a rinse to cancel any residual from the installation/working.

Warranty will not be valid in case of damages caused by electrical system.

The purchaser may not claim any other cost of direct or indirect damage to person or properties resulting from above confirmed defects.

6. PAYMENTS

All invoices have to be paid according to agreed deadline. Any delay, even partially may suspend the planned deliveries. Overdue interest could be charged at current rates.

7. GOODS' PROPERTY

Cordivari Srl remains owner of the delivered goods until they are not completely paid. In case of failure to proceed to the payment, Cordivari Srl could ask for immediate restitution of goods and keep the paid partial amount as indemnity. Cordivari Srl can reserve the right to evaluate bigger damages caused by the outstanding amount.

8. PRICES

Prices are not binding and can be modified without communication and can be modified on basis of the modifications which could appear before and during delivery. Basically the indicated prices are ex-works, except in case of written agreements. For some voluminous delivery Cordivari may charge some extra-costs. All prices indicated are V.A.T. excluded.

9. ORDERS/DELIVERY

Orders are basically with a minimum amount of EURO 2.000,00. Given orders are binding to the buyer, who acknowledges of all our sales conditions.

Delivery is considered to customer main place/warehouse; for any different destination please get in touch with our sales dept.

10. COURT AUTHORITY

For the following Catalogue and conditions only the provisions of Italian law will be used. For controversy, the Court of Teramo (Italy) shall have exclusive competence. Essential and trial law shall be exclusively Italian.

11. ORIGINAL VERSION

Being a translation, the Italian language is the only valid language for interpretation and conditions of this catalogue version.

© Copyright Cordivari S.r.l.

All rights such as reproduction, diffusion and translation are reserved. No part of this brochure can be reprinted or reproduced to any other form without a written authorization by Cordivari Srl. The present catalogue substitutes and invalidates all previous editions. Cordivari reserves the right to modify in every moment products and figures reported in the catalogue and has no responsibility for any press mistake.

CONDIZIONI DI VENDITA E GARANZIA

La vendita dei prodotti viene effettuata conformemente alle sotto elencate Condizioni Generali di Vendita e Garanzia. Ogni deroga è subordinata all'accettazione scritta da parte dalla Cordivari Srl.

1. SPEDIZIONE

La merce viaggia a rischio e pericolo del Committente, anche se viene spedita franco destino. La merce deve essere verificata all'atto della consegna, controllando l'integrità dell'imballo, articoli mancanti o sostituzioni in presenza del trasportatore. Ogni contestazione dovrà essere segnalata immediatamente al trasportatore/ corriere firmando con riserva il DDT e confermando tale riserva a mezzo lettera raccomandata o posta certificata entro otto giorni dal ricevimento della merce.

2. TERMINI DI CONSEGNA

I termini di consegna si intendono approssimativi e comunque se il termine di consegna non potesse essere rispettato per qualsiasi motivo, il Committente non avrà diritto a esigere alcun indennizzo, pagamenti di penali, annullamento o modifica all'ordine conferito. In caso di eventi straordinari quali calamità naturali, scioperi, mancanza di materie prime, e cause di forza maggiore, la Cordivari Srl si riserva la scelta delle misure da adottare. Se la merce ordinata non viene ritirata nel periodo concordato, questa verrà fatturata e immagazzinata con costi, rischio e pericolo a carico del committente.

3. PESI, MISURE, SUPERFICI

Pesi, misure, superfici, forme, dimensioni, immagini e altri dati sono indicativi e non impegnativi e possono subire delle modifiche o variazioni che la Cordivari Srl si riserva di apportare ai suoi prodotti senza preavviso.

4. ANNULLAMENTO O MODIFICA ORDINE

Senza il consenso scritto della Cordivari Srl, le ordinazioni conferite non possono essere né parzialmente né totalmente annullate o modificate. Non si accordano variazioni o modifiche quando sia già stata intrapresa la lavorazione. Eventuali spese derivanti dall'annullamento o modifica dell'ordine saranno fatturate al Committente.

5. GARANZIA RADIATORI/ACCESSORI

Per tutti i radiatori d'arredo in acciaio inox la Cordivari Srl garantisce 15 anni (esclusi tutti i modelli Blow® e Frame), se i radiatori sono installati in un circuito di riscaldamento chiuso. Per tutti i radiatori con il circuito diverso dall'acciaio inox, per gli accessori e per tutti gli articoli residuoli non contemplati nelle condizioni di vendita la Cordivari Srl garantisce nei termini e per il periodo di tempo stabilito dalla legge nazionale di recepimento della Direttiva Garanzie 1999/44/CE solo nel caso in cui i radiatori siano installati in un circuito di riscaldamento chiuso.

- La garanzia decorre dalla data di consegna e decade se viene manomessa e/o rimossa l'indicazione del lotto di produzione.
- I prodotti diventati inutilizzabili per difetti di costruzione saranno riparati o sostituiti gratuitamente franco Vs. destinazione.
- La condizione essenziale affinché la garanzia sia valida è che i difetti riscontrati siano notificati entro 8 (otto) giorni dal ricevimento della merce, per iscritto tramite raccomandata A/R o posta certificata.
- La garanzia sarà operante previo esame dei difetti e delle loro cause presso la sede della Cordivari Srl.
- Il materiale da sostituire o riparare dovrà essere consegnato franco magazzino presso la Cordivari Srl.

L'impegno di prestare la garanzia sussiste a condizione che:

- Il materiale sia stato immagazzinato in buone condizioni e al riparo dalle intemperie prima di essere installato;
- Il radiatore non abbia subito danneggiamenti durante il trasporto, le movimentazioni o l'installazione;
- Non siano state effettuate manomissioni o riparazioni dei prodotti senza l'autorizzazione della Cordivari Srl;
- Il compratore abbia effettuato il saldo dei pagamenti nei termini prestabiliti;

L'installazione sia stata realizzata da personale qualificato e in conformità alle istruzioni e alle norme indicate sulla documentazione tecnica fornita dalla Cordivari Srl;

- Per la pulizia del radiatore non siano stati utilizzati detergenti aggressivi, abrasivi incompatibile con il materiale del corpo scaldante;

• Non siano stati effettuati svuotamenti o caricamenti periodici dell'impianto;

• Non siano state effettuate aggiunte di sostanze chimiche aggressive all'acqua dell'impianto, e siano stati rispettati i valori guida secondo la normativa UNI 8065 con opportuni trattamenti dell'acqua;

• La pressione e la temperatura di esercizio indicate sul catalogo corrispondano alla pressione e alla temperatura massima di esercizio;

• Il circuito sia esente da residui di metallo, calamina, grasso e non ci sia presenza di gas. Prima della messa in funzione dell'impianto, eseguire un lavaggio per eliminare residui di lavorazione meccanica e/o residui in fase d'installazione.

• I tappi e gli accessori utilizzati siano quelli regolarmente forniti dalla Cordivari srl;

• I radiatori non siano stati collegati all'impianto dell'acqua calda sanitaria.

• I radiatori non siano collegati ad impianti con vaso di espansione aperto.

Nel caso in cui si utilizzi l'antigel, esso non dovrà mai essere utilizzato puro, ma diluito prima di essere introdotto nel circuito. Nel caso in cui si utilizzi un inibitore di corrosione, esso dovrà essere compatibile con tutti i materiali presenti nei corpi scaldanti. In caso di prodotto con tappi premontati dalla Cordivari Srl, qualsiasi manomissione degli stessi, porterà fuori garanzia il prodotto. La Cordivari Srl non si assumerà comunque responsabilità su batterie assemblate da terzi, e/o con tappi e riduzioni assemblati da terzi. Qualora il Cliente esegua modifiche o variazioni di sua iniziativa sui materiali in contestazione senza il nostro preventivo benestare, decade immediatamente ogni responsabilità della Cordivari Srl.

La garanzia inoltre non opera in caso di anomalie o guasti dipendenti dalla rete d'alimentazione elettrica.

La garanzia non copre costi dovuti a demolizioni, opere murarie, lavori per il passaggio e la collocazione dei prodotti sia in ingresso che in uscita e la manodopera per eventuali sostituzioni di prodotto.

Cordivari Srl si impegna durante il periodo di garanzia alla sostituzione del prodotto reso e riconosciuto difettoso per accertati difetti di produzione, oltre a ciò il Committente non potrà vantare alcun altro risarcimento per spese di danno, dirette o indirette di qualsiasi natura a persone e/o a cose derivanti da detti difetti.

6. PAGAMENTI

I pagamenti delle fatture relative alle forniture dovranno essere effettuati entro i termini di scadenza stabiliti. Il ritardo nel pagamento delle fatture, anche se parziale, dà luogo alla decorrenza degli interessi di mora nella misura del tasso corrente, oltre alla sospensione immediata delle spedizioni in corso e del processamento di eventuali ordini.

7. RISERVA DI PROPRIETÀ

I prodotti restano di proprietà della Cordivari Srl fino al pagamento dell'ultima rata di prezzo di merce consegnata. In caso di inadempimento anche parziale del compratore la Cordivari Srl potrà chiedere l'immediata restituzione della merce trattenendo comunque le rate pagate a titolo di indennità salvo il maggior danno.

8. PREZZI

I prezzi non sono impegnativi e possono essere modificati senza preavviso.

I prezzi sono revisionabili in funzione delle variazioni che dovessero intervenire fino al momento della consegna. I prezzi si intendono resa franco stabilimento di Morro d'Oro (TE), salvo diversi accordi. I prezzi sono sempre riportati nel listino al netto di IVA. Per modelli ingombri la Cordivari srl si riserva di chiedere una partecipazione alle spese di imballaggio.

9. ORDINI/CONSEGNA

Il valore minimo per ordine è di Euro 2.000. Gli ordini impariti impegnano definitivamente il Committente che deve dichiarare di conoscere e accettare tutte le condizioni di vendita. La consegna si intende esclusivamente presso la sede/magazzino del Committente. Richieste particolari del Committente come: consegne espresso, consegna diversa dalla sede/magazzino, etc. avranno costi addizionali che verranno comunicati di volta in volta dal nostro ufficio commerciale.

10. FORO COMPETENTE

Per qualsiasi controversia derivante dal presente contratto o collegata allo stesso è competente il Foro di Teramo. La legge applicabile (sostanziale e procedurale è quella italiana).

10. VERSIONE ORIGINALE

La versione originale e legalmente valida delle presenti condizioni di vendita e garanzia è la versione in lingua italiana.

© Copyright Cordivari Srl

Tutti i diritti, in particolare quelli di riproduzione, diffusione e traduzione sono riservati.
Nessuna parte di questa opera può essere ristampata o riprodotta in qualsiasi altra forma senza l'autorizzazione scritta della Cordivari. Il presente catalogo sostituisce ed annulla tutte le edizioni precedenti. La società si riserva la facoltà di modificare in qualsiasi momento i prodotti e i dati riportati a catalogo e non risponde degli eventuali errori tipografici.



www.cordivaridesign.com